19 | 20 CATALOGUE - ASIA -







GÉNIA, A VISION FOR THE FUTURE

Génia is France's leading manufacturer of medical devices for pet health care professionals (pet doctors, breeders, pharmaceutical companies, etc.). After more than 70 years of development, Génia has become an industry leader in the production of high-end veterinary organic resin syringes.

Alt hough we have been known for animal products in the early stages of our development, for the past 15 years we have been committed to achieving the same level of quality in our canine products through improvements and innovations.

Pet health care experts, the wealth of professional knowledge of pet doctors has always been the source of innovation and improvement of our products. To date, we have sold more than 2,500 products, 9 ranges: injection, surgery, orthopedics, hospitalization, capture, protection, hygiene, livestock and grooming. At the same time, we have also been exporting for more than 25 years, serving more than 70 countries and regions around the world, and has subsidiaries in Australia, North America and China.

OPTIMISED LOGISTICS FOR GUARANTEED SERVICE



Our entire process from sourcing of raw materials through shipping, has been ISO 9001 certified since 2007 and guarantees **consistent quality and optimal availability of our stock.**

ZHIMIYA, YOUR PARTNER IN ASIA

Established in 2014 as a wholly foreign-owned enterprise located in Zhongshan, Guangdong.


Zhimiya is a wholly owned subsidiary of Génia and its exclusive distributor in Asia.

Our mission is to provide you with Génia's extensive expertise in pet medicine.

At the same time, we provide you with a series of innovative veterinary medical devices and consumables.

Simplify your life and improve your medical experience.







CONTENTS

Injection	
Surgery	
Protection	11
Hospitalization	
Orthopedics	



- INFUSION SETS —

PERFUVET[®] DUO


Extra-long infusion set with two injection ports for small animals.

• Ideal for surgery if the injection port is inaccessible or if the patient is aggressive.

• Precise flow control roller clamp.

Code x 12	Model
157395	Perfuvet® Duo
	Outer packaging:
	12 boxes/boxes.


PERFUVET[®] PLUG





Extra-long infusion set with two injection ports and Luer-Lock hub for small animals. • Ideal for surgery if the injection port is inaccessible or if the patient 2 injection ports is aggressive. • Luer-Lock hub at 5 cm from the first injection port making it possible to easily disconnect the infusion to move the animal. • Precise flow control roller clamp. • Calibration: 20 drops/mL. • Extra-long 200 cm PVC tube. •Two injection ports at 20 cm and 110 cm from the Luer-Lock connector. • Convenient clear and flexible drip chamber to control the flow and to allow for easy priming. • Sharp spike to ensure easy piercing of any bottle. · Closable venting. • Luer-Lock distal cap. Disconnectable here • Slide clamp fitted. LUER-LOCK • Delivered assembled for easy use, with 2 caps packed separately 20 DROPS/ML CONNECTOR in a sterile bag. Supplied in boxes of 12. Code x 12 Model 157397 Perfuvet® Plug Outer packaging: Clamp 12 boxes/boxes.






K-STAR[®]

Infusion tubing anti-pinch device for Perfuvet® range.

• Prevents pinching of infusion tubing.

• Helps to secure the catheter.

Supplied in packages of 50.



191052 K-STAR® - Anti-pinch device





DISPOJECT® NEEDLES

Stainless steel, sterile, disposable hypodermic needles. • Latex-free, DEHP-free.

Supplied in boxes of 100.

Code x 100	Length	Size (G)
147752 😐	16 x 0,5 mm	25 G x 5/8"
147754 🔵	16 x 0,6 mm	23G x 5/8"
147757 ●	16 x 0,7 mm	22G x 5/8"
147758 ●	32 x 0,7 mm	22G x 1 1/4"
147762 🔵	16 x 0,8 mm	21G x 5/8"
147764 🔵	25 x 0,8 mm	21G x 1"
147772 😐	38 x 0,9 mm	20G x 1 1/2"
147774 😐	25 x 1,1 mm	19G x 1"
147776 🔵	38 x 1,1 mm	19G x 1 1/2"
147780 🔴	38 x 1,2 mm	18G x 1 1/2"








UROLENE® - STERILE CATHETER RANGE -

UROLENE® CAT

Sterile cat urinary catheter, DEHP-free.

- Luer-lock hub with perforated and rotating collar to fix the catheter.
- Latex-free and DEHP free.
- Two end types:
- Closed end with two side holes.
- Open end: : easier to remove the urethral obstruction.
- Stylet very easy to put back in place, does not move in the hub (closed end available with of without stylet).
- Supplied individually sterilely wrapped in boxes of 12.







Code x 12 2 side holes	Code x 12 Open end	Model	Dimensions
306898 🔍	-	With stylet	2,5 FG 0,8 x 110 mm
306900 🔵	306940 🔴	With stylet	3FG 1,0 x 110 mm
306902 🔍	306942 🔍	With stylet	4FG 1,3 x 140 mm
306904 🔴	-	Without stylet	3FG 1,0 x 110 mm
306908 🔵	-	Without stylet	4FG 1,3 x 140 mm



UROLENE[®] DOG

- Sterile dog urinary catheter, DEHP-free.
- Blunt, closed ends with two side holes.
- Luer-lock hub.
- Without stylet.
- Available in 5 sizes.

Supplied individually sterilely wrapped in boxes of 12.





Code x 12	Dimensions
306920 🔵	4FG 1,3 x 300 mm
306922 🔹	5FG 1,7 x 350 mm
306924 😐	6FG 2,0 x 450 mm
306926 🔵	8FG 2,6 x 500 mm
306928 鱼	10FG 3,3 x 600 mm



SUTURES -

MONOFIL Absorbable sutures

Synthetic absorbable monofilament suture, purple.

- Composition: polydioxanone (PDO). • Sterilised with ethylene oxide.
- Lasts under storage.
- Indications: soft tissues (uterus) and hollow organs. Infected or slow-healing tissues.
- Expiration date: 3 years; 4 months after opening.

Code	EP	USP	Length
340905	2	3/0	25 m
340907	3	2/0	25 m
340909	3.5	0	25 m
340911	4	1	25 m



GLYCOFIL[®] Absorbable sutures

Synthetic absorbable braided suture, purple. Composition: polyglycolic acid (PGA). Coating: polycaprolactone and calcium stearate. • Sterilised with ethylene oxide.

- Lasts under storage.
- Indications: very resistant, perfect for muscles.
- Packaging: vacuum-sealed in an aluminium bag in a cardboard box.
- Expiration date: 3 years; 4 months after opening.

Code	EP	USP	Length
340811	2	3/0	25 m
340813	3	2/0	25 m
340815	3.5	0	25 m



FILAMID Sutures

Braided, coated polyamide suture. Black. • Sterilised with ethylene oxide.

Code EP USP Length 340570 2 3/0 100 m 340568 2.5 2/0 100 m 340566 3 2/0 100 m 340564 3.5 0 100 m





SURGICAL INSTRUMENTS

Our scissors are made of stainless steel. Our production facility has been ISO 9001-certified since 2007 in full compliance with the control and traceability requirements for health products.



MAYO HEGAR NEEDLE HOLDER

Needle holder forceps in surgical quality stainless steel with satin matte finish.




SUTUREC Suture needles

Stainless steel suture needles, curved, 3/8 circle. Supplied in boxes of 12.



Code x 12	Length	Chord (Distance A-B)	Point type
157745	20 mm	16 mm	Round ·
157744	30 mm	24 mm	Round • ·
157742	45 mm	35 mm	Round .
157726	20 mm	16 mm	Triangular 🔫
157725	30 mm	24 mm	Triangular 🔫
157723	45 mm	35 mm	Triangular 🔫

SUTURE NEEDLES SELECTION GUIDE





Surgical quality stainless steel scissors with shine finish.	Surgical quality stainless steel scissors with shine finish.
\mathcal{S}	
FIVE-YEAR	FIVE-YEAR
Code Model Length	Code Model Length
601410 Straight 14 cm 601413 Curved 14 cm	601420 Straight 15 cm 601423 Curved 15 cm
	601422 Straight 17 cm
	601424 Curved 17 cm
MAYO SERRATED SCISSORS Surgical quality stainless steel scissors with satin matte finish.	DEBAKEY FORCEPS Surgical quality stainless steel dissecting forceps with satin matte finish.
FIVE-YEAR WARRANTY	FIVE-YEAR WARRANTY
CodeModelLength601456Straight17 cm	CodeModelLength650580Straight15 cm
ADSON FORCEPS Surgical quality stainless steel dissecting forceps with satin matte finish.	ADSON BROWN FORCEPS Surgical quality stainless steel dissecting forceps with satin matte finish.

TWO-YEAR WARRANTY	

MAYO STILLE SCISSORS

Code	Model	Length
650335	With teeth	12 cm

TWO-YEAR WARRANTY	Ì
WARRANTY	ļ

www.genia.fr

Length

12 cm

12 cm

SURGICAL SCISSORS - NEW

METZENBAUM SCISSORS

Code

650320

650322

Model

Without teeth


With teeth

CRILE FORCEPS
Surgical quality stainless steel clip with satin matte finish. For securing towels and drapes.
 CRILE FORCEPS
Surgical quality stainless steel haemostatic forceps with satin matte finish and locking handles.





NEW ____ DISSECTING FORCEPS -



Code	Model	Length
657030	Straight, without teeth	18 cm
657032	Curved, without teeth	18 cm



Surgical quality stainless steel haemostatic forceps with satin matte finish and locking handles.





TWO-YEAR

WARRANTY

génia

SURGITEK

Surgical gloves

Anatomically-designed sterile latex surgical gloves, lightly powdered, with long cuffs.

- Natural latex with low protein content to limit allergenicity.
- Good stretchability > 850%.
- Length 290 mm for better protection of the lower surface of the forearm.
- Variable thicknesses to ensure strength and flexibility (0.23 mm thick at the palm, 0.21 mm thick at the wrist, 0.26 mm thick at the fingers).
 Micro-textured palm for improved grip on instruments.

SURGICAL |

MOST

LATEX

- Lightly powdered with biodegradable USP grade cornstarch (non-
- allergenic): < 100 mg/g.
- Anatomically-designed fingers and thumb.
- Rolled edges for easier removal.
- Double wrapped in medical grade packages.
- Sterilised by gamma radiation.

Supplied by 50 pairs per dispenser box.





Disposable examination gloves made from pre-powdered latex.


- Ambidextrous, strong, comfortable, non-sterile gloves.
- Smooth surface of natural latex with low protein content to limit allergenicity.
- Good stretchability > 650% elongation.
- Pre-powdered with absorbent USP grade cornstarch (non allergenic < 120 mg/g).
- Double dipped to reduce porosity.
- Porosity standard AQL 1.5 (usual standard 2.5).
- Rolled edges.
- Supplied by 100 gloves per dispenser box.




Code x 100	Size
307760	6/7
307761	7/8
307762	8/9
307763	9/10
Outer p	ackaging:

Master case of 10 boxes.






Outer packaging: Master case of 4 boxes.





EASY FASTENING SYSTEM

PLEASE ASK TO YOUR VETERINARIAN HOW TO USE THE COLLAR CORRECTLY





2. Adjust the size to the neck girth of the animal. Do not overtighten ! You must be able to easily place your finger between the neck and the collar.




3. Overlap and stick the and loop layers using all the available surface without exceeding it. The label must be under the animal's head.



Transparent colourless polypropylene E-collars with double outer edge of shock-absorbent neoprene.

- Ultra-quick fastening system with self-adhesive strips. Detachment-resistant, with a larger adjustment area than ordinary fastening systems.
 Reinforced with lining.
- More comfortable for pets and easier to adapt to wearing (shock- and sound-absorbent lining, no stress on the neck).
- Colour-coded according to size.

Supplied by 12 in cardboard boxes.



Ultra-quick fastening

COLOUR CODED BY SIZE

Code x 12	Length (A-B)	Neck s min	size (B-C) max
306450 🔵	7.5 cm	10	13 cm
306452 🔵	10 cm	13	19 cm
306454 😐	12.5 cm	14	22 cm
306456 🔵	15 cm	18	30 cm
306458 😐	20 cm	22	35 cm
306460 🔴	25 cm	25	41 cm
306462 🔵	30 cm	34	53 cm
306468	Jeu (2x7 tai	lles, de 7.5	5 à 30 cm.)




shock-absorbent neoprene outer edge

MORE COMFORTABLE FOR PETS





QUICK FASTENING SYSTEM



Code x12 Transcol	Code x12 Funcol	Code x12 Greencol	Code x12 Neocol	Length (A-B)	Neck size (B-C) min max
306100 🔵	306200 🔵	306300	306420 🔵	7.5 cm	25 28 cm
306102 🔵	306202 🔵	306302	306422 🔵	10 cm	22 28 cm
306104 😐	306204 😐	306304	306424 😐	12.5 cm	25 33 cm
306106 🍙	306206 🍙	306306	306426 🍙	15 cm	33 41 cm
306108	306208 👝	306308	306428	20 cm	37 46 cm
306110	306210	306310	306430	25 cm	43 52 cm
306112	306212	306312	306432	30 cm	47 58 cm
-	-	306314	-	35 cm	54 70 cm
-	-	306315	-	40 cm	62 80 cm
306116	306216	306316	306438	Set (2x7 sizes,	from 7.5 to 30 cm)


Quick fastening system secured with double interweaving tabs.

- 3 to 5 neck size options.
- Protects the head, abdomen and legs.
- Separate fasteners on the collar.
- Storage hole for hanging and selecting a collar simply by pulling it down.
- E-collar inks comply with FDA standards, nontoxic for animals.

ASSEMBLY

Push the side (widest) tabs into the selected slits, with the smooth side facing inward, and then pull them through the adjacent slits.

Repeat with the small tabs.



DISASSEMBLY

To take the collar off easily, firmly fold the part that is overhanging after assembly.

Pull the tabs out of the slits.



E-COLLAR AND COSYPAD[®] HANGER

Wall hanger for displaying Génia E-collars and Cosypad®.

Code	Model
306117	Hanger





THICK AND DURABLE MATERIALS _



Transparent coloured polypropylene E-collars.

- Colour-coded according to size.
- Wavy outer edge to reduce frontal impact.
- Engraved anti-scratch lines.

Supplied by 12 in cardboard boxes.



GREENCOL

Transparent colourless polypropylene E-collars.

- •80% recycled, 100% recyclable.
- Wavy outer edge to reduce frontal impact.
- Engraved anti-scratch lines.

Supplied by 12 in cardboard boxes.







FUNCOL®

Transparent colourless polypropylene E-collars with coloured paw prints.

- Colour-coded according to size.
- Wavy outer edge to reduce frontal impact.
- Engraved anti-scratch lines.

Supplied by 12 in cardboard boxes.







- E-COLLARS

NEW

Transparent colourless polypropylene E-collars with shockabsorbent reflective neoprene outer edge.

- Colour-coded according to size.
- Lined with comfortable shock-absorbing neoprene, with reflective fabric to better spot the animal at night.
- Engraved anti-scratch lines.

Supplied by 12 in cardboard boxes.



génia

15

- PROTECTIVE EQUIPMENT -

COSYPAD® Mesh pad

NEW

A new generation mesh pad made from anti-bedsore material used in hospitals, Cosypad[®] offers comfort, hygiene and ease of cleaning. It is preferable to grates, underpads, and others bedding. Its aerated structure keeps animals clean and dry. Cosypad[®] provides comfort to animals and saves professionals time.

- Reduces the pressure exerted on muscles and joints for optimal comfort and the prevention of bedsores.
- Hygienic: liquids drain under the pad, leaving the animal dry.
- Does not retain fur.
- Good aeration, allowing better healing of wounds and better thermoregulation.
- Hypoallergenic material, odourless, antibacterial.
- Very strong, mould-resistant and insulating.
- Reinforced seams and tough nylon on the edges for better durability.
- Rounded edges to avoid chewing.
- Anti-slip surface.
- Washable:
- in a washing machine at 40 °C with a bleach pellet,
- with a hose after soaking in a disinfecting solution,
- use of dryer and spin cycle not recommended.
- Suspension eylet for hanger (code 306117) for easy storage.
- Uses:
 - in hospital cages,
 - on examination tables,
 - in veterinary surgery,
 - during the post-operative recovery stage,
 - in dental scaling (fast drainage of liquids),
- as anti-fatigue mat (for the surgeon).

Code	Weight	Size
327200	200 g	33 x 50 cm
327201	382 g	39 x 71 cm
327203	505 g	55 x 71 cm
327205	884 g	60 x 115 cm



Easier to store

Liquids go through Anti-slip



COMFORTABLE & HYGIENIC | MACHINE WASHABLE TO 40°C | STURDY & DURABLE MATERIAL



TESTIMONIES

Numerous veterinary practices already use the concept and show innovative qualities of the pad.

Alfort Veterinary School (France)

- Excellent thermal insulation to use instead of duck-boards and underpads in cats kennels.
- A better grip for animals, thus more safety especially after orthopedic surgeries.
- More hygiene because animals are not soiled by urines anymore.
- Provide an optimal comfort in dogs kennels.
- Prevent the formation of bedsores on animals during long hospitalization.
- Easy washing at 40°C with a disinfectant

Armand Valla - Rauzan (France)

We chose to use COSYPAD[®] in surgery room because their characteristics are optimal for the following needs : isolation of animals on the table of surgery, management of the hypothermia, perfect fluids flow under the animal which remains dry and not soiled, comfort and stability of the animals placed in dorsal decubitus. Pads are daily washed in machine with bleach tablets, dry extremely fast and present no sign of wear.

Dr. Jean-paul Zendali – Fribourg (Switzerland)

I use COSYPAD® in the recovery rooms, after surgeries. Cats or dogs always urinate in phase of awakening – because of pre-surgery perfusion - and it is always unpleasant to return an animal still wet to its owner. With COSYPAD®, this problem is solved ! The cleaning is easy : under the shower or in washing machine. It is comfortable and soft for animals in the awakening, which never damaged it so far! Really an advantage for the daily use.



www.genia.fr

NEW Vacuum fixed air cushion Vacuum immobilization mattress. Made of sturdy polyurethane material. Radiolucent. • Easy to clean. • 15% more microbeads to perfectly conform to the animal's shape. • Flexible, comfortable and very sturdy material. • The vacuum system allows complete immobilization in the desired position, which is ideal for radiology, ultrasound, MRI, CT and surgery. • Thermal insulation. · High quality safety valve, which can maintain vacuum over more than 72 hours. Supplied by unit with a pump. Code Size 327302 40 x 60 cm 327304 60 x 100 cm Model Code 327306 Manual pump for VACUUMAT® **TESTIMONIES** Dr. Demian, ULYSSES Pet Clinic, CAIRNS We recently purchased two of the VACUUMAT® for our busy small animal practice. They have been an instant hit with all the nurses and the vets. They are fantastic for holding patients in position (especially the awkward deep chested breeds) and are extremely easy to use and keep clean. I would highly recommend them. In fact I've just ordered some more WEST PENNANT HILLS Veterinary Hospital We used the VACUUMAT® to help with positioning for surgery especially in deep chested dogs or where the lump is at an awkward angle. I has also used it for taking x-rays on one dog where the foram wedges kept sliding and we couldn't get the position we wanted until we tried the mat. Seems to clean up fine and quite robust. Very hapy with its of ar.

DRYSOFT[®] Absorbent pad

Super absorbent, silky and comfortable pad made of super absorbent polymer (SAP*) gel layer covered with a thin cellulose layer and resting on waterproof and non-skid non-woven layer.

- 5 layers to optimise the absorption of liquids.
- Polymer gel (SAP*) to neutralise odors.
- Antimicrobial protection.
- Fast soaking.
- Does not leak after absorption of the volumes listed.
- Moderately wet after absorption of the required quantities.

*SAP (Sodium polyacrylate): Super Absorbent Polymer, absorbs 200 to 300 times its mass in water.


Supplied by 25 or 30.

Code	Size	Absorption capacity	Pack.
327050	40 x 60 cm	800 mL	x 30
327052	60 x 60 cm	1 000 mL	x 30
327054	60 x 90 cm	1 900 mL	x 25
327056	60 x 90 cm	2 500 mL	x 25



ANTIMICROBIAL PROTECTION AB

PROTECTIVE EQUIPMENT



Padded surface with fast absorption	
-------------------------------------	--

Protective mould-trapping layer

P

Polymer gel (SAP*) counteracts odour

Ultra-absorbent protective layer

Leak preventing protective layer

GÉNI	A (BATCH #	022014 TESTED)	MATTRESS PADS ON MARKE		
Size	Weight	Absorbed volume ¹	ped volume ¹ Weight Absorbed v		
40 x 60 cm	36 g	800 ml	38 g	600 ml	
60 x 60 cm	66 g	1000 ml	66 g	700 ml	
60 x 90 cm	105 g	1900 ml	105 g	1100 ml	
60 x 90 cm +	140 g	2500 ml	175 g	2400 ml	

WATER ABSORPTION TEST COMPARISON

¹Test Protocol: Running water uniformly and gently over pad until the liquid is no longer contained by the mattress pad.



FAST ABSORPTION

- BANDAGES -

FUN STRAP®

Cohesive elastic bandages with coloured patterns.

NEW

- Self-adhesive, without sticking to the skin or the fur.
- Strong and easy to apply.
- Easy to cut, no scissors needed.
- Supplied by 12 or 24.



Code	Model	Size	Pack.
307240	8 bandages of each pattern	5 cm x 4,5 m	x 24
307241	4 bandages of each pattern	7,5 cm x 4,5 m	x 12
307242	4 bandages of each pattern	10 cm x 4,5 m	x 12
307243	Set - 3 bandages of each size a	x 27	



STRAP BAND

- Cohesive elastic bandages.
- Self-adhesive, without sticking to the skin or the fur.
- Strong and easy to apply.
- Easy to cut, no scissors needed.
- Supplied by 12 or 24.



Red	Green	Blue	Yellow	Black	Dimensions	Pack.
307200	307201	307202	307203	-	5 cm x 4,5 m	x 24
307206	307207	307208	307209	-	7,5 cm x 4,5 m	x 12
307212	307213	307214	307215	307216	10 cm x 4,5 m	x 12

Code	WOUEI	
307220	Set of 32 classic bands 5 cm x 4.5 m : 2x ● ● ● 7.5 cm x 4.5 m : 2x ● ● ● 10 cm x 4.5 m : 2x ● ● ●	4x • 4x • 4x •

Model

STRAP BAND Bitter taste

Strap band with bitter taste:

- To prevent chewing and tearing.
- Contains denatonium benzoate, a bitter taste-repellent agent. This substance is also used to deter ingestion of household products and antifreeze and as a nail polish to prevent nail biting. Denatonium benzoate is considered harmless to the skin*.

*International Journal of Toxicology, vol. 27, no S1, 2008.

Supplied by 12 or 24.



Code	Dimensions	Pack.	Marine Second
307230	5 cm x 4,5 m	x 24	
307232	7,5 cm x 4,5 m	x 12	factor -
307234	10 cm x 4,5 m	x 12	
307222	Set of 16 bands with b Each model x 8 (size 5		



SPLINTS -

ROLL SPLINTS

Aluminium roll splint with foam on both sides.

- Easy to cut.
- Cut with Mayo serrated scissors to fit the animal's limb.
- Radiolucent.
- Flexible, atraumatic, easily takes the shape of the limb requiring immobilisation.


NEW

- Available in 3 widths.
- Supplied by 4.



Code x 4	Dimensions	
307830 🔴	4,5 x 25 cm	
307832 🔵	5,5 x 35 cm	
307834 😐	9 x 40 cm	





SPLINTS

Concave plastic splints; red, blue or green depending on size; coated with a thick protective foam.

• Very strong material, poly-gloss finish.

- No sharp angles, thick closed-cell protective foam that extends beyond the edges of the splint to protect the animal.
- Can be cut to fit the animal's limb.
- Air holes along the length of the splint allow air to circulate and prevent scar formation.

Supplied by unit or by 12.



ANGLE MATERIAL

Code x 1	Code x 12	Length
307801	307800	20 cm 🔵
307806	307805	30 cm 🔴
307811	307810	40 cm 🔵



(8)

AUXILIARY EQUIPMENT -

DIGIFLASH Digital thermometer

Digital thermometer for small and large animals.

- Flexible tip, length 7 cm.
- Temperature measurement in 5 seconds.
- Recalls the last 5 values.
- Temperature range: 32 to 43 °C / 90 to 110 °F.

Supplied in a transparent polycarbonate box.

DIGIFIX

Digital thermometer

Digital thermometer for small and large animals.

NEW

RIGID

ΤIΡ

- Rigid tip, length 7.5 cm.
- Temperature measurement in 10 seconds.
- Recalls the last value.

• Temperature range: 32 to 43°C/90 to 110°F.

Supplied in a transparent polycarbonate box.



Code	Length	Tip length			
227972	15,5 cm	7 cm			
Outer packaging:					
Master case of 12 and 240 units.					

Code	Length	Tip length
227978	15,5 cm	7,5 cm
	(Outer packaging

13 CIL

Outer packaging: Master case of 12 and 240 units.





– AUXILIARY EQUIPMENT –

NEW

PILL APPLICATOR

PVC pill applicator with flexible tip. Secured.

- Useful to administer pills to cats and small dogs.
- Can be used with just one hand.
- Add water to promote swallowing if needed.

• Atraumatic soft tip.

Supplied by 12 in a dispenser box.



NEW

Ticks remover

To safely remove ticks from animal. Efficient and quick ! Suitable thanks to the 2 sizes of spoons in the same product which allow to remove easily all type of ticks.

- Made in Green PE, the TIKER® is eco friendly: - the material is biobased and 100% recyclable,
- the carboard packaging is 100% recycled, 100% recyclable.
- Fast.
- Painless.
- Hygenic.
- Without leaving the mouth-parts of the tick planted in the skin.
- The spoon allows to hold the tick the time to eliminate it.
- Supplied in a cardboard by 24 in a dispenser box.



Code x 24 191061







CANIS-MOBILE[®] Rehabilitation cart


Mobility cart to support the hind legs of dogs and cats in case of partial or total mobility loss.

- Welded, galvanised metal and aluminium chassis.
- Adjustable height and length.
- Adjustable straps.

Indications:

- Paralysis or paresis of dogs' hind legs, particularly in German Shepherds, Dachshunds, Labradors, etc.
- On request: models adjustable in dimensions A, B and C below.

Supplied with the corresponding hind Handy Canis (choose according to measurements D and E).



Canis-Mobile® measurements A) Thorax circumference behind the front legs. B) Length between the front and back legs. C) Tail height. <u>Hind Handy Canis measures</u>

NEW

D) Abdomen circumference at the groin. E) Thigh circumference at the groin.

<u>Help with Canis-Mobile®</u> selection: Measure A, B and C and determine the size of the model (small, medium or large). Then select the compatible hind Handy Canis using measurements D and E.

		HANDY CANIS me	easurements	CANIS-MOBILE® measurements			
Code SET	Handy Canis size	Abdomen circumference min. and max.	E Thigh circumference min. and max.	Canis-Mobile [⊚] size	A Thorax circumference	B Length min. and max.	C Tail height min. and max.
260570	XS	30 - 33 cm	7,5 - 17 cm	Small	41 cm maxi	16 - 26 cm	17 - 27 cm
260571	S	33 - 36 cm	15 - 23 cm	Smail	41 Cm maxi	10 - 20 CIII	17 - 27 CM
260574	S	33 - 36 cm	15 - 23 cm	Medium	66 cm maxi	25 - 35 cm	24 - 38 cm
260575	М	36 - 50 cm	22 - 32 cm	Medium	00 CITI Maxi	25 - 35 CIII	24 - 36 011
260580	L	50 - 63 cm	31 - 36 cm	Larga	rge 90 cm maxi 35 - 50 cm	41 - 56 cm	
260581	XL	63 - 81 cm	37 - 53 cm	Large	90 CHI MAXI	35 - 30 CM	41 - 36 CIII

HIND HANDY CANIS Rehabilitation harness


NEW

Hand held harness, for mild to serious temporary or permanent paresis or paralysis of dogs' and cats' hind legs.

• Helps the animal to move and especially to climb on curbs and stairs.



Code	Size	Abdomen circumference min. and max.	Thigh circumference min. and max.	Breed
227250	XS	30 - 33 cm	7,5 - 17 cm	Yorkshire, Chihuahua
227252	S	33 - 36 cm	15 - 23 cm	Dachshund
227254	М	36 - 50 cm	22 - 32 cm	Basset Hound
227256	L	50 - 63 cm	31 - 36 cm	Golden Retriever, German Shepherd
227258	XL	63 - 81 cm	37 - 53 cm	St. Bernard, Newfoundland



D) Abdomen circumference at groin.E) Thigh circumference at groin.



EASY TO ASSEMBLE CART | EASY TO INSTALL HARNESS |





NOTES

génia www.genia.fr

Need to know more ?

Please contact our sales staff immediately and we will get back to you as soon as possible.

Asian Export Manager: Lynch Lee

Email: I.lynch@genia.fr Mobile: +86-189-8857-4771



Parc d'Activités Le Pont Béranger - 12 rue Jean François Champollion 44680 St. Hilaire de Chaléons - France Tél : +33 (0)2 40 03 24 17 - Fax : +33 (0)2 40 03 14 71 genia@genia.fr - www.genia.fr



Zhongshan Zhimiya Veterinary Equipments Manufacturing Co., Ltd Building 2, N°3 Yong Chang Road, Central Nantou Avenue Nantou Town, Zhongshan City, Guangdong Province, China, 528427 Tel : +86 760 8973 3788 - Fax : +86 760 8973 3783