




20 | 21

- ENGLISH -



génia

the veterinarian's preference

[illegible]

MEDICAL génia VETERINAIRE



injection



surgery



orthopedics



hospitalization



capture



protection



hygiene



livestock



grooming

■ GÉNIA, A VISION FOR THE FUTURE

The innovative spirit that has been supporting and driving our growth since Génia's creation has helped the company to become **a market leader by providing specialised solutions in veterinary supplies.**

ATTENTIVE TO MARKET EXPECTATIONS

We have made major advances in the past twenty-five years, by introducing **innovative products and increasing production capacity.** We have also entered new markets in France and internationally, thanks to our successful sales efforts.

CUTTING-EDGE RESEARCH

Frequent interaction with animal health professionals has helped us create a broad range of superior veterinary supplies. Our outstanding R&D department has developed innovative concepts **including sutures, drenching guns, and automatic syringes,** that have become **the gold standard on the market.**

OPTIMISED LOGISTICS FOR GUARANTEED SERVICE

Our entire process from sourcing of raw materials through shipping, has been ISO 9001 certified since 2007 and guarantees **consistent quality and optimal availability of our stock.**

PLEASE REVIEW GÉNIA'S COMPREHENSIVE OFFERINGS FOR VETERINARIANS:

- In our catalogue you will find **a wide range of 2500 items** grouped into 9 product categories;
- Our website provides easy access to the information you need, at **www.genia.fr**
- Our sales department is here to help you with any specific requests:


- by phone:
- by email:

+33 (0)2 40 03 24 17
genia@genia.fr

■ GOOD PROSPECTS ON THE EUROPEAN AND OVERSEAS MARKETS

For more than 60 years, Génia has been building up its export business, which now represents one-third of the company's sales.

We attract foreign customers with product lines specifically designed for their markets. Exports have enabled us to increase production and achieve economies of scale to reduce costs.



Belgium: **+33 2 40 33 35 38**

Germany, Switzerland, Austria, Eastern Europe, Middle East and East Africa: **+33 2 40 03 26 48**

Russia: **+33 2 40 33 39 35**

United Kingdom, Ireland, Netherlands, Scandinavia, North and West Africa: **+33 2 40 03 28 61**

South Africa and Southern Europe: **+33 6 24 65 66 20**

Latin America: **+1 917 797 6521**

Subsidiaries:

- United States : **+1 (646) 866-3550**

- China : **+86 760 8973 3788**

- Australia : **+61 4 28 112 151**

■ GÉNIA, QUALITY GUARANTEED, OUTSTANDING PERFORMANCE

Génia has been ISO 9001 certified since 2007.

We are fully committed to continuous improvement of our organisation.

Our quality management system is built around our collective commitment to meet our customers' needs in terms of deadlines, products and quality business relations.

Our continuous improvement system helps us serve you better, which is our number one priority.



■ GÉNIA, DESIGN AND ENGINEERING

1. PRODUCT DESIGN: AN INNOVATIVE, CUSTOM SOLUTION

Génia has always emphasised research and development of new solutions to simplify veterinary practice.

Our design and engineering staff concentrate their efforts on constantly improving our product offerings. We upgrade our current products and develop new ones based on customer suggestions and feedback. And, with our vast experience and expertise in veterinary science, we design new equipment and instruments that get rave reviews from our customers.

2. PRODUCTION: EXPERTISE ESSENTIAL FOR INNOVATION

As a market leader in veterinary supplies, Génia invests heavily in our plant and equipment, and our growth strategy includes adding new production capacities.

Our production of small veterinary supplies is divided into six specialised production units:




- **Lathe production unit:**

this workshop works mainly on machining plexiglas for the production of Géniaflex syringes and on machining steel for the osteosynthesis range.

- **Plastic injection production unit:**

the moulds are used to make a wide range of products such as syringes, drenching guns, ticks remover, suture cases, etc.




- **Electro-mechanical equipment unit:**

this facility makes electric fences, electric prods and tattooing machines.

- **Clean room unit:**

this unit packages and sterilizes surgical sutures in a cleanroom.




- **Cutlery production unit:**

this facility specialises in farrier tools (blades), surgical and grooming scissors, as well as repair of surgical instruments.

- **Distinject equipment unit:**

from 2015, manufacture and assembly of animal immobilisation and capture equipment (hypodermic projectors and accessories, poles...).



3. DISTRIBUTION: WE MAKE EVERY EFFORT TO GET YOU YOUR ORDER AS QUICKLY AS POSSIBLE

We have set up a state-of-the-art logistics system.

The delivery process is totally automated, including order tracking, production, inventory management and shipping, as part of our ISO 9001 certification.

With a storage capacity of 3,600 pallets, Génia's goal is to guarantee the availability of our products, in a timely manner.



injection



surgery



orthopedics



hospitalization



capture



protection



hygiene




livestock



grooming

CONTENTS

• Injection	7
• Surgery	37
• Orthopedics	59
• Hospitalization	71
• Capture	89
• Protection	121
• Hygiene	127
• Livestock	133
• Grooming	157
Index	160



INJECTION

Hypodermic syringes

Plexiglas syringes	8
Manual syringes	10
Semi-automatic and automatic syringes	12
Disposable syringes	14
Replacement parts	16
Syringe accessories	17

Needles

Reusable hypodermic needles	18
Disposable hypodermic needles	20
Detectable disposable hypodermic needles	22
Specific needles	23
Needle accessories	25

Infusion sets, sampling, catheters

Catheters	26
Infusion sets	28
Other catheters and tubing	34

■ GÉNIAPLEX

Hypodermic plexiglas syringes for professionals.

- Manufactured from a solid block of plexiglas that is treated to avoid deformation and cracking.
- Stainless steel plungers, rods and handles and chromium-plated Zamac caps.
- Flat, bevelled silicone washers are extra strong, water resistant and nonstick, providing a perfect washer and smoothly sliding plunger.
- Sterilisation: resistant to boiling water and autoclave up to 125°C (30 min - 1.3 bars), but not to alcohol.
- No contraindication for use with standard pharmaceutical products.
- Can be entirely disassembled.
- Black indelible graduations.
- Nickel-plated brass bibloc Luer-Lock hub.

Supplied in a polyethylene bag with instructions for use, 6 extra washers and a 10 mL silicone oil bottle.

On demand: Recordfix and Rotlauf Luer-Lock hubs.



IDEAL FOR
INTENSIVE USE

Code	Model	Capacity	Washer	Graduation	Hub
100002	Standard	1 mL	9-14	0.1 mL	Concentric
100003	Standard	2 mL	9-14	0.1 mL	Concentric
100004	Standard	3 mL	9-14	0.1 mL	Concentric
100006	Long	5 mL	9-14	0.1 mL	Concentric
100007	Short	5 mL	14-20	0.5 mL	Concentric
100008	Standard	10 mL	14-20	0.5 mL	Concentric
100010	Standard	20 mL	20-28	1 mL	Eccentric
100032	Standard	20 mL	20-28	1 mL	Concentric
100014	Long	30 mL	20-28	1 mL	Eccentric
100036	Long	30 mL	20-28	1 mL	Concentric
100012	Short	30 mL	24-32	2 mL	Eccentric
100034	Short	30 mL	24-32	2 mL	Concentric
100018	Long	50 mL	24-32	2 mL	Eccentric
100040	Long	50 mL	24-32	2 mL	Concentric
100016	Short	50 mL	30-40	2 mL	Eccentric
100038	Short	50 mL	30-40	2 mL	Concentric
100022	Long	60 mL	24-32	2 mL	Eccentric
100020	Short	60 mL	30-40	2 mL	Eccentric
100026	Long	100 mL	30-40	2 mL	Eccentric
100048	Long	100 mL	30-40	2 mL	Concentric
100024	Short	100 mL	40-50	5 mL	Eccentric
100046	Short	100 mL	40-50	5 mL	Concentric
100028	Standard	200 mL	40-50	5 mL	Eccentric
100050	Standard	200 mL	40-50	5 mL	Concentric

p.16 Find hubs and washers

p.18 Find Delvo needles

■ GÉNIAPLEX 300 ML

Hypodermic plexiglas syringe for professional use.

- Extruded plexiglas barrel.
- Bottom, cap and plunger made of polished aluminium.
- Aluminium rod and handle made of unbreakable and non-deformable plastic.
- Can be entirely disassembled.
- Flat and bevelled silicone washer.
- Can be converted into a drenching syringe.
- Sterilisation: resistant to boiling water.
- Black indelible graduations.
- Concentric Bibloc Luer-Lock hub.
- To convert into a drenching syringe, replace the hub and adapter with a 10 mm diameter long nozzle (code 187040 or 186052 p.138).

Supplied in a polyethylene bag with an extra washer and a 10 mL silicone oil bottle.

On demand: Recordfix and Rotlauf Luer-Lock monobloc hubs.



	Code	Model	Capacity
A	104850	Hypodermic syringe	300 mL
B	189625	Reducer with needle hub seal	-

p.16 Find hubs and washers

■ DOSIGÉNIA

Géniaplex syringes for professionals but with a screw rod.

- Identical to Géniaplex syringes.
- Chromium-plated brass rods with flat sides and indelible graduations.

Supplied in a polyethylene bag with an extra washer and a 10 mL silicone oil bottle.

On demand: Recordfix and Rotlauf Luer-Lock monobloc hubs.



Code	Model	Capacity	Washer	Graduation axis	Hub
100430	Long	5 mL	9-14	0.2 mL	Concentric
100432	Standard	10 mL	14-20	1 mL	Concentric
100434	Standard	20 mL	20-28	1 mL	Eccentric
100436	Short	30 mL	24-32	2 mL	Eccentric
100438	Short	50 mL	30-40	5 mL	Eccentric

p.16 Find hubs and washers



■ GÉNIAMATIC WITH TUBING

Automatic Géniaplex syringes with 4/7 mm tubing.

- Identical to Géniaplex syringes.
- Dose adjustment by rotating the screw that passes through the cap of the syringe.
- Dose unlocking by unscrewing the locknut.
- Valve assembly with stainless steel springs and plastic or metal precision ground balls.
- 10 and 20 mL models can be adjusted from 5 to 10 mL and from 10 to 20 mL respectively.
- Bibloc Luer-Lock hub.

Supplied in a cardboard box with 1 m of flexible PVC tubing, washers and valves set and a 10 mL silicone oil bottle, **without an air needle**.



Code	Capacity	Washer	Graduation	Adjustment range
100449	0.3 mL	4-14	0.1 mL	from 0 to 0.3 mL
100446	0.5 mL	5-14	0.1 mL	from 0 to 0.5 mL
100450	1 mL	9-14	0.1 mL	from 0 to 1 mL
100451	2 mL	9-14	0.1 mL	from 0 to 2 mL
100453	5 mL	14-20	0.5 mL	from 0 to 5 mL
100455	10 mL	14-20	0.5 mL	from 5 to 10 mL
100457	20 mL	20-28	1 mL	from 10 to 20 mL

[p.23 Find air needles](#)

[p.16 Find hubs and washers](#)

[p.16 Find Ball, spring and washer kit](#)

■ GÉNIAMATIC BOTTLE HANGERS

Automatic Géniaplex syringes with bottle hangers.

- Identical to Géniamatic with tubing syringes.
- Bibloc Luer-Lock hub.

Supplied in a cardboard box with washers and valves set and a 10 mL silicone oil bottle.



Code	Capacity	Washer	Graduation	Adjustment range
100448	0.3 mL	4-14	0.1 mL	from 0 to 0.5 mL
100437	0.5 mL	5-14	0.1 mL	from 0 to 0.3 mL
100465	1 mL	9-14	0.1 mL	from 0 to 1 mL
100466	2 mL	9-14	0.1 mL	from 0 to 2 mL
100467	5 mL	14-20	0.5 mL	from 0 to 5 mL
100468	10 mL	14-20	0.5 mL	from 5 to 10 mL
100469	20 mL	20-28	1 mL	from 10 to 20 mL

[p.16 Find valve assemblies, hubs and washers](#)


[p.16 Find Ball, spring and washer kit](#)

■ LONG GÉNIAPLEX

Extra-long hypodermic syringes, same type as Géniaplex syringes for professionals.

- Total length 65 cm.
- Identical to Géniaplex syringes.
- Rigid extension made of anodised aluminium.
- Dose adjustment by rotating the extension screw that passes through the cap of the syringe.
- Dose unlocking by unscrewing the locknut.
- Monobloc concentric Luer-Lock hub.

On demand: others lengths available. Recordfix and Rotlauf hubs.



Code adjustable	Code non-adjustable	Model	Capacity	Washer	Graduation
100410	100530	Short	5 mL	14-20	0.5 mL
100412	100531	Standard	10 mL	14-20	0.5 mL
100414	100532	Standard	20 mL	20-28	1 mL
100416	100533	Short	30 mL	24-32	2 mL
100418	100534	Short	50 mL	30-40	2 mL

[p.16 Find hubs and washers](#)

■ LONG GÉNIAMATIC

Automatic, extra-long, adjustable Géniaplex syringes. Same type as Géniamatic and long Géniaplex syringes.

- Identical to Géniaplex, long Géniaplex, and automatic Géniaplex syringes.
- Bibloc concentric Luer-Lock hub.

Supplied complete with 4/7 mm flexible PVC tubing and a 20 cm air needle.



Code	Capacity	Washer	Graduation axis
100470	5 mL	14-20	0.5 mL
100472	10 mL	14-20	0.5 mL
100474	20 mL	20-28	1 mL

ACCESSORIES

Code	Model
140504	1.5 m Ø 4/7 mm tubing

[p.16 Find hubs and washers](#)

[p.16 Find Ball, spring and washer kit](#)



METALPLEX®

Non-deformable moulded plastic hypodermic syringes with indelible engraved graduations.

- Removable nickel-plated brass plunger, cap and rod.
- Sterilisation: resistant to boiling water and autoclave up to 134°C (30 min - 1.5 bars).
- No contraindication for use with standard pharmaceutical products.
- Flat, bevelled, extra-strong, water-resistant, non-stick silicone washers, guaranteeing a perfect seal and a smooth sliding of the plunger.
- Nickel-plated brass hub.

Supplied in a polyethylene bag with instructions for use.

On demand:

- Concentric hub in 20, 30 and 50 mL.
- Recordfix and Rotlauf hubs.

Code monobloc	Code bibloc	Capacity	Washer	Graduation	Hub
102020	102030	5 mL	9-14	0.1 mL	Concentric
102021	102031	10 mL	14-20	0.5 mL	Concentric
102022	102032	20 mL	20-28	1 mL	Eccentric
102023	102033	30 mL	24-32	2 mL	Eccentric
102024	102034	50 mL	30-40	5 mL	Eccentric



[p.16 Find hubs and washers](#)

[p.17 Find drenching nozzles](#)

LONG METALPLEX®

Extra-long hypodermic syringes, same type as Metalplex®.

- Total length 65 cm.
- Identical to Metalplex® syringes.
- Rigid extension made of anodised aluminium.
- Monobloc concentric Luer-Lock hub.
- Non-adjustable.

On demand: Recordfix and Rotlauf hubs.

Code	Capacity	Washer	Graduation
102600	10 mL	14-20	0.5 mL
102602	20 mL	20-28	1 mL
102603	30 mL	24-32	2 mL
102605	50 mL	30-40	5 mL



[p.16 Find washers](#)

DOSIPLEX

Same as Metalplex® non-deformable hypodermic syringe but with a screw rod.

- Identical to Metalplex® and Elplex® syringes.
- Concentric hub.
- Reinforced clear plastic caps.
- Chromed Zamac rod-handles with flat sides and indelible engraved graduations.
- Removable nickel-plated brass plunger.

Supplied in a polyethylene bag with instructions for use.

On demand: eccentric hub in 20, 30 and 50 mL. Recordfix and Rotlauf hubs.

Code monobloc	Code bibloc	Capacity	Washer	Graduation
102210	102220	5 mL	9-14	0.5 mL
102211	102221	10 mL	14-20	1 mL
102212	102222	20 mL	20-28	1 mL
102213	102223	30 mL	24-32	1 mL
102214	102224	50 mL	30-40	5 mL



[p.18 Find needles](#)



■ HYPODERMIC SYRMAN

Translucent plastic hypodermic syringes with indelible engraved graduations.

- Sterilisation: resistant to boiling water and autoclave.
- No contraindication for use with standard pharmaceutical products.
- Can be entirely disassembled.
- Silicone washer.
- Can be converted into a drenching syringe.
- Plunger, rod and handle made of unbreakable plastic.
- Concentric hub.
- To convert into a drenching syringe, replace the hub and adapter with a 10 mm diameter nozzle (code **187040** or **186052**, p. 138).

Supplied in a polyethylene bag with a reducer, a washer (code **189500** p.139), a Bibloc Luer-Lock hub and a 10 mL silicone oil bottle.

On demand: monobloc, Recordfix and Rotlauf hubs.

SYRINGES

	Code	Model	Capacity
A	104800	Complete hypodermic syringe	300 mL
	104801	Complete hypodermic syringe	450 mL
B	104804	Syringe with sow uterine catheter hub	450 mL

ACCESSORIES

	Code	Model
C	187032	Uterine catheter hub (p.16)
D	189625	Reducer with needle hub seal (p.138)



p.16 [Find hubs and washers](#)

■ ELPLEX®

Moulded plastic hypodermic syringes with engraved graduations.

- Plastic plunger, cap and handle, nickel-plated brass rod, non-removable.
- Sterilisation: resistant to boiling water and autoclave up to 134°C (30 min - 1.5 bars).
- No contraindication for use with standard pharmaceutical products.
- Flat, bevelled, extra-strong, water-resistant, non-stick silicone washers, guaranteeing a perfect seal and smooth sliding of the plunger.
- Nickel-plated brass hub.

Supplied in a polyethylene bag with instructions for use.

On demand: concentric hub in 20, 30 and 50 mL. Recordfix and Rotlauf hubs.



Code monobloc	Code bibloc	Capacity	Washer	Graduation	Hub
103002	103010	5 mL	9-14	0.1 mL	Concentric
103003	103011	10 mL	14-20	0.5 mL	Concentric
103004	103012	20 mL	20-28	1 mL	Eccentric
103005	103013	30 mL	24-32	2 mL	Eccentric
103006	103014	50 mL	30-40	5 mL	Eccentric
103504	-	20 mL	20-28	1 mL	Concentric
103505	-	30 mL	24-32	2 mL	Concentric
103506	-	50 mL	30-40	5 mL	Concentric

p.16 [Find hubs and washers](#)

■ POLYMEX

Hypodermic syringes, same type as Elplex® but in translucent plastic.

- Same type as Metalplex® and Elplex® syringes.
- Engraved graduations.
- Non-deformable.
- Monobloc hubs.

Supplied in a polyethylene bag with instructions for use.

On demand: concentric hub in 20, 30 and 50 mL. Recordfix and Rotlauf hubs.



Code	Size	Washer	Graduation	Hub
104000	5 mL	9-14	0.1 mL	Concentric
104002	10 mL	14-20	0.5 mL	Concentric
104003	20 mL	20-28	1 mL	Eccentric
104004	30 mL	24-32	2 mL	Eccentric
104005	50 mL	30-40	5 mL	Eccentric

p.16 [Find hubs and washers](#)



REVOLROUX

Semi-automatic fixed-dose syringes.

- Graduations from 1/4 to 5 mL according to the model.
- Glass barrels and silicone washers.
- Luer-Lock hub.



Code	Capacity	Dosis
107800	10 mL	0,25 - 0,5 - 1 mL
107803	20 mL	0,5 - 1 - 2 - 3 - 3,5 mL
107805	30 mL	1 - 2 - 3 - 4 - 5 mL
107810	50 mL	1 - 2 - 3 - 4 - 5 mL

Outer packaging:
Master case of 25 boxes.

ACCESSOIRES

Code	Model
107861	Plungers and washers set 10 mL
107862	Plungers and washers set 30-50 mL

EXTENDED ROUX

Semi-automatic fixed-dose syringes.

- Graduations from 1 to 5 mL.
- Glass barrels and silicone washers.
- Luer-Lock hub.



Code	Capacity	Dosis
107270	50 mL	1 - 2 - 3 - 4 - 5 mL

ACCESSOIRES

Code	Model
107262	Plungers and washers set 50 mL

TUBMATIC®

Moulded plastic automatic syringe with 1.5 meters of 4/7 mm tubing with engraved graduations on the barrel.

- Can be completely disassembled.
- Sterilisation: resistant to boiling water and autoclave up to 134°C (autoclave: completely disassemble the syringe, do not sterilise handles).
- More compact than standard models for the same dose, using a patented system in which the spring and adjustment screw are not stacked.
- The syringe can be held in two positions for ease of use.
- Dose adjustment by turning the barrel on the front handle. This innovation brings the operator's hand closer to the animal when the dose is smaller, for greater **precision** and easier handling.
- Ergonomic handles with V-shaped washer for **leverage** and ease of use.
- Easy lubrication of the barrel washer simply by removing the unit from the front valve assembly.
- Valve assembly with stainless steel springs and plastic ball bearings to prevent the valves from sticking to the walls.
- The needle is locked in the Luer hub by a cap with a flat surface that protects the animal from the hub.
- Flat silicone seals, bevelled, highly resistant, hydrophobic, non-stick, ensuring perfect sealing and slight sliding of the piston for models with plastic hub (A) and O-rings for models with metal hub (B).
- High-tech, sterilisable materials, resistant to pharmaceutical products.

Supplied individually in a polyethylene bag with instructions for use, washers and valves set, and a 10 mL silicone oil bottle.



TUBMATIC® TUBE

A Code plastic hub	B Code metal hub	Capacity	Diameter int.	Graduation
105000	105002	2 mL	9 mm	0.1 mL
105010	105012	5 mL	14 mm	0.5 mL

FLAMATIC®

Automatic syringe made from moulded plastic with indelible engraved graduations of the barrel.

- Identical to Tubmatic® syringes.
- Bottle adapter at the back for better support, and easy handling of bottles from 10 to 100 mL. This innovative device ensures flexibility and freedom of movement.
- Bottle adapter fits 3 neck diameters, meaning all models on the market:
 - 5 mL bottles,
 - 10 mL to 100 mL bottles,
 - 250 mL and 500 mL bottles with large necks.

Supplied individually in a polyethylene bag with instructions for use, washers and valves set, and a 10 mL silicone oil bottle.



C FLAMATIC® NUT

Code plastic hub	Code metal hub	Capacity	Diameter int.	Graduation
105020	105022	2 mL	9 mm	0.1 mL
105025	105027	5 mL	14 mm	0.5 mL

D FLAMATIC® BOTTLE ADAPTOR

Code plastic hub	Code metal hub	Capacity	Diameter int.	Graduation
105080	105082	2 mL	9 mm	0.1 mL
105085	105087	5 mL	14 mm	0.5 mL

ACCESSOIRES

Code	Model
106196	Ball, spring and washer set (common to all models)
140504	1.5 m Ø 4/7 mm tubing




INJECTMASTER®

Moulded plastic automatic syringe.

- Sterilisation: resistant to boiling water.
- Plastic or metal monobloc Luer-Lock hub.
- Ergonomics designed to reduce user effort and to limit musculoskeletal discomfort. Reduces the risks of tendonitis with intensive use.
- Fast, accurate dose adjustment using the "select-a-dose system" (for adjustable models).
- Anti-slip surface on front handle.
- Customisable (please contact us for minimum quantities).
- Interchangeable silicone valves and stainless steel springs.
- Easy lubrication of the plunger seal by removing the barrel.
- Medical-grade material does not react with common pharmaceuticals.
- Durable superior quality plastic.
- Bottle holder on the rear for better support, easy handling and use of heavy bottles (250 and 500 mL, for example). This innovative feature ensures flexibility and freedom of movement.
- Plastic outer shell protects the bottle from rupture during handling.
- Plastic hub models compatibles with the Stericap® needles cleaning system.

Supplied in a polyethylene bag with valves, springs, seals and teats set, instructions for use, a 10 mL silicone oil bottle and 1.50m 4/7mm diameter tubing (for tube models).



INJECTMASTER® TUBE

A Code Plastic hub	B Code Metal hub	Model	Capacity	Graduation
186313	186312	Fixed dose tube	1 mL	-
186321	186320	Fixed dose tube	2 mL	-
186329	186328	Fixed dose tube	5 mL	-
186315	186314	Adjustable dose tube	1 mL	0.1 mL
186323	186322	Adjustable dose tube	2 mL	0.2 mL
186331	186330	Adjustable dose tube	5 mL	0.5 mL



INJECTMASTER® BOTTLE ADAPTOR*

C Code Plastic hub	D Code Metal hub	Model	Capacity	Graduation
186309	186308	Fixed dose bottle adaptor	1 mL	-
186317	186316	Fixed dose bottle adaptor	2 mL	-
186325	186324	Fixed dose bottle adaptor	5 mL	-
186311	186310	Adjustable dose bottle adaptor	1 mL	0.1 mL
186319	186318	Adjustable dose bottle adaptor	2 mL	0.2 mL
186327	186326	Adjustable dose bottle adaptor	5 mL	0.5 mL


*Delivered without nuts set.

ACCESSORIES

Code	Model
106155	3 nuts set (T1, T2, T3)
186790	Valves, springs, seals and teats set
140504	1.5 m Ø 4/7 mm tubing



COMPATIBLE WITH
FLAMATIC® NUTS SYSTEM



Watch the video version
on our Youtube channel !



Presentation



Instructions for use



DISPOJECT® 3 PIECES SYRINGES

Disposable syringes without needle, made of polypropylene.

- Latex-free, silicone-free, DEHP-free, styrene-free.

Supplied individually sterilely wrapped in boxes of 30, 50 and 100.



1 mL tuberculin model

EXCELLENT
GLIDE | NO PRODUCT
LOSS

Code	Capacity	Graduation	Hub	Pack	O/pack.**
107140 ●	1 mL*	0.1 mL	Concentric Luer	x 100	x 36
107142 ●	2 mL	0.1 mL	Concentric Luer	x 100	x 32
107144 ●	5 mL	0.2 mL	Concentric Luer	x 100	x 24
107146 ●	10 mL	0.2 mL	Eccentric Luer	x 100	x 15
107148 ●	20 mL	1 mL	Eccentric Luer	x 50	x 16
107150 ●	30 mL	1 mL	Eccentric Luer	x 50	x 12
107152 ●	50 mL	1 mL	Eccentric Luer	x 30	x 12
107154 ●	50 mL	1 mL	Feeding	x 30	x 12

*Tuberculin model

**Number of boxes



DISPOJECT® 2 PIECES SYRINGES

NEW

Disposable syringes without needle, made of polypropylene.

- Latex-free, silicone-free, DEHP-free, styrene-free.
- Luer hub.

Supplied individually sterilely wrapped in boxes of 50 and 100.

Code	Capacity	Graduation	Hub	Pack.	O/pack.*
107162 ●	2 mL	0.1 mL	Concentric Luer	x 100	x 25
107164 ●	5 mL	0.2 mL	Concentric Luer	x 100	x 20
107166 ●	10 mL	0.2 mL	Eccentric Luer	x 100	x 12
107168 ●	20 mL	1 mL	Eccentric Luer	x 50	x 16

*Number of boxes



p.21 Find disposable hypodermic syringes




DISPOJECT®**NEW****STANDARD INSULIN SYRINGE**

3 parts 40 IU insulin syringe of 1 ml with a 29G extra-fine needle.

- Sterile, disposable, latex-free.
- Needle with a protective cap.

Supplied individually in a sterile packaging in boxes of 100.



Code x 100	Capacity	Graduation
107135	1 mL	1 IU

Outer packaging :
Master case of 36 boxes

**DISPOJECT®****NEW****SAFETY INSULIN SYRINGE**

3 parts 40 IU insulin syringe of 1 ml with a 29G extra-fine needle.

- Sterile, disposable, latex-free.
- Innovative protective system to lock the needle after use.
- It offers safety and comfort.

Supplied individually in a sterile packaging in boxes of 100.



**LOCK,
YOU ARE SECURE !**

Code x 100	Capacity	Graduation
107136	1 mL	1 IU

Outer packaging :
Master case of 20 boxes



Watch the video version
on our Youtube channel !



■ SYRINGE ADAPTERS

Nickel-plated brass adapters for 4/7 PVC tubing.



	Code	Model
A + B	106050	Male Luer-Lock/olive
A	106046	Male Luer/olive
B	109304	Luer-Lock connector
C	106048	Female Luer/olive
D	106051	Male olive/no screw for hypodermic syringes
E	140482	Male Luer/male record (plastic) for Imoplast (p.32)
F	106008	Olive tip for injection extension stick hub (p.17)

■ HUBS

Hubs for Géniaplex®, Metalplex®, Elplex®, Polymex, Flamatic® and Tubmatic® metal syringes.

Supplied with washer.




	Code	Model
A	109300	Luer-Lock hub monobloc
B + C	109306	Luer-Lock hub bibloc
B	109302	Threaded Luer hub
C	109304	Luer-Lock connector
D + E	109312	Recordfix hub
D	109310	Record hub (Pravaz) threaded
E	109314	Recordfix connector
F	109308	Hub with screw (Rotlauf)
G	187032	Uterine catheter hub, use without reducer (Syman syringe)

■ VALVE ASSEMBLIES

Valve assemblies for automatic Géniamatic syringes.

- Precision cut chrome-plated brass.
- Precision ground and polished ball bearings to prevent sticking to the inner walls.
- Interchangeable Luer-Lock hub.

Supplied complete with 1 meter 4/7 tubing.



p.9 [Find Géniamatic syringes](#)

	Code	Model
A	106032	Valve assembly for 0.3 to 0.5 mL Géniamatic with tubing
	106030	Valve assembly for 1 to 20 mL Géniamatic with tubing
B	106033	Valve assembly for 0.3 to 0.5 mL Géniamatic - bottle hanger
	106034	Valve assembly for 1 to 20 mL Géniamatic - bottle hanger

ACCESSORIES

	Code	Model
	106043	Ball, spring and washer kit (for all Géniamatic valve assemblies)

■ SYRINGE WASHERS


Common washers for normal and automatic Géniaplex syringes, Metalplex®, Elplex®, Polymex, Tubmatic®, Flamatic® and Drugmatic syringes, plastic models, syringes with screw plunger, normal and automatic extra-long syringes.

- Flat silicone washers (except the 0.3 and 0.5 mL nitrile O-rings), moulded according to Génia standards, bevelled, extra-strong, with constant shore hardness across the entire surface. Water-resistant, non-stick.
- Guaranteed perfect seal and smooth sliding of the plunger.

Supplied individually and by 6.

Minimum unit quantity: 25 washers.

	Code x1*	Code x6	Model	Washer
A	109243	109253	0.3 mL	4-14
B	109247	109257	0.5 mL	5-14
C	109254	109265	1, 2, 3, 5 mL long	9-14
D	109256	109266	5 mL short, 10 mL	14-20
E	109258	109267	20, 30 mL long	20-28
F	109260	109268	30 mL short, 50 mL long, 60 mL long	24-32
G	109262	109269	50 mL short, 60 mL court, 100 mL long	30-40
H	109264	109270	100 mL short, 200 mL long, 300 mL plexi	40-50



Scale 1/1

p.8 [Find syringes](#)



■ SYRINGE CONTAINERS

Plexiglas syringe containers with lids.
Removable stand for 4 syringes. Holes for needles and teat catheters up to 3 mm in diameter.

- Small model for 4 syringes:
10 mL, 20 mL, 30 mL and 50 mL short syringe.
- Big model for 4 syringes:
Every size except 200 mL.

Code	Model	Dimensions
106010	Small container	22.5 x 17 cm
106012	Big container	26 x 17 cm



■ DRENCHING NOZZLES

Brass drenching nozzles adaptable to hypodermic syringes and Drugmatic (p.136).

- 10.5 cm length.
- 6 mm diameter.
- For sheep, goats and small animals.



	Code	Model
A	106025	Luer-Lock model attaches to hub
B	187036	Model with screw in place of the hub

■ SILIGLISS

Thick silicone for lubricating the washers of syringes and drenching guns.

Supplied individually, by 20 and 40.



Code	Model	Pack.
106023	Tube 10 mL	x 40
106021	Tube 30 mL	x 20
106024	Tube 1 L	by unit



■ INJECTION HARNESS

NEW

Multi-purpose harness (injection, Pour-On or drenching) designed for operator comfort and safety.

- Two chest pockets receiving bottles up to 500 mL.
- One back pocket receiving tanks from 1 to 5 L (Pour-On, drenching).
- Belt equipped with two adjustable pockets (clean and used needles) and a holster to secure an injector.
- Machine washable and fast drying.

Supplied individually with two carabiners hook.




Code	Model
227296	Injection harness

■ INJECTION EXTENSION STICK

Light and rigid injection extension (70 cm) for remote access.

- 0.80 m reinforced tubing between the syringe and the extension.
- Fits all types of syringes.
- Anodised aluminium.
- Reinforced tubing for injecting viscous products.
- Monobloc Luer-Lock hub.
- Plastic handle.
- Overall length of the tubing 1.5 m (volume of 19 mL).

On demand: other lengths and hubs available.



	Code	Model
	106002	Complete extension 70 cm
	106007	Reinforced tubing (one meter)
A	106048	Female Luer/olive
B	106008	Olive tip for needle hub
C	109300	Luer-Lock hub monobloc

p.8 Find syringes



DELVO STANDARD QUALITY

Stainless steel hypodermic needles, standard quality.

- Tri-bevelled.
- 6% taper, Luer-Lock.
- 16 mm squared hub.

Supplied in boxes of 12.

On demand: other sizes available.

Code x 12	Length	Size (G)	Code x 12	Length	Size (G)
147399	4 x 0.7 mm	22G x 1/8"	147435	25 x 1.6 mm	16G x 1"
147400	10 x 0.7 mm	22G x 3/8"	147468	15 x 1.8 mm	15 G x 5/8"
147403	10 x 1.0 mm	19G x 3/8"	147470	20 x 1.8 mm	15G x 3/4"
147404	13 x 1.0 mm	19G x 1/2"	147472	25 x 1.8 mm	15G x 1"
147406	15 x 1.0 mm	19G x 5/8"	147473	30 x 1.8 mm	15G x 1 1/4"
147409	20 x 1.0 mm	19G x 3/4"	147476	50 x 1.8 mm	15G x 2"
147411	15 x 1.2 mm	18G x 5/8"	147440	10 x 2.0 mm	14G x 3/8"
147412	20 x 1.3 mm	18G x 3/4"	147439	15 x 2.0 mm	14G x 5/8"
147415	30 x 1.3 mm	18G x 1 1/4"	147442	20 x 2.0 mm	14G x 3/4"
147418	10 x 1.5 mm	17G x 3/8"	147443	25 x 2.0 mm	14G x 1"
147421	15 x 1.5 mm	17G x 5/8"	147445	30 x 2.0 mm	14G x 1"
147423	16 x 1.5 mm	17G x 5/8"	147446	35 x 2.0 mm	14G x 1 3/8"
147424	20 x 1.5 mm	17G x 3/4"	147448	40 x 2.0 mm	14G x 1 1/2"
147427	25 x 1.5 mm	17G x 1"	147451	50 x 2.0 mm	14G x 2"
147430	30 x 1.5 mm	17G x 1 1/4"	147454	60 x 2.0 mm	14G x 2 1/2"
147433	40 x 1.5 mm	17G x 1 1/2"	147456	30 x 2.2 mm	13G x 1 1/4"
147436	50 x 1.5 mm	17G x 2"	147458	35 x 2.2 mm	13G x 1 3/8"
147438	15 x 1.6 mm	16G x 5/8"	147460	40 x 2.2 mm	13G x 1 1/2"
147437	20 x 1.6 mm	16G x 3/4"			

Outer packaging:

Master case of 12 boxes.



DELVO VETERINARY QUALITY

Stainless steel hypodermic needles, veterinary and professional quality.

- Tri-bevelled, counter sharpened and rounded heel.
- 6% taper, Luer-Lock.
- 17.8 mm rectangular hub; excellent handling.


Supplied in boxes of 12.

On demand: other sizes available.

Code x 12	Length	Size (G)	Code x 12	Length	Size (G)
147003	4 x 0.7 mm	22G x 1/8"	147048	10 x 2.0 mm	14G x 3/8"
147010	10 x 0.7 mm	22G x 3/8"	147049	15 x 2.0 mm	14G x 5/8"
147011	7 x 1.0 mm	19G x 1/5"	147052	20 x 2.0 mm	14G x 3/4"
147013	10 x 1.0 mm	19G x 3/8"	147053	25 x 2.0 mm	14G x 1"
147015	12 x 1.0 mm	19G x 4/9"	147055	30 x 2.0 mm	14G x 1 1/4"
147016	15 x 1.0 mm	19G x 5/8"	147058	40 x 2.0 mm	14G x 1 1/2"
147019	20 x 1.0 mm	19G x 3/4"	147061	50 x 2.0 mm	14G x 2"
147022	20 x 1.3 mm	18G x 3/4"	147064	60 x 2.0 mm	14G x 2 1/2"
147025	30 x 1.3 mm	18G x 1 1/4"	147067	70 x 2.0 mm	14G x 2 3/4"
147028	10 x 1.5 mm	17G x 3/8"	147070	80 x 2.0 mm	14G x 3 1/4"
147031	15 x 1.5 mm	17G x 5/8"	147073	150 x 2.0 mm	14G x 6"
147034	20 x 1.5 mm	17G x 3/4"	147076	70 x 2.5 mm	13G x 2 3/4"
147037	25 x 1.5 mm	17G x 1"	147078	25 x 3.0 mm	11G x 1"
147040	30 x 1.5 mm	17G x 1 1/4"	147080	30 x 3.0 mm	11G x 1 1/4"
147043	40 x 1.5 mm	17G x 1 1/2"	147082	60 x 3.0 mm	11G x 2 1/2"
147046	50 x 1.5 mm	17G x 2"	147085	50 x 3.5 mm	10G x 2"

Outer packaging:

Master case of 12 boxes.



DERMASTEEL

Stainless steel hypodermic needles with reinforced walls, standard quality.

- Tri-bevelled.
- 6% taper, Luer-Lock.
- 14 mm hub.

Supplied in boxes of 12.

Code x 12	Length	Size (G)	Code x 12	Length	Size (G)
147886	25 x 0.6 mm	23G x 1"	147942	15 x 1.5 mm	17G x 5/8"
147890	10 x 0.7 mm	22G x 3/8"	147943	20 x 1.5 mm	17G x 3/4"
147891	13 x 0.7 mm	22G x 1/2"	147944	25 x 1.5 mm	17G x 1"
147894	25 x 0.7 mm	22G x 1"	147945	30 x 1.5 mm	17G x 1 1/4"
147903	13 x 0.8 mm	21G x 1/2"	147946	40 x 1.5 mm	17G x 1 1/2"
147906	25 x 0.8 mm	21G x 1"	147951	13 x 1.6 mm	16G x 1/2"
147910	6 x 0.9 mm	20G x 1/4"	147953	20 x 1.6 mm	16G x 3/4"
147911	13 x 0.9 mm	20G x 1/2"	147954	25 x 1.6 mm	16G x 1"
147913	20 x 0.9 mm	20G x 3/4"	147955	30 x 1.6 mm	16G x 1 1/4"
147914	25 x 0.9 mm	20G x 1"	147956	40 x 1.6 mm	16G x 1 1/2"
147917	40 x 0.9 mm	20G x 1 1/2"	147959	12 x 1.8 mm	15G x 1/2"
147920	10 x 1.0 mm	19G x 3/8"	147960	13 x 1.8 mm	15G x 1/2"
147921	13 x 1.0 mm	19G x 1/2"	147962	15 x 1.8 mm	15G x 5/8"
147922	15 x 1.0 mm	19G x 5/8"	147963	20 x 1.8 mm	15G x 3/4"
147923	20 x 1.0 mm	19G x 3/4"	147964	25 x 1.8 mm	15G x 1"
147924	25 x 1.0 mm	19G x 1"	147965	30 x 1.8 mm	15G x 1 1/4"
147925	30 x 1.0 mm	19G x 1 1/4"	147966	40 x 1.8 mm	15G x 1 1/2"
147926	40 x 1.0 mm	19G x 1 1/2"	147970	10 x 2.0 mm	14G x 3/8"
147931	13 x 1.3 mm	18G x 1/2"	147971	13 x 2.0 mm	14G x 1/2"
147933	20 x 1.3 mm	18G x 3/4"	147972	15 x 2.0 mm	14G x 5/8"
147934	25 x 1.3 mm	18G x 1"	147973	20 x 2.0 mm	14G x 3/4"
147935	30 x 1.3 mm	18G x 1 1/4"	147974	25 x 2.0 mm	14G x 1"
147936	40 x 1.3 mm	18G x 1 1/2"	147975	30 x 2.0 mm	14G x 1 1/4"
147940	10 x 1.5 mm	17G x 3/8"	147976	40 x 2.0 mm	14G x 1 1/2"
147941	13 x 1.5 mm	17G x 1/2"	147977	50 x 2.0 mm	14G x 2"


Outer packaging:
Master case of 12 boxes.



p.24 Find the equivalence chart for hypodermic needles

NEEDLE SCALE

1:1



■ HYPOJET®

Stainless steel sterile hypodermic needles for large animals, veterinary quality.

- Tri-bevelled with silicone-coated cannula.
- Polypropylene hub.
- 6% taper, Luer-Lock.

Supplied in boxes of 100.



Code x 100	Length	Size (G)	Code x 100	Length	Size (G)
147485*	9 x 0.8 mm	21G x 3/8"	147365	50 x 1.5 mm	17G x 2"
147376	6 x 0.9 mm	20G x 1/4"	147392	25 x 1.6 mm	16G x 1"
147371	16 x 1.1 mm	19G x 5/8"	147360	38 x 1.6 mm	16G x 1 1/2"
147373	6 x 1.3 mm	18G x 1/4"	147369	30 x 2.0 mm	14G x 1 1/4"
147374	13 x 1.3 mm	18G x 1/2"	147361	38 x 2.0 mm	14G x 1 1/2"
147372	16 x 1.3 mm	18G x 5/8"	147364	50 x 2.0 mm	14G x 2"
147366	50 x 1.3 mm	18G x 2"	147362	60 x 2.0 mm	14G x 2 1/2"
147367	20 x 1.5 mm	17G x 3/4"	147363	80 x 2.0 mm	14G x 3 1/4"
147368	30 x 1.5 mm	17G x 1 1/4"			

Outer packaging:

Master case of 50 and 100 boxes

*Master case of 40 boxes.

■ GENALU

Stainless steel sterile hypodermic needles, veterinary quality.

- Tri-bevelled, long bevel with silicone-coated cannula.
- Aluminium hub.
- 6% taper, Luer-Lock.

Supplied in boxes of 100.



Code x 100	Length	Size (G)
147694	16 x 1.3 mm	18G x 5/8"
147696	25 x 1.3 mm	18G x 1"
147704	20 x 1.6 mm	16G x 3/4"
147706	25 x 1.6 mm	16G x 1"
147708	38 x 1.6 mm	16G x 1 1/2"
147700	25 x 2.0 mm	14G x 1"
147702	38 x 2.0 mm	14G x 1 1/2"
147710	50 x 2.0 mm	14G x 2"

Outer packaging:

Master case of 10 and 40 boxes.

■ MONOJECT

Stainless steel sterile hypodermic needles, veterinary quality.

A: long bevel. B: short bevel. I: medium bevel.

- Tri-bevelled with silicone-coated cannula.
- Aluminium hub.
- 6% taper, Luer-Lock.

Supplied in boxes of 100.



Code x 100	Length	Size (G)	Bevel
147268	25 x 1.1 mm	19G x 1"	A
147277	16 x 1.3 mm	18G x 5/8"	B
147275	25 x 1.3 mm	18G x 1"	A
147276	38 x 1.3 mm	18G x 1 1/2"	A
147278	20 x 1.6 mm	16G x 3/4"	I
147280	25 x 1.6 mm	16G x 1"	A
147290	38 x 1.6 mm	16G x 1 1/2"	A
147282	38 x 1.6 mm	16G x 1 1/2"	B
147298	38 x 1.8 mm	15G x 1 1/2"	B
147283	25 x 2.0 mm	14G x 1"	I
147284	38 x 2.0 mm	14G x 1 1/2"	I
147286	50 x 2.0 mm	14G x 2"	I


Outer packaging:

Master case of 10 boxes.

p.24 Find the equivalence chart for hypodermic needles

NEEDLE SCALE

1:1




DISPOJECT® NEEDLES

Stainless steel, sterile, disposable hypodermic needles.

- Tri-bevelled and silicone-coated cannula.
- 6% taper, Luer-Lock.
- Epoxy resin hub.
- Sterilised with ethylene oxide.
- Latex-free, DEHP-free.

Supplied in boxes of 100.



VETERINARY
QUALITY

SILICONE COATED
CANNULA

Code x 100	Length	Size (G)	Code x 100	Length	Size (G)
147750	13 x 0.45 mm	26G x 1/2"	147766	38 x 0.8 mm	21G x 1 1/2"
147752	16 x 0.5 mm	25G x 5/8"	147768	50 x 0.8 mm	21G x 2"
147754	16 x 0.6 mm	23G x 5/8"	147770	25 x 0.9 mm	20G x 1"
147756	25 x 0.6 mm	23G x 1"	147772	38 x 0.9 mm	20G x 1 1/2"
147757	16 x 0.7 mm	22G x 5/8"	147774	25 x 1.1 mm	19G x 1"
147758	32 x 0.7 mm	22G x 1 1/4"	147776	38 x 1.1 mm	19G x 1 1/2"
147760	38 x 0.7 mm	22G x 1 1/2"	147778	50 x 1.1 mm	19G x 2"
147762	16 x 0.8 mm	21G x 5/8"	147780	38 x 1.2 mm	18G x 1 1/2"
147764	25 x 0.8 mm	21G x 1"			


Outer packaging:

Master case of 20 and 100 boxes.
Master case of 30 boxes for 50 mm needles.



NEEDLE SCALE

1:1



■ ALU-DETECT®

Disposable, sterile detectable hypodermic needles.

- Detectable stainless steel cannula: detectable by any type of metal detector such as those used in meat processing plants.
- Detectable because of steel composition.
- Aluminium hub.
- Tri-bevelled.
- 6% taper, Luer-Lock.

Supplied in boxes of 100.



Code x 100	Length	Size (G)
148218	38 x 1.6 mm	16G x 1 1/2"
148220	50 x 2.0 mm	14G x 2"

Outer packaging:

Master case of 10 and 40 boxes.

■ PLASTI-DETECT®

Disposable, sterile detectable hypodermic needles.

- Detectable stainless steel cannula: detectable by any type of metal detector such as those used in food processing plants.
- Detectable because of steel composition.
- Plastic hub, colour depending on the diameter.
- Tri-bevelled.
- 6% taper, Luer-Lock.

Supplied in boxes of 100.




Code x 100	Length	Size (G)
148285 ●	9 x 0.8 mm	21G x 3/8"
148287 ●	16 x 0.8 mm	21G x 5/8"
148290 ●	50 x 0.8 mm	21G x 2"
148292 ●	16 x 1.1 mm	19G x 5/8"
148295 ●	50 x 1.1 mm	19G x 2"
148300 ●	40 x 1.2 mm	18G x 1 1/2"
148303 ●	16 x 1.3 mm	18G x 5/8"
148305 ●	25 x 1.3 mm	18G x 1"
148308 ●	50 x 1.3 mm	18G x 2"
148310 ●	20 x 1.5 mm	17G x 3/4"
148312 ●	30 x 1.5 mm	17G x 1 1/4"
148314 ●	50 x 1.5 mm	17G x 2"

Outer packaging:

Master case of 10 and 40 boxes.

NEEDLE SCALE

1:1



RUMEN NEEDLE

Stainless steel needle of veterinary quality.

- Tri-bevelled.
- Counter sharpened.
- Rounded heel.
- 6% taper, Luer-olive hub.

Supplied in boxes of 12.



Code x 12	Length	Size (G)
147090	160 x 4 mm	8G x 6 3/8"

AIR NEEDLES

Air needles with double wall for air intake.

- Usable with the automatic Géniamatic (p.9), Tubmatic® (p.12) and Injectmaster® (p.13) syringes.
- Tip for PVC 4/7 tubing.



Code	Length
106040	9 cm
106041	20 cm

OLIVE-TIP NEEDLE

Olive-tip needle for flexipack.




Code	Diameter		Length	Cannula length
	int.	ext.		
187030	2 mm	2,99 mm	58 mm	40 mm



[p.8 Find our syringes](#)

NEEDLE SCALE

1:1
































EQUIVALENCE CHART FOR HYPODERMIC NEEDLES

THE CHOICE DEPENDS ON THE VETERINARIAN'S CLINICAL ASSESSMENT

IV: INTRAVENOUS

IM: INTRAMUSCULAR

SC: SUB CUTANEOUS

		Length x diameter		
	CATTLE	IV	60 x 2.0 mm	
		IV	50 x 2.0 mm	
		IM	50 x 1.3 mm	
		IV IM	30 x 1.5 mm	
	CALF	IV	30 x 2.0 mm	
		IV IM	40 x 1.5 mm	
		IM	25 x 1.0 mm	
		IM SC	25 x 1.5 mm	
	PIG	IM	50 x 1.5 mm	
		IM	50 x 1.3 mm	
		IM	50 x 1.1 mm	
		IM	40 x 1.5 mm	
		IM	40 x 1.2 mm	
		IM	30 x 2.0 mm	
	PIGLET	IM SC	30 x 1.5 mm	
		IM SC	20 x 1.5 mm	
		IM	16 x 1.1 mm	
		IM	16 x 0.8 mm	
	SHEEP	IM	25 x 1.0 mm	
		IM	15 x 1.5 mm	
		IM	10 x 1.0 mm	
		IM SC	20 x 1.5 mm	
	POULTRY RABBIT	IM	20 x 0.6 mm	
		IM	13 x 0.9 mm	
		IM	4 x 0.7 mm	



■ PLEXIGLAS NEEDLE CONTAINERS

Waterproof needle container made of solid plexiglas.

- Removable top, which can hold 8 needles and teat catheters up to 3 mm in diameter (11 G) and 90 mm long.
- Resistant to boiling and autoclaving up to 125°C (30 min - 1.5 bars).



Code	Overall height	Diameter	
		int.	ext.
106005	120 mm	40 mm	50 mm

[p.18 Find needles](#)

■ SHARPS CONTAINERS

Disposable containers for medical waste with tamper-proof lid, conform to the French standard NF X30.511.

- Material reduces toxic emissions during incineration.
- 0.5, 2 or 5 L capacities.

On demand: available in 10 L.



	Code	Capacity	O/pack.
	148503	0.5 L	x 40
A	148502	2 L	x 50
B	148500	5 L	x 30

■ TOURNIQUETS

A Garflex - tourniquet with a plastic clasp system with two types of release:

- Gradual release,
- Quick release.

B Flat natural latex tourniquet.

	Code	Dimensions
A	307860	390 x 25 mm
B	307865	750 x 20 mm



■ INTRAFLO

PTFE intravenous catheters, with internal needle.

Intravenous butterfly catheter mounted on a needle with a tri-bevelled point.

- The needle's Luer-Lock hub includes a visualisation chamber and a porous seal.
- Individual sterile packaging.

Supplied in boxes of 50.


SHORT INTRAFLO A

Code x 50	Length	Size (G)	Outside diameter
157190	18 mm	24 G x 3/4"	0.7 mm
157192	24 mm	22 G x 1 1/8"	0.8 mm
157194	30 mm	20 G x 1 1/4"	1 mm
157196	38 mm	18 G x 1 1/2"	1.3 mm
157198	52 mm	16 G x 2"	1.6 mm
157200	52 mm	14 G x 2"	2.1 mm
157202	52 mm	13 G x 2"	2.4 mm
157204	52 mm	12 G x 2"	2.7 mm

LONG INTRAFLO B

Code x 50	Length	Size (G)	Outside diameter
157208	36 mm	20 G x 1 1/2"	1 mm
157209	47 mm	18 G x 1 3/4"	1.3 mm
157210	60 mm	16 G x 2 1/2"	1.6 mm
157212	80 mm	14 G x 3 1/4"	2.1 mm
157214	80 mm	13 G x 3 1/4"	2.4 mm
157216	80 mm	12 G x 3 1/4"	2.7 mm

Outer packaging:
Master case of 20 boxes.



■ INTRANULE

Polypropylene intravenous catheters with an internal needle.

Intravenous butterfly catheter mounted on a needle with a tri-bevelled point.

- The needle's Luer-Lock hub includes a visualisation chamber and a porous seal.
- Individual sterile blister packaging.

Supplied in boxes of 50.

Code x 50	Length	Size (G)	Outside diameter
157268	105 mm	18 G x 4 1/4"	1.2 mm
157270	105 mm	16 G x 4 1/4"	1.6 mm
157271	50 mm	16 G x 2"	1.6 mm
157272	105 mm	14 G x 4 1/4"	2.0 mm
157274	105 mm	13 G x 4 1/4"	2.3 mm

Outer packaging:
Master case of 18 boxes.




■ SCALP VEIN SETS

Scalp vein butterfly needles with flexible tubing.

- Needles: silicone-coated inside and outside.
- Luer-Lock hub and seal.
- Individual sterile packaging.


Supplied in boxes of 20.



MICROFLEX

Code x 20	Size (G)	Outside diameter	Tube capacity	Cannula length
157100 ●	25 G x 5/8"	0.5 mm	0.2 mL	19 mm
157102 ●	23 G x 5/8"	0.6 mm	0.2 mL	19 mm
157104 ●	22 G x 3/4"	0.7 mm	0.6 mL	22 mm
157106 ●	21 G x 3/4"	0.8 mm	0.6 mL	22 mm
157108 ●	20 G x 1"	0.9 mm	0.6 mL	27 mm

Outer packaging:
Master case of 10 boxes.



VENOFLEX

Code x 20	Size (G)	Outside diameter	Tube capacity	Cannula length
157160 ●	25 G x 5/8"	0.5 mm	0.05 mL	17 mm
157162 ●	23 G x 5/8"	0.6 mm	0.05 mL	17 mm
157164 ●	22 G x 3/4"	0.7 mm	0.2 mL	22 mm
157166 ●	21 G x 3/4"	0.8 mm	0.2 mL	22 mm
157168 ●	20 G x 1"	0.9 mm	0.2 mL	27 mm


Outer packaging:
Master case of 5 boxes.

■ CENTRACATH

Catheter with fixed external needle.

- Polyurethane intravenous catheter, with a Luer-Lock seal.
- O.R.X. catheter protected by a sleeve to ensure sterility.
- Catheter marked in centimeters from 10 to 20 cm from the tip.
- Individual sterile packaging.

Supplied in boxes of 25.



Code x 25	Model	Length	Size/Outside diameter
157372 ●	Intravenous catheter	Catheter 750 mm Needle 70 mm	Catheter 14G/2.0mm Needle 13G/2.4mm




■ INFUJECT

Multipurpose PVC tubes with male and female Luer-Lock hubs.

- Can be placed on manual and automatic syringes with a Luer-Lock hub or as an infusion extension.

Supplied individually sterilely wrapped in boxes of 12.



Code x 12	Diameter		Length	Tube capacity
	Int.	Ext.		
157404	1.6 mm	2.5 mm	50 cm	1 mL
157406	3 mm	4 mm	25 cm	1.76 mL
157405	3 mm	4 mm	50 cm	3.53 mL
157407	3 mm	4 mm	70 cm	3.7 mL

LIPID-
RESISTANT | REINFORCED
MODEL



Outer packaging:
Master case of 48 boxes.



■ INFUJECT-TRIO

Polyvalent extensions with 3 way stop-cock.

- An injection port 11 cm from the Luer-Lock connection.
- 3-way stop cock with injection port.
- Fixed Luer-Lock hub with protective cap.
- Useful for different types of puncture and as an infusion extension.

Supplied individually sterilely wrapped in boxes of 12.



Code x 12	Diameter		Length	Tube capacity
	Int.	Ext.		
157319	2.5 mm	4 mm	25 cm	1.75 mL




■ INFUJECT-SITE

Polyvalent PVC extensions with Luer-Lock hub.

- Can be connected to any type of infuser compatible with infusion pumps.
- Injection port 5 cm from the infusor line connection.
- Slide clamp fitted.
- Mobile Luer-Lock connector with protective cap.
- Available in 2 lengths.

Supplied individually sterilely wrapped in boxes of 25 with 2 caps packed separately in sterile bags.



Code x 25	Diameter		Length	Tube capacity
	Int.	Ext.		
157399	2.9 mm	4.1 mm	26.5 cm	2.08 mL
157400	2.9 mm	4.1 mm	100 cm	6.72 mL



PERFUVET® DUO


Extra-long infusion set with two injection ports for **SMALL ANIMALS**.

- Ideal for surgery if the injection port is inaccessible or if the patient is aggressive.
- Precise flow control roller clamp.
- Calibration: **20 drops/mL**.
- Extra-long **200 cm** PVC tube to avoid using extension tubes.
- Two injection ports at 20 cm and 110 cm from the Luer-Lock connector.
- Convenient clear and flexible drip chamber to control the flow and to allow for easy priming.
- Sharp spike to ensure easy piercing of any bottle.
- Closable venting.
- Mobile Luer-Lock connector with protective cap.
- Slide clamp fitted.

Supplied individually sterily wrapped in boxes of 12.

Code x 12	Model
157395	Perfuvet® Duo

Outer packaging:
Master case of 12 boxes.



20 DROPS/ML | 2 INJECTION PORTS

PERFUVET® PLUG


Extra-long infusion set with two injection ports and Luer-Lock hub for **SMALL ANIMALS**.

- Ideal for surgery if the injection port is inaccessible or if the patient is aggressive.
- Luer-Lock hub at 5 cm from the first injection port making it possible to easily disconnect the infusion to move the animal.
- Precise flow control roller clamp.
- Calibration: **20 drops/mL**.
- Extra-long **200 cm** PVC tube.
- Two injection ports at 20 cm and 110 cm from the Luer-Lock connector.
- Convenient clear and flexible drip chamber to control the flow and to allow for easy priming.
- Sharp spike to ensure easy piercing of any bottle.
- Closable venting.
- Mobile Luer-Lock connector with protective cap.
- Slide clamp fitted.
- Delivered assembled for easy use, with 2 caps packed separately in a sterile bag.


Supplied individually sterily wrapped in boxes of 12.

Code x 12	Model
157397	Perfuvet® Plug


Outer packaging:
Master case of 12 boxes.




20 DROPS/ML | LUER-LOCK CONNECTOR




MOBILE
LUER-LOCK



INJECTION
PORT



CLAMP



LUER-LOCK
CONNECTOR


■ PERFUVET® MICRO

High precision Micro IV infusion set with two injection ports for **VERY SMALL ANIMALS** (puppies, kittens, exotics).

- Luer-Lock hub at 5 cm from the first injection port making it possible to easily disconnect the infusion to move the animal.
- High precision flow regulator to refine the infusion.
- Calibration: **60 drops/mL**.
- Extra-long **200 cm** PVC tube.
- Two injection ports at 20 cm and 110 cm from the Luer-Lock connector.
- Convenient clear and flexible drip chamber to control the flow and to allow for easy priming.
- Sharp spike to ensure easy piercing of any bottle.
- Closable venting.
- Mobile Luer-Lock connector with protective cap.
- Slide clamp fitted.

Supplied individually sterily wrapped in boxes of 12.

Code x 12	Model
157398	Perfuvet® Micro
Outer packaging: Master case of 12 boxes.	



■ PERFUVET® SOFT




NEW

Extra long IV set for **CALVES** with an convenient and flexible drip chamber that is easy to prime.

- Precise flow control roller clamp.
- Calibration: **20 drops/mL**.
- Extra-long **250 cm** PVC tubing, very resistant, allowing you to dip part of it in a bucket of warm water to warm the infusion during IV administration.
- Two injection ports at 25 cm and 95 cm from the Luer-Lock connector.
- Convenient clear and flexible drip chamber, designed for fast priming.
- Sharp spike to ensure easy piercing of any bottle.
- Closable venting.
- Mobile Luer-Lock connector with protective cap.
- Slide clamp fitted.

Supplied individually sterily wrapped in boxes of 12.

Code x 12	Model
157393	Perfuvet® Soft
Outer packaging: Master case of 16 boxes.	



PERFUVET® TWIST


NEW

Anchored, rotating Infusion fixation set that prevents the animal from tangling the tubing or blocking fluid flow. Ideal for fractious hospitalised patients.

- One base to attach to the cage equipped with double-sided tape for secure, fast attachment. Contains four holes to allow screwing into place.
- Two clasps that attach the infusion tubing to the base, allowing unlimited rotation.
- One 3 m length of sterile spiral PVC tubing with a Luer-Lock tip and a ring for attaching to the collar as needed.
- Perfuvet® Twist is easily attached to the cage; the base can be left on the cage and reused as often as necessary.
- The unlimited rotation prevents the animal from becoming tangled in the infusion set and blocking flow or requiring a time-consuming change of tubing.
- The spiral tubing allows ease of movement and prevents excessive pulling on the catheter.
- Saves time, improves safety of hospitalised animals, easy to use.
- Use on any size of animal (dogs, cats, rabbits...).


Supplied as a set (one fixed base, two clasps and three sets of single-use spiral tubing).

Watch the video version
on our Youtube channel !



SAVE TIME | EASY TO USE | IMPROVES SAFETY OF HOSPITALISED ANIMALS

Code	Model
157450	Set (one fixed base, two clasps and three sets of single-use spiral tubing)
157451	Three single-use spiral tubing




IMOMÉTAL

Large volumes intravenous metal injection sets with:

- Double needle for air intake.
- Top collar.
- 150 cm clear PVC tubing.

Supplied individually in non-sterile polyethylene bags.



Code	Model
140512	Complete with metal Luer hub
147091	Double needle only


Outer packaging:
Master case of 48 boxes.

IMOPLAST

Disposable large volumes intravenous injection sets with double needle.

- With a closable venting for flexi-packs or hard bottles.
- 150 cm clear PVC tubing.
- Plastic Luer-Record hub.

Supplied in non-sterile polyethylene bags of 25.




Code	Model
140514	Complete with plastic Luer-Record hub
140515	Double needle only

IMOVALVE

Large volume plastic intravenous set. The rubber dome fits all standard bottles and contains a built-in air intake.

Supplied in polyethylene bags together with 150 cm of tubing.



	Code	Model
	140481 ●	Complete set with plastic Luer-Record hub
A	140483 ●	Complete set with metal Luer hub
B	140500 ●	Complete set with metal connector
	140501 ●	Complete set with plastic connector
	140502 ●	Imovalve dome only with reducer
	140533 ●	4/7 tubing by the meter
	109332 ●	4/7 transparent tubing by the meter



K-STAR®

Infusion tubing anti-pinch device for Perfuvet® range.

- Prevents pinching of infusion tubing.
- Limits the risk of kinking the infusion tubing.
- Helps to secure the catheter.
- Can be used in any position.
- Quick to set up.
- Adaptable: can be used with 4 or 5 branches depending of the situation.
- Can be used on standard tubings for small animals (maximum diameter 4 mm).
- Size: 3 x 3 cm.

Supplied in packages of 50 or 100 pieces.




EASY
TO USE | QUICK TO
SET UP |

Code	Model	Pack.
191052	K-Star® - Anti-pinch device	x 50
191054	K-Star® - Anti-pinch device	x 100

FLUIDOTHERAPY SET

Fluidotherapy set including:

- A 5 liter tank with 4 holes to hang it and a pair of shoulder straps **A + B**.
- IMOFLU system **C**: a drip chamber, a 20 cm 7/11 junction tube, a flow adjustment clamp **D**, 1.50 m of 4/7 clear tubing and a mixed plastic Luer-Record hub **E**.
- Fill through the cap.



Code	Model
140520	Complete set with 5 L container without straps
140521	Complete set without tank (Imoflu)
D 140524	Clamp only
A 187010	5 L tank + cap, without shoulder straps
B 187011	Shoulder straps (pair) 2.5 and 5 L

STOP-COCK

3 way stop-cock.

Supplied individually sterilely wrapped in boxes of 12.



Code x 12	Model
157320	2 female Luer-Lock hubs and a male Luer-Lock cone

Outer packaging:
Master case of 50 boxes.

MALE CAP

Male Luer-Lock cap with perforated membrane that fits on any female Luer-Lock hub.

Supplied in boxes of 12.



Code x 12	Model
157330	Male cap

DOUBLE NEEDLE

Double transfer needle to mix powder and liquids under vacuum.



Code	Model
140535	Transfer needle in bulk
140536	Sterile transfer needle on demand




UROLENE® CAT

NEW


Sterile cat urinary catheters, DEHP-free.

- Luer-lock hub with perforated and rotating collar to fix the catheter.
- Colour-coded according to size.
- Latex-free and DEHP free.
- Two end types:
 - Closed atraumatic rounded end with two side holes.
 - Open atraumatic end: facilitates removal of plug in the urethra, faster catheterisation.
- Stylet very easy to put back in place, does not move in the hub (closed end available with or without stylet).

Supplied individually sterilely wrapped in boxes of 12.



Code x 12 Closed end	Code x 12 Open end	Model	Dimensions
306898	-	With stylet	2.5 FG 0.8 x 110 mm
306900	306940	With stylet	3 FG 1.0 x 110 mm
306902	306942	With stylet	4 FG 1.3 x 140 mm
306904	-	Without stylet	3 FG 1.0 x 110 mm
306908	-	Without stylet	4 FG 1.3 x 140 mm



Watch the video version on our Youtube channel!



Watch the video version on our Youtube channel!




UROLENE® DOG


Sterile dog urinary catheters, DEHP-free.

- Blunt, atraumatic closed end with two side holes.
- Luer-Lock hub.
- Colour-coded according to size.
- Without stylet.
- Available in 5 sizes.

Supplied individually sterilely wrapped in boxes of 12.



Code x 12 Closed end	Model	Dimensions
306920	Without stylet	4 FG 1,3 x 300 mm
306922	Without stylet	5 FG 1,7 x 350 mm
306924	Without stylet	6 FG 2,0 x 450 mm
306926	Without stylet	8 FG 2,6 x 500 mm
306928	Without stylet	10 FG 3,3 x 600 mm



■ STAINLESS STEEL BLADDER AND UTERINE CATHETERS

Stainless steel bladder and uterine catheters for female cats, dogs and large animals.

- Blunt, closed ends with two deburred side holes.
- Luer-Lock hubs.



Code	Model	Length	Outside diameter
307126	Straight (cat)	170 mm	1 mm
307120	Curved (dog)	180 mm	2 mm
307122	Curved (dog)	250 mm	2.5 mm
307124	Curved (dog)	300 mm	3 mm
307110	Straight (large animals)	540 mm	5 mm
307112	Curved (large animals)	540 mm	5 mm

■ POLYPROPYLENE BLADDER CATHETERS

Semi-rigid bladder catheters for dogs.

- Blunt, closed ends with two side holes.
- Luer hub.
- Without stylet.

Supplied in a tube of 12.



Code x 12	Size	Outside diameter
307150	560 mm	1.2 mm
307152	560 mm	1.7 mm
307154	560 mm	2.7 mm
307156	560 mm	3.3 mm

Outer packaging:
Master case of 10 boxes.

■ PVC BLADDER CATHETERS

PVC bladder catheters for female dogs.

- Blunt, closed ends with two side holes.
- Luer hub.
- Individual sterile packaging.

Supplied in packages of 10.




Code x 10	Model	Size	Outside diameter	French
317102	Curved	180 mm	2.0 mm	6
317104	Curved	180 mm	2.6 mm	8
317106	Curved	180 mm	3.3 mm	10

Outer packaging:
Bag of 50.

■ TOM CAT CATHETERS

Sterile urinary and urethrostomy catheters with closed ends and perforated, detachable collars, for cats.

- Luer hub.
- Without stylet.



Code	Model	Length	Outside diameter
307140	Closed end	140 mm	1.2 mm
307142	Open end	140 mm	1.2 mm


Outer packaging:
Box of 50.



■ UROLITHIASIS CATHETERS

Urolithiasis catheters for ultrasonic scalars with stainless steel ball tip.

For SATELEC or EMS devices.



Code	Model	Length	Side
307130	EMS for dog	155 mm	Straight
307132	EMS for cat	115 mm	Curved
307133	SATELEC for dog	155 mm	Straight
307134	SATELEC for cat	115 mm	Curved

■ TUBING FOR CATHETERS

Plexiglas tubing with 2 caps for storing and disinfecting catheters with Génia Clean Disinfectant Concentrate (code 317402 and 317404).

On demand: other lengths available.



Code	Length	Inside diameter	Outside diameter
300015	1 m	26 mm	30 mm


[p.128 Find the GENIA CLEAN range](#)

■ LACRIMAL CATHETERS

Stainless steel lacrimal catheters for small animals.

- Open, blunt end.
- Luer-Lock hub.

Supplied by 12.



Code x 12	Model	Length	Outside diameter
307102	Straight	10 mm	6/10 mm
307104	Curved	15 mm	7/10 mm

■ INTUBATION CATHETERS WITH BALLOON

Intubation catheters with balloon.

- Individual sterile packaging.



Code	Size	Inside diameter	Outside diameter
307320	300 mm	5 mm	6.9 mm
307322	300 mm	6 mm	8.2 mm
307324	300 mm	7 mm	9.3 mm
307326	300 mm	8 mm	10.9 mm
307328	300 mm	9 mm	12.0 mm
307330	300 mm	10 mm	13.3 mm

Outer packaging:
Box of 10 units.



SURGERY

Suture materials

Absorbable sutures	38
Non-absorbable sutures	40
Suture needles	43

Surgical instruments

Scalpel	44
Surgical scissors	46
Various scissors	49
Needle holders	50
Dissecting forceps	51
Haemostatic forceps	52
Various	53

Surgical equipment

Displaced abomasum treatment	57
Prolapse prevention and Caesarean	58

Watch the video
**"Best practices for
 use and storage of our
 sutures in dispensers"**
 on our Youtube channel !



p 41 Read about our Cleanroom

FASTFIL®


Synthetic rapidly absorbable monofilament suture. Purple.
Composition: poly(glycolide-co-caprolactone) (PGCL).

- Ethylene oxide sterilisation.
- Tolerance: excellent, no wicking effect.
- Smoothness: excellent passage through tissues.
- Flexibility: minimal memory.
- Knot security: good.
- Loss of tensile strength: 55% after 7 days.
- Complete absorption by hydrolysis: 80 to 120 days.
- Lasts under storage.
- Indications: ideal for rapid healing of tissues with limited tension (uterus).
- Packaging: vacuum-sealed in an aluminium bag in a cardboard box.
- Expiration: 2 years if stored in its original packaging, 1 month once opened. Store in a cool, dry place.

Supplied individually.

DISPENSER CASE

EP	USP	Code 15 m	Code 25 m	Code 50 m
4	1	-	343014	343015
5	2	343016	343018	343020



VERY RAPID
 ABSORPTION

MONOFIL

Synthetic absorbable monofilament suture, purple.
Composition: polydioxanone (PDO).

- Sterilised with ethylene oxide.
- Tolerance: excellent, no wicking effect.
- Smoothness: excellent passage through tissues.
- Flexibility: minimal memory.
- Minimal sawing effect.
- Knot security: good.
- Loss of tensile strength: 75% after 30 days.
- Complete absorption by hydrolysis: 180 to 240 days.
- Lasts under storage.
- Indications: soft tissues (uterus) and hollow organs. Infected or slow-healing tissues.
- Packaging: vacuum-sealed in an aluminium bag in a cardboard box.
- Expiration: 3 years if stored in its original packaging, 4 months once opened. Store in a cool, dry place.

Dispenser case: supplied individually.


5 m spool: supplied by 12.

DISPENSER CASE

EP	USP	Code 15 m	Code 25 m	Code 50 m	Code 75 m
1.5	4/0	340902	340903	-	-
2	3/0	340904	340905	-	-
3	2/0	340906	340907	-	-
3.5	0	340908	340909	-	-
4	1	340910	340911	340918	340919
5	2	340900	340901	340912	340922
6	3-4	340913	340914	340916	-

5 M SPOOL

EP	USP	Code 5 m	Pack.
5	2	340990	x 12
6	3-4	340991	x 12



EASY TO
 HANDLE



LACFIL

Synthetic absorbable **BRAIDED** suture, purple.

Composition: PGLA - polyglycolic acid (90%) and lactic acid (10%) copolymer.


Coating: PGLA and calcium stearate.

- Sterilised with ethylene oxide.
- Tolerance: excellent.
- Smoothness: very easy passage through tissues, coating minimises sawing effect.
- Flexibility: very easy to work with and easy to knot.
- Knot security: excellent.
- Loss of tensile strength: 50% at 21 days.
- Absorption by hydrolysis in 60 to 80 days.
- Lasts under storage.
- Indications: versatile suture (uterus, muscles, skin).
- Packaging: vacuum-sealed in an aluminium bag in a cardboard box.
- Expiration: 3 years if stored in its original packaging, 4 months once opened. Store in a cool, dry place.

Supplied individually.

DISPENSER CASE

EP	USP	Code 15 m	Code 25 m	Code 50 m
2	3/0	342000	342001	-
3	2/0	342002	342003	-
3.5	0	342004	342006	-
4	1	342008	342009	-
5	2	342010	342012	342014
6	3-4	342016	342018	342020
7	5	342022	342024	342026
8	6	342028	342030	342032



EXCELLENT
TOLERANCE

GLYCOFIL®

Synthetic absorbable **BRAIDED** suture, purple.

Composition: polyglycolic acid (PGA).

Coating: polycaprolactone and calcium stearate.

- Sterilised with ethylene oxide.
- Tolerance: good.
- Smoothness: good.
- Flexibility: excellent.
- Knot security: excellent.
- Loss of tensile strength: 50% after 21 days.
- Absorption by hydrolysis in 60 to 90 days.
- Lasts under storage.
- Indications: very resistant, perfect for muscles.
- Packaging: vacuum-sealed in an aluminium bag in a cardboard box.
- Expiration: 3 years if stored in its original packaging, 4 months once opened. Store in a cool, dry place.

Dispenser case: supplied individually.


5 m spool: supplied by 12.

DISPENSER CASE

EP	USP	Code 15 m	Code 25 m	Code 50 m	Code 75 m	Code 100 m
2	3/0	340810	340811	-	-	-
3	2/0	340812	340813	-	-	-
3.5	0	340814	340815	-	-	-
4	1	340816	340817	340836	-	-
5	2	340818	340820	340822	340838	340839
6	3-4	340824	340826	340827	340840	-
7	5	340834	340828	340829	-	-
8	6	340831	340830	340832	-	-

5 M SPOOL

EP	USP	Code 5 m	Pack.
5	2	340890	x 12
6	3-4	340891	x 12
7	5	340892	x 12
8	6	340893	x 12



VERY
RESISTANT



FILSILK

Strong and flexible braided silk suture with low wicking.
Black.

- Sterilised with ethylene oxide.
- Packaging: in a sterilisation bag and a cardboard box.
- Expiration: 5 years if stored in its original packaging. Store in a cool, dry place.

Supplied individually.



EP	USP	Code	Length
9	7	340500	45 m
8	6	340502	55 m
7	5	340504	70 m
6	3-4	340506	90 m
5	2	340508	100 m
4	1	340510	100 m
3.5	0	340512	100 m
3	2/0	340514	100 m

FILAMID

Braided, coated polyamide suture.
Black.

- Sterilised with ethylene oxide.
- Packaging: in a sterilisation bag and a cardboard box.
- Expiration: 5 years if stored in its original packaging. Store in a cool, dry place.

Supplied individually.



EP	USP	Code	Length
9	7	340552	40 m
8	6	340554	50 m
7	5	340556	60 m
6	3-4	340558	70 m
5	2	340560	100 m
4	1	340562	100 m
3.5	0	340564	100 m
3	2/0	340566	100 m
2.5	2/0	340568	100 m
2	3/0	340570	100 m

FILINE

Flexible, natural linen suture.
Beige colour.

- Sterilised with ethylene oxide.
- Packaging: in a sterilisation bag and a cardboard box.
- Expiration: 5 years if stored in its original packaging. Store in a cool, dry place.

Supplied individually.



EP	USP	Code	Length
6	3-4	340604	50 m
5	2	340606	75 m
4	1	340608	100 m
3	2/0	340612	100 m

FILESTER

Braided polyester suture.
White.

- Sterilised with ethylene oxide.
- Packaging: in a sterilisation bag and a cardboard box.
- Expiration: 5 years if stored in its original packaging. Store in a cool, dry place.

Supplied individually.



EP	USP	Code	Length
9	7	340652	40 m
8	6	340654	45 m
7	5	340656	65 m
6	3-4	340658	90 m
5	2	340660	100 m
4	1	340662	100 m
3.5	0	340664	100 m

p.43 Find our suture needles

SUTURE RACK

Suture rack for 3 Génia dispenser cases.
May be stacked side-by-side.

CAN BE
CONNECTED



Code	Model
340480	Suture rack

REMINDER:

EP - European Pharmacopoeia unit
for suture diameter: 1/10 mm.

USP - United States Pharmacopoeia unit
for resistance: number of 0's.




CLEANROOM

In 2006, Génia created its own cleanroom to satisfy our clients' demand for surgical sutures conforming to the European Pharmacopoeia quality standard.

Today our cleanroom is ISO 8-certified according to the standard NF EN 14644-1.

This new ISO reference standard classifies the dustiness of areas according to the number of particles in the air.



PARTICLES/m³


Class	0.1 µm	0.2 µm	0.3 µm	0.5 µm	1 µm	5 µm
ISO 1	10	2	-	-	-	-
ISO 2	100	24	10	4	-	-
ISO 3	1 000	237	102	35	8	-
ISO 4	10 000	2 370	1 020	352	83	-
ISO 5	100 000	23 700	10 200	3 520	832	29
ISO 6	1 000 000	237 000	102 000	35 200	8 320	293
ISO 7	-	-	-	352 000	83 200	2 930
ISO 8	-	-	-	3 520 000	832 000	29 300
ISO 9	-	-	-	35 200 000	8 320 000	293 000

SUTURE STERILISATION

Today, Génia masters every step of the manufacturing of suture from raw materials to finished, ETO-sterilised products.

Our internal laboratory allows us to conduct lot testing of sterilisation and to validate and certify the chemical and physical conformity of our products to the standards of the European Pharmacopoeia.

Our cleanroom is validated and certified every year by an independent and authorised quality control organisation.



QUALITY
CONTROLS

SUTURE PROTECTION

DISPENSER CASES

Outer packaging: sterilisation bag and a cardboard box.

WATERPROOF SAFETY COVER

The suture stays dry, even if the cover is open.

COMPACT

Pocket-sized, No sharp angle.

REEL DIAMETER

Adapted to the suture. Allows you to decrease the suture memory (Fastfil, Monofil and some Lacfil).



THICK AND WATERPROOF

Reinforced, minimal moisture.

ABSORBABLES SUTURES

Once packed in sterile packaging, the dispensers are enclosed in an aluminium pouch, which minimises moisture.

Watch the video version
on our Youtube channel !



If a pouch isn't under vacuum, the moisture barrier cannot be guaranteed.



VACUUM INTACT - USE



PUNCTURED - DO NOT USE


p.38 Find our sutures



SUTURE NEEDLES SELECTION GUIDE

SUTUREC NEEDLES

SCALE 1:1




REMINDERS



Triangular needle cross-section:
to be used for skin, muscle, fascia.




Round needle cross-section:
to be used for hollow organs, blood vessels.



POST-MORTEM NEEDLES

Curved, triangular suture needles with regular eye.
Supplied in boxes of 12.



Code x 12	Length	Chord (Distance A-B)
147690	94 mm	74 mm
147691	126 mm	99 mm
147692	150 mm	118 mm

SERPENTINE NEEDLES


Stainless steel serpentine suture needles with regular eye.
Supplied in boxes of 12.



Code x 12	Length	Chord (Distance A-B)
147685	150 mm	140 mm

SUTUREC NEEDLES


Stainless steel suture needles, curved, 3/8 circle.
Supplied in boxes of 12.



Code x 12 Spring	Code x 12 Regular	Length	Chord (Distance A-B)	Point type
157746	-	16 mm	13 mm	Round
157745	-	20 mm	16 mm	Round
157744	-	30 mm	24 mm	Round
157743	157713	40 mm	31 mm	Round
157742	157712	45 mm	35 mm	Round
157741	157711	70 mm	55 mm	Round
157740	157710	90 mm	71 mm	Round
-	157708	132 mm	104 mm	Round
157728	-	82 mm	64 mm	Triangular
157727	-	16 mm	13 mm	Triangular
157726	-	20 mm	16 mm	Triangular
157725	-	30 mm	24 mm	Triangular
157724	157696	40 mm	31 mm	Triangular
157723	157704	45 mm	35 mm	Triangular
157722	157701	70 mm	55 mm	Triangular
-	157703	90 mm	72 mm	Triangular
-	157702	90 mm	70 mm	Triangular
157721	-	92 mm	72 mm	Triangular
157720	157700	100 mm	78 mm	Triangular
-	157698	130 mm	102 mm	Triangular

SUTUREC NEEDLES EXTRA FINE EF

Stainless steel suture needles, curved, 3/8 circle.
Regular large eye and extra fine triangular point.
Supplied in boxes of 12.



Code x 12	Length	Chord (Distance A-B)	Point type	Eye type	Model
157760	65 mm	49 mm	Triangular	Regular	EF
157761	90 mm	71 mm	Triangular	Regular	EF

SUTUREC NEEDLES EXTRA FINE EF2/EF3

Stainless steel REVERSE CUTTING suture needles, curved,
extra fine triangular point. Large eye.
Supplied in boxes of 12.



Code x 12	Length	Chord (Distance A-B)	Point type	Eye type	Model
157764	65 mm	49 mm	Triangular	Regular	EF2
157766	90 mm	71 mm	Triangular	Regular	EF3

BONNEY'S NEEDLES

Stainless steel suture needles, curved, triangular with regular eye.
Supplied in boxes of 12.

Code x 12	Length	Chord (Distance A-B)
147670	33 mm	26 mm
147665	46 mm	36 mm
147660	61 mm	48 mm
147655	80 mm	63 mm
147650	93 mm	73 mm



■ SCALPEL HANDLE

Code	Model
307950	Scalpel handle n°3
307952	Scalpel handle n°4
307970	Folding scalpel handle n°4

SCALPEL BLADE COMPATIBILITY

Handle n°3	Handle n°4
n°10	n°19
n°11	n°20
n°12	n°21
n°15	n°22
-	n°23
-	n°24



Folding scalpel handle n°4



Scalpel handle n°3 and 4

■ SWANN MORTON SURGICAL SCALPEL BLADES

Carbon steel scalpel blades.

Supplied in boxes of 100 (20 packets of 5 blades).

NON-STERILE

Code x 100	Model
307943	Scalpel blades n° 10
307963	Scalpel blades n° 22
307949	Scalpel blades n° 23
307944	Scalpel blades n° 24

STERILE

Code x 100	Model
307965	Scalpel blades n° 22
307956	Scalpel blades n° 23



SCISSORS

Our scissors are made of stainless steel. Our production facility has been ISO 9001-certified since 2007 in full compliance with the control and traceability requirements for health products.

OUR FINISHES



SURGICAL (Stainless steel with satin matte finish)

These items are made exclusively from surgical stainless steel, as required for surgical instruments. Our production is intended for routinely used instruments.

CRYOCUT - GOLD RINGS (Stainless steel with satin matte finish)

This line of scissors was designed for intensive veterinary use. Cryosectioning is obtained by thermal overhardening for a reinforced cutting edge.

UPSTYLE - BLACK RINGS (Stainless steel with satin matte finish)

Features:

- Blanks selected according to stricter criteria.
- Slimmer profiles to make them lighter, easier to handle and better suited to delicate procedures.
- Thermal hardening for a reinforced cutting edge.
- Inspections and testing; finishing done under magnifying glass.


UPCUT - BLACK RINGS (Stainless steel with satin matte finish)

Same quality as the UPSTYLE models. The UPCUT scissors have one micro-serrated blade that stops the scissors from slipping and one razor blade to ensure a clean cut.

UPCUT

The precision of the cut is ensured by:

- the serrated lower blade that holds the tissues.
- the fine upper razor blade.



WE CAN REPAIR AND
SHARPEN, PLEASE ASK

UPCUT
QUALITY

5 YEARS
WARRANTY

CUSTOMER SERVICE

Sharp instruments become dull and worn with use.

This is why Génia, a leader in the field, provides a maintenance service to repair and sharpen all types of instruments:

SHARPENING SERVICE

We have a qualified production unit capable of sharpening and reconditioning all cutting instruments:

- Scissors of all kinds (medical, styling, grooming...),
- All surgical instruments (forceps, needles, curettes...),
- Cutting heads for small and large animals clippers,
- Farrier drawing knives, etc.

REPAIR SERVICE

We can also repair and recondition:

- Scissors (micro-teeth, screw replacement, polishing...),
- All surgical instruments (forceps, retractors...),
- Electric clippers (cord, vibrating head...),
- YLG Tattooing machine (spring, tip...),
- Prods (adjusting...).

For all repairs, a quote will be provided.

If you need a specific repair, do not hesitate to contact us to identify the problem and to request a personalised estimate upon receipt of the equipment.

Your equipment will be reconditioned using genuine parts.


All our sharpenings are guaranteed for one week and all repairs are guaranteed for 3 months. We guarantee the repairs carried out but we do not cover problems that may occur in other parts of the device.



MEDICAL SCISSORS

Surgical quality stainless steel scissors with satin matte finish.

Code	Finish	Assembly	Model	Length
600122	Surgical	Screw	Blunt blunt straight	14 cm
600202	Surgical	Screw	Sharp blunt straight	14 cm
600123	Surgical	Screw	Blunt blunt straight	16 cm
600129	Surgical	Screw	Blunt blunt curved	16 cm
600124	Surgical	Screw	Blunt blunt straight	18 cm
600130	Surgical	Screw	Blunt blunt curved	18 cm
600170	Surgical	Screw	Sharp curved	18 cm




[p 128 Find our cleaning and disinfection products](#)

[p 132 Read our cleaning tips](#)

METZENBAUM SCISSORS


Surgical quality stainless steel scissors with satin matte finish.



Code	Finish	Assembly	Model	Length
600452	Surgical	Screw	Straight	15 cm
600457	Surgical	Screw	Curved	14 cm
600458	Surgical	Screw	Curved	15 cm
600459	Surgical	Screw	Curved	16 cm
600460	Surgical	Screw	Curved	18 cm
600512	Surgical	Screw	Straight thin	18 cm
600515	Surgical	Screw	Curved thin	18 cm
601410	Cryocut	Screw	Straight	14 cm
601413	Cryocut	Screw	Curved	14 cm
601412	Cryocut	Screw	Straight	18 cm
601414	Cryocut	Screw	Curved	18 cm
600502	Upcut	Screw	Curved	14 cm
600505	Upcut	Screw	Straight	18 cm
600506	Upcut	Screw	Curved	18 cm
600490	Upstyle	Screw	Straight	14 cm
600493	Upstyle	Screw	Curved	14 cm
600494	Upstyle	Screw	Curved	18 cm
600530	Upstyle	Screw	Curved thin	18 cm
600495	Upstyle	Screw	Curved	20 cm

BROPHY SCISSORS

Surgical quality stainless steel scissors with satin matte finish.



	Code	Finish	Assembly	Model	Length
A	600741	Surgical	Screw	Straight	14 cm
B	600743	Surgical	Screw	Curved	14 cm



MAYO SCISSORS

Surgical quality stainless steel scissors with satin matte finish.



Code	Finish	Assembly	Model	Length
600275	Surgical	Screw	Curved	14 cm
600271	Surgical	Screw	Straight	15 cm
600273	Surgical	Screw	Straight	17 cm
600278	Surgical	Screw	Curved	17 cm
600274	Surgical	Screw	Straight	20 cm

MAYO NOBLE SCISSORS

Surgical quality stainless steel scissors with satin matte finish.



Code	Finish	Assembly	Model	Length
600340	Surgical	Screw	Straight	14 cm
600342	Surgical	Screw	Curved	14 cm
601431	Surgical	Screw	Curved	17 cm
600343	Surgical	Screw	Curved	20 cm

MAYO STILLE SCISSORS

Surgical quality stainless steel scissors with satin matte finish.



Code	Finish	Assembly	Model	Length
600370	Surgical	Screw	Straight	15 cm
600375	Surgical	Screw	Curved	15 cm
600372	Surgical	Screw	Straight	17 cm
600377	Surgical	Screw	Curved	17 cm
600378	Surgical	Screw	Curved	20 cm
601420	Cryocut	Screw	Straight	15 cm
601423	Cryocut	Screw	Curved	15 cm
601422	Cryocut	Screw	Straight	17 cm
601424	Cryocut	Screw	Curved	17 cm
600410	Upcut	Screw	Straight	17 cm
600411	Upcut	Screw	Curved	17 cm
600400	Upstyle	Screw	Straight	15 cm
600402	Upstyle	Screw	Curved	15 cm
600401	Upstyle	Screw	Straight	17 cm

MAYO SERRATED SCISSORS


Surgical quality stainless steel scissors with satin matte finish.



Code	Finish	Assembly	Model	Length
601453	Surgical	Screw	Straight	15 cm
601454	Surgical	Screw	Curved	15 cm
601456	Surgical	Screw	Straight	17 cm
601458	Surgical	Screw	Curved	17 cm

MAYO HARRINGTON SCISSORS

Surgical quality stainless steel scissors with satin matte finish.



Code	Finish	Assembly	Model	Length
600303	Surgical	Screw	Curved	14 cm
600319	Upstyle	Screw	Straight	17 cm
600322	Upstyle	Screw	Curved	17 cm

■ ENUCLEATION SCISSORS

Surgical quality stainless steel scissors with satin matte finish.



	Code	Finish	Assembly	Model	Length
A	600886	Surgical	Screw	Curved	13 cm
B	600887	Surgical	Screw	Very curved	13 cm

■ IRIDECTOMY SCISSORS

Surgical quality stainless steel scissors with satin matte finish.



	Code	Finish	Assembly	Model	Length
	600928	Surgical	Screw	Straight	10.5 cm
	600929	Surgical	Screw	Curved	10.5 cm
	600935	Upstyle	Screw	Straight	10.5 cm

■ STEVENS SCISSORS

Surgical quality stainless steel scissors with satin matte finish.



	Code	Finish	Assembly	Model	Length
	600810	Surgical	Screw	Straight short blade	11 cm
	600812	Surgical	Screw	Curved short blade	11 cm
	600827	Upstyle	Screw	Blunt curved	11 cm

■ STRABISMUS SCISSORS


Surgical quality stainless steel scissors with satin matte finish.



	Code	Finish	Assembly	Model	Length
	600910	Surgical	Screw	Straight	11 cm
	600911	Surgical	Screw	Curved	11 cm

■ SPENCER SCISSORS

Surgical quality stainless steel scissors with satin matte finish.



	Code	Finish	Assembly	Model	Length
	601255	Surgical	Screw	Straight	9 cm
	601258	Surgical	Screw	Bent	9 cm
	601256	Surgical	Screw	Straight	11 cm
	601259	Surgical	Screw	Bent	12 cm
	601260	Surgical	Screw	Bent	13 cm

■ FOMON SCISSORS

Surgical quality stainless steel scissors with satin matte finish. These may be used with the right angle clamp (code 657052).



EXCELLENT FOR ENUCLEATION AND ROUND LIGAMENT OF THE FEMORAL HEAD SURGERY

	Code	Finish	Assembly	Model	Length
	600777	Surgical	Screw	Very curved	14 cm

p.52 Find the right angle clamp

■ UNIVERSAL SCISSORS

Stainless steel standard quality scissors, imported and checked in our production unit.



Code	Model	Length
307920	Serrated blades, plastic handles	18.5 cm

■ LISTER SCISSORS

Surgical quality stainless steel scissors with satin matte finish.



Code	Finish	Assembly	Model	Length
601239	Surgical	Screw	Bent	18 cm

■ STANDARD SCISSORS

Chrome-plated carbon steel scissors.



Code	Finish	Assembly	Model	Length
601313	Surgical	Screw	Straight pointed	18.5 cm

■ LASSERE SCISSORS

Chrome-plated carbon steel scissors.



	Code	Finish	Assembly	Model	Length
A	601490	Surgical	Screw	Straight	17 cm
B	601491	Surgical	Screw	Curved	17 cm

■ MARKING SCISSORS

Chrome-plated carbon steel scissors.



	Code	Finish	Assembly	Model	Length
A	601485	Surgical	Screw	Straight	17 cm
B	601486	Surgical	Screw	Curved	17 cm

■ FUR AND MANE SCISSORS

Chrome-plated carbon steel scissors.




Code	Finish	Assembly	Model	Length
601470	Surgical	Screw	Curved	18 cm

p.128 [Find our cleaning and disinfection products](#)



■ OLSEN HEGAR NEEDLE HOLDER

Needle holder forceps in surgical quality stainless steel with satin matte finish.



Code	Model	Length
607024	Standard	14 cm
607028	Tungsten	14 cm
607030	Tungsten	18 cm

■ MAYO HEGAR NEEDLE HOLDER

Needle holder forceps in surgical quality stainless steel with satin matte finish.




Code	Model	Length
607003	Tungsten	14 cm
607000	Standard	15 cm
607002	Standard	18 cm
607006	Tungsten	18 cm

TUNGSTEN PLATES CAN BE REPLACED | PLEASE ASK FOR DETAILS

p 43 [Find our suture needles](#)

■ MATHIEU NEEDLE HOLDER

Needle holder forceps in surgical quality stainless steel with satin matte finish.



Code	Model	Length
607008	Standard	14 cm
607014	Tungsten	14 cm
607010	Standard	17 cm
607016	Tungsten	17 cm
607018	Tungsten	20 cm

■ BOYTON NEEDLE HOLDER

Needle holder forceps in surgical quality stainless steel with satin matte finish.



Code	Model	Length
607020	Standard	12.5 cm

■ GILLIES NEEDLE HOLDER


Needle holder forceps in surgical quality stainless steel with satin matte finish.



Code	Model	Length
607022	Standard	16 cm

STANDARD FORCEPS

Surgical quality stainless steel dissecting forceps with satin matte finish.



Code	Model	Length
650001	Without teeth	12 cm
650031	With teeth	12 cm
650012	Without teeth	14 cm

ADSON FORCEPS


Surgical quality stainless steel dissecting forceps with satin matte finish.



Code	Model	Length
650320	Without teeth	12 cm
650322	With teeth	12 cm

MICRO ADSON FORCEPS


Surgical quality stainless steel dissecting forceps with satin matte finish.



Code	Model	Length
650495	Without teeth	12 cm
650498	With teeth	12 cm

ADSON GRAEFE FORCEPS

Surgical quality stainless steel dissecting forceps with satin matte finish.



Code	Model	Length
650330	With fine teeth	12 cm
650332	With robust teeth	15 cm

ADSON BROWN FORCEPS


Surgical quality stainless steel dissecting forceps with satin matte finish.



Code	Model	Length
650335	With teeth	12 cm

DEBAKEY FORCEPS


Surgical quality stainless steel dissecting forceps with satin matte finish.



Code	Model	Length	Teeth
650580	Straight	16 cm	1.5 mm

GRAEFE FORCEPS


Surgical quality stainless steel dissecting forceps with satin matte finish.



Code	Model	Length
650460	Straight, with teeth	10 cm

TOWEL CLIP

Surgical quality stainless steel clip with satin matte finish. For securing towels and drapes.



Code	Length
650882	9 cm

CRILE FORCEPS

Surgical quality stainless steel haemostatic forceps with satin matte finish and locking handles.



Code	Model	Length
657014	Straight, without teeth	14 cm
657016	Curved, with teeth	14 cm
657018	Straight, with teeth	14 cm
657020	Curved, without teeth	14 cm

CRYLE-WOOD FORCEPS

Surgical quality stainless steel haemostatic forceps with satin matte finish and locking handles.



Code	Model	Length
607032	Straight	15 cm

HALSTEAD MOSQUITO FORCEPS

Surgical quality stainless steel haemostatic forceps with satin matte finish and locking handles.



Code	Model	Length
657004	Straight, without teeth	12 cm
657006	Curved, without teeth	12 cm
657008	Straight, with teeth	12 cm
657012	Curved, with teeth	12 cm

KELLY FORCEPS

Surgical quality stainless steel haemostatic forceps with satin matte finish and locking handles.



Code	Model	Length
657022	Straight, without teeth	14 cm
657024	Curved, without teeth	14 cm

ROCHESTER PEAN FORCEPS


Surgical quality stainless steel haemostatic forceps with satin matte finish and locking handles.



Code	Model	Length
657030	Straight, without teeth	18 cm
657032	Curved, without teeth	18 cm
657034	Straight, with teeth	18 cm
657036	Curved, with teeth	18 cm

ALLIS FORCEPS

Surgical quality stainless steel haemostatic forceps with satin matte finish and locking handles.



Code	Model	Length
657000	Straight, with teeth	15.5 cm

RIGHT ANGLE CLAMP

NEW

Surgical quality stainless steel clamp with satin matte finish. Angle of 90°. Can be use with Fomon scissors (code 600777).

Code	Length
657052	14 cm




p.48 [Find Fomon scissors](#)

■ OVARIECTOMY HOOK


NEW

Ovariectomy hook in surgical quality.

- Round knurled handle for an excellent grip.
- Ball of medium size for an optimal grip.



Code	Outside diameter	Length
220360	6 mm	17,5 cm



■ GELPI RETRACTOR

NEW

Surgical quality.

- Auto-static.
- 1x1 sharps end with rack.



Code	Length
630010	14 cm

■ HARTMANN FORCEPS

Stainless steel Hartmann foreign body forceps with a pointed end for easier passage through narrow speculums. Shine finish.



Code	Length
307976	8 cm
307975	14 cm

■ KILLIAN SPECULUM

Stainless steel Killian vaginal speculum with locking screw for small animals. Shine finish.



Code	Length
307980	9 cm

■ DRAPVET

Disposable surgical drapes, non-woven, sterile.

- One smooth waterproof layer.
- One non-woven, comfortable and absorbent layer that is soft like fabric.
- 53g/m².

Supplied individually in a sterile packaging in boxes of 6, 12 or 24.




Code	Dimensions	Pack.
317178	45 x 75 cm	x 24
317180	75 x 90 cm	x 12
317182	125 x 125 cm	x 12
317184	200 x 300 cm	x 6



■ ASPIRATION CANNULAS

Sterile, disposable angled aspiration cannulas without finger controle.



	Code	Length	Outside diameter	Model
	307400	260 mm	4 mm	Without strainer
A	307401	250 mm	6 mm	Without strainer
B	307410	250 mm	6 mm	With strainer

■ LATEX PENROSE DRAIN TUBING

Supplied in boxes of 10.



	Code x 10	Length	Outside diameter
	307350	225 mm	10 mm
	307352	225 mm	15 mm
	307354	225 mm	20 mm

■ NECROPSY KNIFE

Necropsy knife with heavy-duty replaceable blade.



Code	Model
307958	Blade holder only
307959	Bag of 10 blades

■ NECROPSY SCISSORS

Carbon steel chrome-plated scissors.



Code	Finish	Assembly	Model	Length
307922	Surgical	Screw	Standard quality	19 cm
512520	Surgical	Screw	Superior quality	19 cm

■ INSTRUBOX

Plastic storage box with lid.

- Can't be sterilised in an autoclave.



Code	Dimensions
106400	160 x 76 x 42 mm

■ SURGICAL BRUSH

Surgical brush with sponge and nail cleaner.
Individual sterile packaging.

Supplied in bag of 25.



Code x 25	Model
317205	Dry

Outer packaging:
Bag of 25 units.

■ STAPVET

Sterile disposable 35W skin stapler.

- 35 stainless steel staples (7mm x 4mm).
- Angled head for good visibility, ergonomic handle for good handling.
- Easy and precise staple placement.

Supplied in boxes of 10.



Code x10

Model

227860

35W stapler



Watch the video version
on our Youtube channel !



■ STAPLE REMOVER

Disposable skin staple remover.

- The round and curved ends are designed not to hurt the skin and to fit easily under staples.
- Easy to handle.

Supplied in boxes of 10.

ATRAUMATIC
END



Code x10

Model

227862

Staple remover

■ DISPLACED ABOMASUM TREATMENT TROCAR

Stainless steel trocar for treating displaced abomasum using the Grymer Sterner method.

- 5/6 mm milled trocar.
- Plastic handle and 112 mm metal cannula.




Code	Model
340000	Compl. displ. abomasum treatment trocar
220400	Stainless steel cannula

■ GRYMER STERNER DISPLACED ABOMASUM TOGGLE SUTURES

Stainless steel toggle sutures for displaced abomasum repair via right flank omentopexy using the Grymer Sterner method.

Supplied in plastic bag of 2 or 12.




Code	Model	Pack.
340019	Displaced abomasum toggle sutures, hollow	x 2
347015	Displaced abomasum toggle sutures, hollow	x 12

■ PLASTIC BUTTONS FOR DISPLACED ABOMASUM REPAIR

Plastic buttons for displaced abomasum repair by right flank omentopexy.

Supplied in polyethylene bag of 6.



Code x 6	Model	Dimensions
340007	Small (1 oval + 1 circular)	57 x 23 x 29 mm
340010	Large (1 oval + 1 circular)	93 x 23 x 40 mm



■ BÜHNERS VAGINAL TAPE

Braided silk suture tape for veterinary use to prevent prolapse.

- Less dangerous and more secure than safety pins.

Supplied on a reel in a polyethylene bag with instructions for use.



Code	Model	Length	Int. diameter
220852	Sheep	5 m x 4 mm	2.5 mm
220850	Cow	5 m x 7 mm	6.5 mm

■ BEARING RETAINERS

Plastic bearing retainers with 40 cm straps to prevent prolapse in ewes.

- Size: 26 x 16 cm.

Supplied in a polyethylene bag.



Code	Model
220800	Bearing retainer only
220805	Bag of 6 bearing retainers with 18 straps and instructions
220810	Strap by meter (100 meter roll)

■ BÜHNER'S NEEDLES

Stainless steel suture needles with handles, used to insert Bühners vaginal suture tape.




	Code	Model	Length
A	227902	Standard	20.5 cm
	227903	Tapered	20.5 cm
	227900	Standard	30 cm
B	227901	Tapered	30 cm

■ SAFETY PINS

Veterinary quality vulvar safety pins with protected trocar point.

- Top quality.
- Tapered tip.

Supplied by 10.




	Code x 10	Model	Length
A	220890	Small	6 cm
B	220892	Medium	8 cm
C	220894	Large	11 cm

■ CAESAREAN FORCEPS

Stainless steel Caesarean forceps with replaceable silicone jaws for large animals.

Supplied individually.



	Code	Model	Length
A	227076	Finger	28 cm
B	227077	Screw	28 cm

ACCESSORIES


Code	Model
227087	Replacement silicone jaws, pair

■ C-CUT

Disposable, plastic hysterectomy scalpel for large animal Caesarean sections.

- Hole to attach a strap.

Supplied by bag of 10.



Code x 10	Model
307985	C-cut

RIGID
SHARP

p.125 Find our protective gowns



ORTHOPEDICS

External fixation and pins

Smooth pins	61
Threaded pins	62
External fixation rods and clamps	63

Screws and plates

Screws	64
Plates	65

Osteosynthesis accessories 67

Rehabilitation.....69

>> MATERIAL CHOICE

Our veterinary implants are made from **implantable surgical stainless steel (grade 316 LVM) of the highest quality**. It is the same steel used for the production of implants for human use, compliant with the 5835:1991 industrial standards and Grade 2 ASTM F 138.

These standards concern the composition, microstructure, mechanical properties and metallurgical requirements of implants.

>> PHYSICAL AND CHEMICAL PROPERTIES

This steel is highly corrosion-resistant in a hostile biological environment. The mechanical properties optimally balance resistance and ductility. Our implant design, complying with **AOVET** standards, guarantees suitable **resistance and rigidity** for fracture fixation in both companion animals and large animals.

>> TECHNICAL EXPERTISE

Our implants are manufactured with care by **qualified and experienced employees**.

The finishing touches of the surface (polishing by hydrolysis), the dimensional tolerance and the quality of the execution are subject to strict quality control. This guarantees the highest quality for veterinary applications.

>> QUALITY AND TRACEABILITY

Our **France-based factory** has been **ISO 9001-certified since 2007**. Each implant produced by our workshops is tested for quality control. The traceability is guaranteed from the raw material supply to the delivery to our clients. The same directives for the production of hospital equipment are followed for producing our veterinary equipment. This is a guarantee of our **integrity and the reliability** of our products.

OSTEOSYNTHESIS EQUIPMENT

Prior to performing any type of orthopedic surgery, verify that you have all the required equipment.

Forceps	To handle bones and bone fragments, assist in and maintain reduction and position and hold plates
Gelpi retractors (p.53, 68)	To move skin, subcutaneous tissue and muscle away from the fracture
Drill bits, Drilling guide	To drill the bone cavity in which the screw will be implanted
Measuring instrument	To measure the length of screw to use
Surgical motor	To insert the implants
Plates (p.65), Pins (p.61), Nails, External Fixators (p.63), Splints (p.63), Cerclage Wires (p.67), Screws (p.64)	Osteosynthesis instruments
Taps, Tap holder	To make the screw thread impression to facilitate screwing, thereby avoiding a bone fracture (not necessary with self-tapping screws).
Hexagonal screwdriver	Screwing - one for Ø 1.5 and 2.0 mm screws - one for Ø 2.7, 3.5 and 4.0 mm screws - one for Ø 4.5 and 6.5 mm screws

INDICATIONS FOR VARIOUS OSTEOSYNTHESIS IMPLANTS

Several types of implants are used to reduce a fracture. Each has its own specific indications.

IMPLANT TYPE	INDICATIONS
External fixators	<ul style="list-style-type: none"> - Localised fractures in distal bone areas (tibia, radius, ulna) - Temporary immobilisation of open fractures - Open fractures with a risk of skin necrosis - Transarticular fixation
Screws and plates	<p>All types of non-septic fractures of long bones (limbs) and flat bones (face, scapula and pelvis) and axial skeleton (vertebrae).</p> <p>Articular fractures: anatomical reduction required; stabilisation can be fully achieved only after anatomical reduction and interfragmentary compression.</p> <p>Pseudoarthrosis: enables compression of the area and provides the excellent stability required for healing. In this case, it is often combined with an autograft of spongy bone.</p> <p>Corrective osteotomy: triple pelvic osteotomy, tibial plateau-levelling osteotomy, varus-producing femoral osteotomy.</p> <p>Provides early support for fractures in various limbs, preventing prolonged bedrest.</p>
Locking screws	<ul style="list-style-type: none"> - Reduction and stabilisation of diaphyseal fractures - Pseudoarthrosis, poor healing, non-union - Treatment of pathological fractures

■ SURGICAL PIN WITH ONE TROCAR POINT, ONE ROUND END

Made exclusively from surgical stainless steel.

- Diameter from 1 to 8 mm.
- Length from 10 to 30 cm.

Supplied by 3 or 10.

On demand: other diameters and lengths.



Code x 3	Code x 10	Diameter	Length
26A1010	26K1010	1 mm	10 cm
26A1012	26K1012	1 mm	12 cm
26A1015	26K1015	1 mm	15 cm
26A1020	26K1020	1 mm	20 cm
26A1030	26K1030	1 mm	30 cm
26A1210	26K1210	1.2 mm	10 cm
26A1212	26K1212	1.2 mm	12 cm
26A1215	26K1215	1.2 mm	15 cm
26A1220	26K1220	1.2 mm	20 cm
26A1230	26K1230	1.2 mm	30 cm
26A1415	26K1415	1.4 mm	15 cm
26A1420	26K1420	1.4 mm	20 cm
26A1425	26K1425	1.4 mm	25 cm
26A1430	26K1430	1.4 mm	30 cm
26A1510	26K1510	1.5 mm	10 cm
26A1512	26K1512	1.5 mm	12 cm

Code x 3	Code x 10	Diameter	Length
26A1515	26K1515	1.5 mm	15 cm
26A1520	26K1520	1.5 mm	20 cm
26A1530	26K1530	1.5 mm	30 cm
26A1612	26K1612	1.6 mm	12 cm
26A1620	26K1620	1.6 mm	20 cm
26A1630	26K1630	1.6 mm	30 cm
26A1812	26K1812	1.8 mm	12 cm
26A1820	26K1820	1.8 mm	20 cm
26A2010	26K2010	2 mm	10 cm
26A2012	26K2012	2 mm	12 cm
26A2015	26K2015	2 mm	15 cm
26A2020	26K2020	2 mm	20 cm
26A2025	26K2025	2 mm	25 cm
26A2030	26K2030	2 mm	30 cm
26A2512	26K2512	2.5 mm	12 cm

Code x 3	Code x 10	Diameter	Length
26A2520	26K2520	2.5 mm	20 cm
26A2530	26K2530	2.5 mm	30 cm
26A3012	26K3012	3 mm	12 cm
26A3015	26K3015	3 mm	15 cm
26A3020	26K3020	3 mm	20 cm
26A3025	26K3025	3 mm	25 cm
26A3030	26K3030	3 mm	30 cm
26A3520	26K3520	3.5 mm	20 cm
26A3530	26K3530	3.5 mm	30 cm
26A4020	26K4020	4 mm	20 cm
26A4025	26K4025	4 mm	25 cm
26A4030	26K4030	4 mm	30 cm
26A5025	26K5025	5 mm	25 cm
26A5030	26K5030	5 mm	30 cm
26A6030	26K6030	6 mm	30 cm
26A8030	26K8030	8 mm	30 cm

■ SURGICAL PIN WITH TWO TROCAR POINTS

Made exclusively from surgical stainless steel.

- Diameter from 0.8 to 8 mm.
- Length from 12 to 30 cm.

Supplied by 3 or 10.

On demand: other diameters and lengths.



Code x 3	Code x 10	Diameter	Length
26B0812	26M0812	0.8 mm	12 cm
26B0830	26M0830	0.8 mm	30 cm
26B1010	26M1010	1 mm	10 cm
26B1012	26M1012	1 mm	12 cm
26B1020	26M1020	1 mm	20 cm
26B1025	26M1025	1 mm	25 cm
26B1030	26M1030	1 mm	30 cm
26B1212	26M1212	1.2 mm	12 cm
26B1220	26M1220	1.2 mm	20 cm
26B1230	26M1230	1.2 mm	30 cm
26B1415	26M1415	1.4 mm	15 cm
26B1420	26M1420	1.4 mm	20 cm
26B1430	26M1430	1.4 mm	30 cm
26B1512	26M1512	1.5 mm	12 cm
26B1515	26M1515	1.5 mm	15 cm
26B1520	26M1520	1.5 mm	20 cm
26B1525	26M1525	1.5 mm	25 cm
26B1530	26M1530	1.5 mm	30 cm

Code x 3	Code x 10	Diameter	Length
26B1620	26M1620	1.6 mm	20 cm
26B1630	26M1630	1.6 mm	30 cm
26B1812	26M1812	1.8 mm	12 cm
26B1820	26M1820	1.8 mm	20 cm
26B1830	26M1830	1.8 mm	30 cm
26B2012	26M2012	2 mm	12 cm
26B2015	26M2015	2 mm	15 cm
26B2020	26M2020	2 mm	20 cm
26B2025	26M2025	2 mm	25 cm
26B2030	26M2030	2 mm	30 cm
26B2212	26M2212	2.2 mm	12 cm
26B2220	26M2220	2.2 mm	20 cm
26B2230	26M2230	2.2 mm	30 cm
26B2512	26M2512	2.5 mm	12 cm
26B2515	26M2515	2.5 mm	15 cm
26B2520	26M2520	2.5 mm	20 cm
26B2525	26M2525	2.5 mm	25 cm
26B2530	26M2530	2.5 mm	30 cm

Code x 3	Code x 10	Diameter	Length
26B3012	26M3012	3 mm	12 cm
26B3015	26M3015	3 mm	15 cm
26B3020	26M3020	3 mm	20 cm
26B3025	26M3025	3 mm	25 cm
26B3030	26M3030	3 mm	30 cm
26B3520	26M3520	3.5 mm	20 cm
26B3525	26M3525	3.5 mm	25 cm
26B3530	26M3530	3.5 mm	30 cm
26B4020	26M4020	4 mm	20 cm
26B4025	26M4025	4 mm	25 cm
26B4030	26M4030	4 mm	30 cm
26B5025	26M5025	5 mm	25 cm
26B5030	26M5030	5 mm	30 cm
26B6025	26M6025	6 mm	25 cm
26B6030	26M6030	6 mm	30 cm
26B7025	26M7025	7 mm	25 cm
26B7030	26M7030	7 mm	30 cm
26B8030	26M8030	8 mm	30 cm

■ SURGICAL PIN WITH ONE DIAMOND POINT, ONE ROUND END

Made exclusively from surgical stainless steel.

- Diameter from 0.8 to 3 mm.
- Length of 15 cm.

Supplied by 3.

On demand: other diameters and lengths.



Code x 3	Diameter	Length
26G0815	0.8 mm	15 cm
26G1015	1 mm	15 cm
26G1215	1.2 mm	15 cm
26G1515	1.5 mm	15 cm
26G1815	1.8 mm	15 cm
26G2015	2 mm	15 cm
26G3015	3 mm	15 cm

■ POSITIVE THREADED SURGICAL PIN WITH ONE TROCAR POINT

Made exclusively from surgical stainless steel. Distal or central thread. The thread guarantees stability of the fixation. The bone anchor limits the pin movement and thus osteolysis due to instability.

- Diameter from 0.8 to 4 mm.
- Length from 10 to 20 cm.

Supplied by 3 or 10.

On demand: other diameters and lengths (0.6 mm diameter for exotics).



CENTRAL THREAD

Code x 3	Code x 10	Pin		Thread	
		Diameter	Length	Diameter	Length
33C0810	31C0810	0.8 mm	10 cm	-	-
33C1012	31C1012	1 mm	12 cm	1.3 mm	15 mm
33C1212	31C1212	1.2 mm	12 cm	1.5 mm	15 mm
33C1512	31C1512	1.5 mm	12 cm	1.9 mm	15 mm
33C1815	31C1815	1.8 mm	15 cm	2.3 mm	15 mm
33C2015	31C2015	2 mm	15 cm	2.7 mm	20 mm
33C2515	31C2515	2.5 mm	15 cm	3 mm	30 mm
33C3020	31C3020	3 mm	20 cm	3.7 mm	30 mm
33C3520	31C3520	3.5 mm	20 cm	4.3 mm	30 mm
33C4020	31C4020	4 mm	20 cm	4.8 mm	30 mm

DISTAL THREAD

Code x 3	Code x 10	Pin		Thread	
		Diameter	Length	Diameter	Length
33P0810	31P0810	0.8 mm	10 cm	-	-
33P1012	31P1012	1 mm	12 cm	1.3 mm	15 mm
33P1212	31P1212	1.2 mm	12 cm	1.5 mm	15 mm
33P1512	31P1512	1.5 mm	12 cm	1.9 mm	15 mm
33P1812	31P1812	1.8 mm	12 cm	2.3 mm	15 mm
33P2012	31P2012	2 mm	12 cm	2.7 mm	20 mm
33P2512	31P2512	2.5 mm	12 cm	3 mm	25 mm
33P3015	31P3015	3 mm	15 cm	3.7 mm	25 mm
33P3515	31P3515	3.5 mm	15 cm	4.3 mm	30 mm
33P4015	31P4015	4 mm	15 cm	4.8 mm	30 mm

■ SURGICAL PIN WITH TWO TROCAR POINTS, NEGATIVE THREADED ON ONE END

Made exclusively from surgical stainless steel.

- Diameter from 1 to 6 mm.
- Length from 12 to 30 cm.

Supplied by 3 or 10.

On demand: other diameters and lengths.



Code x 3	Code x 10	Diameter	Length
26E1012	26T1012	1 mm	12 cm
26E1020	26T1020	1 mm	20 cm
26E1025	26T1025	1 mm	25 cm
26E1430	26T1430	1.4 mm	30 cm
26E1520	26T1520	1.5 mm	20 cm
26E1525	26T1525	1.5 mm	25 cm
26E1530	26T1530	1.5 mm	30 cm
26E1630	26T1630	1.6 mm	30 cm
26E1820	26T1820	1.8 mm	20 cm

Code x 3	Code x 10	Diameter	Length
26E1830	26T1830	1.8 mm	30 cm
26E2025	26T2025	2 mm	25 cm
26E2030	26T2030	2 mm	30 cm
26E2230	26T2230	2.2 mm	30 cm
26E2520	26T2520	2.5 mm	20 cm
26E2525	26T2525	2.5 mm	25 cm
26E2530	26T2530	2.5 mm	30 cm
26E3020	26T3020	3 mm	20 cm
26E3025	26T3025	3 mm	25 cm
26E3030	26T3030	3 mm	30 cm

Code x 3	Code x 10	Diameter	Length
26E3520	26T3520	3.5 mm	20 cm
26E3525	26T3525	3.5 mm	25 cm
26E3530	26T3530	3.5 mm	30 cm
26E4020	26T4020	4 mm	20 cm
26E4025	26T4025	4 mm	25 cm
26E4030	26T4030	4 mm	30 cm
26E4525	26T4525	4.5 mm	25 cm
26E5030	26T5030	5 mm	30 cm
26E6030	26T6030	6 mm	30 cm

■ SURGICAL PIN WITH ONE NEGATIVE THREADED TROCAR POINT, ONE DIAMOND POINT

Made exclusively from surgical stainless steel.

- Diameter from 1 to 6 mm.
- Length from 20 to 30 cm.

Supplied by 3.

On demand: other diameters and lengths.




Code x 3	Diameter	Length
26F1020	1 mm	20 cm
26F1220	1.2 mm	20 cm
26F1420	1.4 mm	20 cm
26F1520	1.5 mm	20 cm
26F1620	1.6 mm	20 cm
26F1820	1.8 mm	20 cm
26F2020	2 mm	20 cm
26F2520	2.5 mm	20 cm



Code x 3	Diameter	Length
26F2525	2.5 mm	25 cm
26F3025	3 mm	25 cm
26F3525	3.5 mm	25 cm
26F4025	4 mm	25 cm
26F4030	4 mm	30 cm
26F5030	5 mm	30 cm
26F6030	6 mm	30 cm

PIN PLACEMENT

The position of the thread (central or distal) correlates to the clamp setting.



Distal thread



Central thread

These pins are made from implantable surgical stainless steel (grade 316 LVM) of the highest quality to maximise tolerance and stability of the implant.

- Our trocar point reduces bone heating and therefore necrosis during fitting.
- The thread guarantees stability of the system. The bone anchor limits pin movement and therefore osteolysis due to instability.
- The positive thread provides greater stability than negative thread ; a negative threaded pin has the same diameter over its entire length. The positive thread eliminates the fragile thread-pin interface.

FIXATION CLAMPS

Non-surgical stainless steel external fixators (diameters 12, 14 and 16 in stainless steel, diameters 24 and 32 in chrome-plated brass). Each fixator is labelled.

- Diameter from 12 to 32 mm.

Supplied by 6 or in bulk (minimum order of 25 units per size).

On demand: other models.



Code x 6	Code bulk*	Clamp diameter	Diameter of outside rod	Diameter of transfixing pin	Pin length	Use
260020	260003	12 mm	2 mm	1.2 mm	12 cm	Cat
260022	260004	12 mm	2 mm	1.5 mm	12 cm	Cat
260023	260005	14 mm	3 mm	1.5 mm	12 cm	Little dog
260019	260012	14 mm	3 mm	1.8 mm	12 cm	Little dog
260024	260006	14 mm	3 mm	2 mm	12 cm	Medium dog
260026	260007	16 mm	4 mm	2 mm	15 cm	Medium dog
260027	260013	16 mm	4 mm	2.5 mm	15 cm	Big dog
260028	260008	16 mm	4 mm	3 mm	15 cm	Big dog
260030	260009	24 mm	4 mm	6 mm	15 cm	Large animals
260032	260010	32 mm	8 mm	4 mm	25 cm	Large animals
260034	260011	32 mm	8 mm	6 mm	25 cm	Large animals

*minimum 25 units per size.

REPLACEMENT SCREW FOR CLAMPS

Code x 6	Diameter
260046	12 mm
260047	14 and 16 mm
260048	24 mm
260049	32 mm

EXTERNAL FIXATION RODS FOR SURGICAL PINS

Bevelled external fixation rods, polished at the ends and labelled. Non-surgical stainless steel. Cannot be implanted.

- Diameter from 2 to 8 mm.
- Length of 50 cm.

Supplied by 6.

On demand: other diameters and lengths.




Code x 6	Diameter	Length	Clamp
260160	2 mm	50 cm	12
260162	3 mm	50 cm	14
260164	4 mm	50 cm	16
260168	6 mm	50 cm	24
260170	8 mm	50 cm	32



SCREW SELECTION GUIDE*

*For reference.

Each screw in Génia's catalogue is compatible with standard screwdrivers and taps.



GENIA'S CORTICAL SCREWS

SCREW DIAMETER			SCREW-DRIVER	SCREW DIAMETER	TAP DIAMETER**
THREAD A	CORE B	HEAD C	HEXAGONAL HEAD	THREADED HOLE	SLIDE HOLE
1.5 mm	1.0 mm	3 mm	1.5 mm	1.1 mm	1.5 mm
2.0 mm	1.3 mm	4 mm	1.5 mm	1.5 mm	2.0 mm
2.7 mm	1.9 mm	5 mm	2.5 mm	2.0 mm	2.7 mm
3.5 mm	2.4 mm	6 mm	2.5 mm	2.5 mm	3.5 mm
4.5 mm**	3.0 mm	8 mm	4.5 mm	3.1 mm	4.5 mm

**Only for standard cortical screws.

USES BASED ON CHARACTERISTICS

DIAMETER	LENGTH	TYPE	USE
1.5 mm	6 - 20 mm	Cortical	Mini-implant (digit, Cat)
2.0 mm	6 - 30 mm	Cortical	Mini-implant (digit, Cat)
2.7 mm	6 - 44 mm	Cortical	Cat, small dog (5-7kg) + pelvis
3.5 mm	8 - 60 mm	Cortical	Dog > 10 kg
3.5 mm	10 - 80 mm	Cancellous	Dog > 10 kg
4.5 mm	14 - 70 mm	Cortical	Dog > 50 kg, horses and cattle
6.5 mm	25 - 80 mm	Cancellous	Dog > 50 kg, horses and cattle

STANDARD CORTICAL SCREWS

Spherical collar and hexagonal head cortical screws.

- Made exclusively from surgical stainless steel.

Supplied by 6.

STANDARD I

SELF-TAPPING
FOR QUICK INSERTION

CANCELLOUS SCREWS

Spherical collar and hexagonal head cancellous screws.

- Made exclusively from surgical stainless steel.
- 3.5 mm thread diameter.
- Length from 10 to 80 mm.

Supplied in bag of 6.



STANDARD CORTICAL SCREWS

Diameter 1.5 mm	Diameter 2.0 mm	Diameter 2.7 mm	Diameter 3.5 mm	Diameter 4.5 mm	Length
263500	263568	263638	-	-	6 mm
263501	-	-	-	-	7 mm
263502	263570	263638	263706	-	8 mm
263504	263572	263640	263708	-	10 mm
263506	263574	263642	263710	-	12 mm
263508	263576	263644	263712	263780	14 mm
263510	263578	263646	263714	263782	16 mm
263512	263580	263648	263716	263784	18 mm
263514	263582	263650	263718	263786	20 mm
-	263584	263652	263720	263788	22 mm
-	-	263654	263722	263790	24 mm
-	263588	263656	263724	263792	25 mm
-	263590	263658	263726	263794	26 mm
-	263592	263660	263728	263796	28 mm
-	263594	263662	263730	263798	30 mm
-	-	263664	263732	-	32 mm
-	-	263666	263734	-	34 mm
-	-	263668	263736	263804	35 mm
-	-	263670	263738	263806	36 mm
-	-	263672	263740	263808	38 mm
-	-	263674	263742	263810	40 mm
-	-	263676	263744	263812	42 mm
-	-	263678	263746	263814	44 mm
-	-	-	263748	263816	45 mm
-	-	-	263750	263818	46 mm
-	-	-	263752	263820	48 mm
-	-	-	263754	263822	50 mm
-	-	-	263756	263824	52 mm
-	-	-	263758	-	54 mm
-	-	-	263760	263828	55 mm
-	-	-	263762	-	56 mm
-	-	-	263764	-	58 mm
-	-	-	263766	-	60 mm
-	-	-	-	263836	65 mm
-	-	-	-	263838	70 mm

SELF-TAPPING CORTICAL SCREWS

Diameter 1.5 mm	Diameter 2.0 mm	Diameter 2.7 mm	Diameter 3.5 mm	Length
265500	265568	265636	-	6 mm
265501	-	-	-	7 mm
265502	265570	265638	265706	8 mm
265503	-	-	-	9 mm
-	265572	265640	265708	10 mm
265506	265574	265642	265710	12 mm
265508	265576	265644	265712	14 mm
265510	265578	265646	265714	16 mm
265512	265580	265648	265716	18 mm
265514	265582	265650	265718	20 mm
-	265584	265652	265720	22 mm
-	265586	265654	265722	24 mm
-	265588	265656	265724	25 mm
-	265590	265658	265726	26 mm
-	265592	265660	265728	28 mm
-	265594	265662	265730	30 mm
-	-	265664	265732	32 mm
-	-	265666	265734	34 mm
-	-	265668	265736	35 mm
-	-	265670	265738	36 mm
-	-	265672	265740	38 mm
-	-	265674	265742	40 mm
-	-	265676	265744	42 mm
-	-	265678	265746	44 mm
-	-	-	265748	45 mm
-	-	-	265750	46 mm
-	-	-	265752	48 mm
-	-	-	265754	50 mm
-	-	-	265756	52 mm
-	-	-	265758	54 mm
-	-	-	265760	55 mm
-	-	-	265762	56 mm
-	-	-	265764	58 mm
-	-	-	265766	60 mm

On demand:
4.5 mm diameter

CANCELLOUS SCREWS

Diameter 3.5 mm	Length
264444	10 mm
264446	12 mm
264448	14 mm
264450	16 mm
264462	28 mm
264464	30 mm
264466	32 mm
264468	34 mm
264470	36 mm
264472	38 mm
264474	40 mm
264476	45 mm
264478	50 mm
264480	55 mm
264482	60 mm
264484	65 mm
264486	70 mm
264488	75 mm
264490	80 mm

On demand:
6.5 mm diameter

PLATE SELECTION GUIDE*

*for reference.

The type and size of plate depends on the mechanical properties of the implant.
The implant must resist flexion forces applied to the bone when the bone is healing.
The choice also depends on the weight of the animal, the size of the fracture fragment and the position of the fracture line(s).

	0 kg	10 kg	20 kg	30 kg	40 kg	50 kg	60 kg
Humérus		2.7 DCP	3.5 DCP	broad 3.5 DCP or 4.5	4.5 DCP ¹ or broad 4,5		
Radius Ulna	2.7 DCP	3.5 DCP	broad 3.5 DCP or 4.5				
Fémur	VCP ²	2.7 DCP	3.5 DCP	broad 3.5 DCP or 4.5	broad 4.5 DCP		
Tibia	VCP	2.7 DCP	3.5 DCP	broad 3.5 DCP or 4.5	broad 4.5 DCP		


¹Dynamic Compression Plate²Veterinary Cuttable Plate

CUTTABLE PLATES

Range of VCP** plates, with different profiles (flat, one-third tubular, curved).

- Made exclusively from surgical stainless steel.
- Plates fit 2.0 mm, 2.7 mm and 3.5 mm diameter screws.
- From 20 to 55 round or oblong holes.

** Veterinary Cuttable Plate.



Code	Hole type	Model		Number of holes	Length	Thickness	Width	Screw diameter
266150	Round	Curved	A	28	336 mm	3.2 mm	10.2 mm	3.5 mm
266152	Round	Curved	A	28	336 mm	4 mm	11.6 mm	3.5 mm
266154	Round	Flat	C	41	328 mm	2.5 mm	8 mm	2.7 mm
266156	Round	One-third tubular	B	50	300 mm	1.1 mm	9 mm	2.7 mm
266158	Round	Flat	C	55	330 mm	2 mm	5 mm	2 mm
266160	Round	One-third tubular	B	50	300 mm	1.1 mm	9 mm	2 mm
266170	Oblong	Flat	C	20	100 mm	1.5 mm	5 mm	2 mm
266172	Oblong	Flat	C	20	100 mm	1 mm	4 mm	1.5 mm



DYNAMIC COMPRESSION PLATES

Range of narrow and broad DCP* plates.

- Made exclusively from surgical stainless steel.
- Length from 22 to 218 mm.
- Fits screw diameters of 2 or 2.7 mm: 4 to 12 holes.
- Fits screw diameters of 3.5 mm:
 - Narrow profile: 4 to 12 holes.
 - Broad profile: 5 to 18 holes.

*Dynamic Compression Plate.



AOVET
STANDARDS

STRAIGHT PLATE FOR SCREW:

Diameter 2 mm
Width: 5 mm
Distance interior holes: 5 mm
Distance center holes: 6.2 mm

Code	Holes	Length	Thickness
266002	4	22 mm	1 mm
266004	5	27 mm	1 mm
266006	6	32 mm	1.5 mm
266008	7	37 mm	1.5 mm
266010	8	42 mm	1.5 mm
266012	9	47 mm	1.5 mm
266014	10	52 mm	1.5 mm
266016	11	57 mm	1.5 mm
266018	12	62 mm	1.5 mm

STRAIGHT PLATE FOR SCREW:

Diameter 2.7 mm
Width: 8 mm
Distance interior holes: 8 mm
Distance center holes: 11.7 mm

Code	Holes	Length	Thickness
266020	4	36 mm	2 mm
266022	5	44 mm	2 mm
266024	6	52 mm	2.5 mm
266026	7	60 mm	2.5 mm
266028	8	68 mm	2.5 mm
266030	9	76 mm	2.5 mm
266032	10	84 mm	2.5 mm
266034	11	92 mm	2.5 mm
266036	12	100 mm	2.5 mm

STRAIGHT PLATE FOR SCREW:

Diameter 3.5 mm
Width: 10 mm
Thickness: 3.2 mm
Distance interior holes: 12 mm
Distance center holes: 16.6 mm

Code	Holes	Length
266038	4	50 mm
266040	5	62 mm
266042	6	74 mm
266044	7	86 mm
266046	8	98 mm
266048	9	110 mm
266050	10	122 mm
266052	11	134 mm
266054	12	146 mm

STRAIGHT PLATE FOR SCREW:

Diameter 3.5 mm
Width: 11.6 mm
Thickness: 4 mm
Distance interior holes: 12 mm
Distance center holes: 16.6 mm

Code	Holes	Length
266056	5	62 mm
266058	6	74 mm
266060	7	86 mm
266062	8	98 mm
266064	9	110 mm
266066	10	122 mm
266068	11	134 mm
266070	12	146 mm
266072	14	170 mm
266074	16	194 mm
266076	18	218 mm



■ CROWN SCISSORS

Crown or Beebe scissors with serrated blades for cutting surgical steel wire. Stainless steel with satin matte finish.



Code	Finish	Assembly	Model	Length
601170	Surgical	Screw	Straight	10 cm

■ ANGLED WIRE CUTTING SCISSORS

Stainless steel scissors with satin matte finish.



Code	Finish	Assembly	Model	Length
601165	Surgical	Screw	Bent	12 cm

■ SURGICAL STEEL WIRE

Surgical steel wire for cerclage.

- 10 m roll.



Code	Diameter
260200	0.2 mm
260201	0.4 mm
260202	0.5 mm
260203	0.6 mm
260204	0.7 mm
260205	0.8 mm
260206	0.9 mm
260207	1 mm
260208	1.2 mm
260209	1.5 mm

■ PIN DRIVER

Surgical stainless steel pin driver.

- Diameter of 4 and 6 mm.
- Length of 150 mm.




Code	Diameter
261002	4 mm
261004	6 mm

BONE PIN CHUCKS

Knurled grip bone pin chucks in anodised aluminium for introducing intramedullary bone pins (diameters 0.8 to 8 mm).

Supplied complete with extension and lock key.



Code	Diameter	Model
261012	6 mm	Stainless steel
261014	10 mm	Stainless steel
261017	-	Stainless steel extension only

CHUCK KEYS



	Code	Model
A	261021	Key for 6 mm chuck in stainless steel
B	261022	Key for 10 mm chuck in stainless steel

HOHMANN RETRACTOR



Code	Length
630000	22 cm

GELPI RETRACTOR

NEW

Surgical quality.

- Auto-static.
- 1x1 sharps end with rack.



Code	Length
630010	14 cm

SURGICAL BUTTONS

Polypropylene buttons for cruciate ligament repair.

- Diameter of 8 and 15 mm.

Supplied by 6, non-sterile.



Code x 6	Diameter
340020	8 mm
340030	15 mm

HIND HANDY CANIS

Hand held harness, for mild to serious temporary or permanent paresis or paralysis of dogs' and cats' hind legs.

- Helps the animal to move and especially to climb on curbs and stairs.
- Heavy duty material (neoprene).
- Stretchy material, comfortable and easy to adjust.
- Fully washable.
- Adjusts to the animal's body with Velcro bands and adjustable straps.
- Adjustable lifting straps to accommodate the animal's size and the owner's comfort.
- Comfort handle to use with both lifting straps. ①




FULLY
WASHABLE

COMFORTABLE
NEOPRENE

HIND MODEL

Code	Size	D Abdomen circumference min. and max.	E Thigh circumference min. and max.	Breed
227250	XS	30 - 33 cm	7.5 - 17 cm	Yorkshire, Chihuahua
227252	S	33 - 36 cm	15 - 23 cm	Dachshund
227254	M	36 - 50 cm	22 - 32 cm	Basset Hound
227256	L	50 - 63 cm	31 - 36 cm	Golden Retriever, German Shepherd
227258	XL	63 - 81 cm	37 - 53 cm	St. Bernard, Newfoundland



D) Abdomen circumference at groin.
E) Thigh circumference at groin.

FRONT HANDY CANIS

Hand held harness, for mild to serious temporary or permanent paresis or paralysis of dogs' and cats' front legs.

- See Hind Handy Canis above.



FRONT MODEL

Code	Size	A Thorax circumference min. and max.	F Forelimb circumference min. and max.	Breed
227280	S	30 - 45	10 - 25	Dachshund
227282	M	45 - 65	25 - 35	Basset Hound
227284	L	65 - 85	35 - 45	Golden Retriever, German Shepherd
227286	XL	85 - 100	35 - 45	St. Bernard, Newfoundland



A) Thorax circumference behind front legs.
F) Forelimb circumference.



CANIS-MOBILE®

Mobility cart to support the hind legs of dogs and cats in case of partial or total mobility loss.

- Welded, galvanised metal and aluminium chassis.
- Adjustable height and length.
- Adjustable straps.
- Removable protective neoprene for easy washing.
- Soft rubber wheels.
- Handle to lift the animal and help it climb over curbs.
- Axle offset to allow the use of the front legs.

Indications:

- Paralysis or paresis of dogs' hind legs, particularly in German Shepherds, Dachshunds, Labradors, etc.
- Functional rehabilitation following disc herniation.
- Temporary immobilisation of the hind legs following surgery or injury, cast, splint, external fixation, etc.

On request: models adjustable in dimensions A, B and C below.


Supplied with the corresponding hind Handy Canis (choose according to measurements D and E).



EASY TO ASSEMBLE CART
EASY TO INSTALL HARNESS



Watch the video version
on our Youtube channel !



Canis-Mobile® measurements

- A) Thorax circumference behind the front legs.
B) Length between the front and back legs.
C) Tail height.

Hind Handy Canis measures

- D) Abdomen circumference at the groin.
E) Thigh circumference at the groin.

Help with Canis-Mobile® selection: Measure A, B and C and determine the size of the model (small, medium or large).
Then select the compatible hind Handy Canis using measurements D and E.

HANDY CANIS measurements				CANIS-MOBILE® measurements				
Code SET	Handy Canis size	D Abdomen circumference min. and max.	E Thigh circumference min. and max.	Canis-Mobile® size	A Thorax circumference	B Length min. and max.	C Tail height min. and max.	Max. Weight
260570	XS	30 - 33 cm	7,5 - 17 cm	Small	41 cm maxi	16 - 26 cm	17 - 27 cm	10 kg
260571	S	33 - 36 cm	15 - 23 cm					
260574	S	33 - 36 cm	15 - 23 cm	Medium	66 cm maxi	25 - 35 cm	24 - 38 cm	30 kg
260575	M	36 - 50 cm	22 - 32 cm					
260580	L	50 - 63 cm	31 - 36 cm	Large	90 cm maxi	35 - 50 cm	41 - 56 cm	50 kg
260581	XL	63 - 81 cm	37 - 53 cm					





HOSPITALIZATION

Disposables


E-collars	72
Protective equipment	76
Bandages	79
Dressings	82

Small animals identification	85
------------------------------------	----

Accessories	86
-------------------	----

Thermometers	88
--------------------	----

QUICK FASTENING SYSTEM



Quick fastening system secured with double interweaving tabs.

- 3 to 5 neck size options.
- Protects the head, abdomen and legs.
- Separate fasteners on the collar.
- Storage hole for hanging and selecting a collar simply by pulling it down.
- E-collar inks comply with FDA standards, non-toxic for animals.

ASSEMBLY

Push the side (widest) tabs into the selected slits, with the smooth side facing inward, and **then pull them through the adjacent slits.**


Repeat with the small tabs.



DISASSEMBLY

To take the collar off easily, firmly fold the part that is overhanging after assembly.

Pull the tabs out of the slits.



Watch the video version
on our Youtube channel !



Code x 12 TRANSCOL	Code x 12 FUNCOL	Code x 12 GREENCOL	Size (A-B)	Neck size (B-C)		O/Pack.
				min.	max.	
306100	306200	306300	7.5 cm	25 cm	28 cm	x 30
306102	306202	306302	10 cm	22 cm	28 cm	x 30
306104	306204	306304	12.5 cm	25 cm	33 cm	x 20
306106	306206	306306	15 cm	33 cm	41 cm	x 12
306108	306208	306308	20 cm	37 cm	46 cm	x 8
306110	306210	306310	25 cm	43 cm	52 cm	x 6
306112	306212	306312	30 cm	47 cm	58 cm	x 4
-	-	306314	35 cm	54 cm	70 cm	x 3
-	-	306315	40 cm	62 cm	80 cm	x 3
306116	306216	306316	Set (2x7 sizes, from 7.5 to 30 cm)			x 4

Code x 12 NEOCOL	Size (A-B)	Neck size (B-C)		O/Pack.
		min.	max.	
306420	7.5 cm	25 cm	28 cm	x 10
306422	10 cm	22 cm	28 cm	x 10
306424	12.5 cm	25 cm	33 cm	x 10
306426	15 cm	33 cm	41 cm	x 10
306428	20 cm	37 cm	46 cm	x 10
306430	25 cm	43 cm	52 cm	x 5
306432	30 cm	47 cm	58 cm	x 5
306438	Set (2x7 sizes, from 7.5 to 30 cm)			x 5

E-COLLAR AND COSYPAD® HANGER

Wall hanger for displaying Génia E-collars and Cosypad®.

- Collars are easy to remove by pulling through the slit, no need to remove the collars in front.

Code	Model
306117	E-collars and Cosypad® hanger



p.77 Find Cosypad®

TRANSCOL

Transparent coloured polypropylene E-collars.

- Quick fastening system.
- Colour-coded according to size.
- Wavy outer edge to reduce frontal impact.
- Engraved anti-scratch lines.
- Black marking.

Supplied by 12 in cardboard boxes.



FUNCOL®

Transparent colourless polypropylene E-collars with coloured paw prints.

- Quick fastening system.
- Colour-coded according to size.
- Wavy outer edge to reduce frontal impact.
- Engraved anti-scratch lines.

Supplied by 12 in cardboard boxes.




GREENCOL

Transparent colourless polypropylene E-collars.

- Quick fastening system.
- 80% recycled, 100% recyclable.
- Wavy outer edge to reduce frontal impact.
- Engraved anti-scratch lines.
- Green markings.

Supplied by 12 in cardboard boxes.



NEOCOL®


Transparent colourless polypropylene E-collars with shock-absorbent reflective neoprene outer edge.

- Quick fastening system.
- Colour-coded according to size.
- Lined with comfortable shock-absorbing neoprene, with reflective fabric to better spot the animal at night.
- Engraved anti-scratch lines.
- Reinforced with neoprene lining.
- The collar is well-tolerated by cats because the neoprene is light and absorbs noise.

Supplied by 12 in cardboard boxes.



STANDARD FASTENING SYSTEM



Conventional secure fastening system, with one secure attachment between the collar and the animal, and other individual attachments within the collar.

- 2 to 3 neck size options.
- Protects the head, abdomen and legs.
- Separate tabs on the collar.
- Storage hole to hang collars and select one simply by pulling it down.
- E-collar inks comply with FDA standards, non-toxic for animals.

Code x 12 NECKY	Code x 12 SMOCKY	Size (A-B)	Neck size (B-C)		O/Pack.
			min.	max.	
306000	306400	7.5 cm	25 cm	28 cm	x 30
306002	306402	10 cm	22 cm	28 cm	x 30
306004	306404	12.5 cm	25 cm	33 cm	x 20
306006	306406	15 cm	33 cm	41 cm	x 12
306008	306408	20 cm	37 cm	46 cm	x 8
306010	306410	25 cm	43 cm	52 cm	x 6
306012	306412	30 cm	47 cm	58 cm	x 4
306013	306413	35 cm	54 cm	70 cm	x 3
306014	306414	40 cm	62 cm	80 cm	x 3
306016	306416	Set (2x7 sizes, from 7.5 to 30 cm)			x 4


ASSEMBLY

Place the perforated part on top, with the smooth surface inward.

Slide the large tabs through the selected slits.

Slide them under, then over.

Repeat with the small tabs.



DISASSEMBLY

Pull the tabs out of the slits.



Watch the video version
on our Youtube channel !




NECKY

Transparent colourless polypropylene E-collars.

- Standard fastening system.
- 80% recycled, 100% recyclable.
- Wavy outer edge to reduce frontal impact.
- Engraved anti-scratch lines.
- Green marking.

Supplied by 12 in cardboard boxes.




80 % RECYCLED
100 % RECYCLABLE

SMOCKY®

Opaque colourless polypropylene E-collars.


- Standard fastening system.
- Wavy outer edge to reduce frontal impact.
- Engraved anti-scratch lines.
- Black marking.

Supplied by 12 in cardboard boxes.



OPAQUE
E-COLLAR

VELCRO FASTENING SYSTEM



ASSEMBLY

Position the Velfast® such that the marker indicating 'inside' is located on the animal's skin (1).

Adjust the Velfast® around the animal's neck; you should be easily able to pass your finger between the e-collar and the skin (2).

Superimpose and adhere the velcro strips using all available surface area, without exceeding the limit (3).

Code x 12 VELFAST	Size (A-B)	Neck size (B-C)		O/Pack.
		min.	max.	
306450	7,5 cm	14 cm	17 cm	x 10
306452	10 cm	18 cm	23 cm	x 10
306454	12,5 cm	24 cm	29 cm	x 10
306456	15 cm	30 cm	36 cm	x 10
306458	20 cm	37 cm	43 cm	x 10
306460	25 cm	44 cm	50 cm	x 5
306462	30 cm	51 cm	58 cm	x 5
306468	Set (2x7 sizes, from 7.5 to 30 cm)			x 5

Watch the video version
on our Youtube channel !





VELFAST®

NEW

Transparent colourless polypropylene E-collars with double neoprene edging.

- Flexible, silent peripheral neoprene edging, absorbing impacts and noise. This offers more comfort for the animal and faster adaptation to wearing the E-collar.
- Atraumatic neoprene edging around the neck.
- Simple, quick velcro attachment offering excellent tear resistance.
- Velcro strip adjustment according to neck circumference.
- Engraved anti-scratch lines.
- Reinforced with neoprene lining.
- Colour-coded according to size.
- Available in 7 sizes.

Supplied by 12 in cardboard boxes.



Ultra-quick
fastening

COMFORTABLE | LARGE
ADJUSTMENT AREA

COSYPAD® GREEN


Mesh pad anti-bedsores.

Offers comfort, hygiene and ease of cleaning.



It is preferable to grates, underpads, and others bedding.

Its aerated structure keeps animals clean and dry. Cosypad® provides comfort to animals and saves professionals time.

- Reduces the pressure exerted on muscles and joints for optimal comfort and the prevention of bedsores.
- Hygienic: liquids drain under the pad, leaving the animal dry.
- Good aeration, allowing better healing of wounds and better thermoregulation.
- Hypoallergenic material, odourless, antibacterial.
- Very strong, mould-resistant and insulating.
- Washable:
 - in a washing machine at 40 °C with a bleach pellet,
 - with a hose after soaking in a disinfecting solution,
 - use of dryer and spin cycle not recommended.
- Uses:
 - in hospital cages,
 - on examination and surgery tables,
 - during the post-operative recovery stage,
 - in dental scaling (fast drainage of liquids),



Code	Model	Length	Weight	O/Pack.
327211	S	33 x 50 cm	200 g	x 40
327212	M	39 x 71 cm	382 g	x 40
327213	L	55 x 71 cm	505 g	x 20



■ COSYPAD® NEW GENERATION

A new generation mesh pad made from anti-bedsore material used in hospitals. This new design offers comfort, hygiene and greater resistance.


The new generation Cosypad® meets all the conditions ensuring optimal animal comfort and saves time for animal health professionals (less nursing, fewer underpad changes, reduced use of a heating mat, etc.).

- Ventilated, flexible honeycomb meshing to reduce pressure on muscles and joints.
- Ventilated structure that is ideal for extended hospitalisation, allowing better wound healing and heat regulation.
- Reinforced seams and tough nylon on the edges for better durability.
- Non-slip underside for optimal stability in hospital cages and on surgical and consulting tables.
- Mould-resistant and insulating.
- Suspension eyelet for hanger.
- Hygienic: liquids drain under the pad, leaving the animal dry.
- Does not retain fur.
- Hypoallergenic material, odourless, antibacterial.
- Washable:
 - in a washing machine at 40 °C with a bleach pellet,
 - with a hose after soaking in a disinfecting solution,
 - use of dryer and spin cycle not recommended.
- Uses:
 - in hospital cages,
 - on examination and surgery tables,
 - during the post-operative recovery stage,
 - in dental scaling (fast drainage of liquids),
 - as anti-fatigue mat for the surgeon.


Code	Size	Weight	O/Pack.
327200	33 x 50 cm	200 g	x 40
327201	39 x 71 cm	382 g	x 40
327203	55 x 71 cm	505 g	x 20
327205	60 x 115 cm	884 g	x 20

ACCESSORIES


Code	Model
306117	E-collar and Cosypad® hanger (p.72)

CONTINUOUS
SEWINGROUNDED
EDGES

Anti-fatigue mat



Dental scaling



Hospitalization



Watch the video version
on our Youtube channel !



VACUUMAT®

NEW

Vacuum immobilization mattress made of sturdy polyurethane material.

- Radiolucent.
- Easy to clean.
- High microbeads capacity to conform to the animal's shape.
- Flexible, comfortable and very sturdy material.
- The vacuum system allows complete immobilization in the desired position, which is ideal for radiology, ultrasound, MRI, CT and surgery.
- Thermal insulation.
- Safety valve, which can maintain vacuum over more than 72 hours.

Supplied by unit with a pump.

Watch the video version
on our Youtube channel !



Code	Dimensions
327302	40 x 60 cm
327304	60 x 100 cm

ACCESSORIES

Code	Model	O/pack.
327306	Pump for VACUUMAT®	x 20



DRYSOFT®

Super absorbent, silky and comfortable pad made of super absorbent gel layer covered with a thin cellulose layer and resting on waterproof and non-skid non-woven layer.

- 5 layers to optimise the absorption of liquids.
- Performing gel to neutralise odors and absorbs 200 to 300 times its mass.
- Antimicrobial protection.
- Fast soaking.
- Does not leak after absorption of the volumes listed.
- Moderately wet after absorption of the required quantities.

Supplied by 25 or 30.


Code	Size	Absorption capacity	Pack.
327050	40 x 60 cm	800 mL	x 30
327052	60 x 60 cm	1 000 mL	x 30
327054	60 x 90 cm	1 900 mL	x 25
327056	60 x 90 cm +	2 500 mL	x 25



INCOMPARABLE
PERFORMANCE

ANTIMICROBIAL
PROTECTION

FAST
ABSORPTION



WATER ABSORPTION TEST COMPARISON

GÉNIA (BATCH # 022014 TESTED)			MATTRESS PADS ON MARKET	
Size	Weight	Absorbed volume ¹	Weight	Absorbed volume ¹
40 x 60 cm	36 g	800 ml	38 g	600 ml
60 x 60 cm	66 g	1000 ml	66 g	700 ml
60 x 90 cm	105 g	1900 ml	105 g	1100 ml
60 x 90 cm +	140 g	2500 ml	175 g	2400 ml

¹ Test Protocol: Running water uniformly and gently over pad until the liquid is no longer contained by the mattress pad.



STRAP BAND

Cohesive elastic bandages.

- Self-adhesive, without sticking to the skin or the fur.
- Strong and easy to apply.
- Easy to cut, no scissors needed.

Strap band with bitter taste:

- To prevent chewing and tearing.
- Contains denatonium benzoate, a bitter taste-repellent agent. This substance is also used to deter ingestion of household products and antifreeze and as a nail polish to prevent nail biting. Denatonium benzoate is considered harmless to the skin*.

*International Journal of Toxicology, vol. 27, no S1, 2008.

Supplied by 12 or 24.

Red	Green	Blue	Yellow	Black	Purple (bitter taste)	Dimensions	Pack.	O/pack.
307200	307201	307202	307203	-	307230	5 cm x 4.5 m	x 24	x 12
307206	307207	307208	307209	-	307232	7.5 cm x 4.5 m	x 12	x 16
307212	307213	307214	307215	307216	307234	10 cm x 4.5 m	x 12	x 12

Code	Model	O/pack.
307220	Set of 32 classic bands 5 cm x 4.5 m: 2 x 4 x 7.5 cm x 4.5 m: 2 x 4 x 10 cm x 4.5 m: 2 x 4 x	x 8
307222	Set of 16 bands with bitter taste Each model x 8 (size 5 and 7.5)	x 8



BITTER
TASTE



STRONG

EASY TO
PLACE

Starting strip



FUN STRAP®

NEW

Cohesive elastic bandages with coloured patterns.

- Identical to Strap Band.

Supplied by 12 or 24.



Starting strip

STRONG | EASY TO PLACE | LATEX FREE

Non-contractual visuals.

Code	Set contents	Dimensions	Pack.
307240	8 bandages of each pattern	5 cm x 4.5 m	x 24
307241	4 bandages of each pattern	7.5 cm x 4.5 m	x 12
307242	4 bandages of each pattern	10 cm x 4.5 m	x 12
307243	Set - 3 bandages of each size and each pattern	-	x 27



■ EQUIPLAST®

Equine bandage with a thick layer of surgical quality high-density cotton and a tubular non-woven gauze.

- Sterilised with ethylene oxide. (ETO).
- Avoid excessive tension on the limb and distributes the pressure.
- Highly absorbent.
- Protection against impact.
- Distribution of pressure, allowing prevention of sores.
- Adheres lightly, allowing scar tissue to form.
- Promotes healing.
- Adapted to horse and pony anatomy.
- Can be cut to the required dimensions.
- Can be secured with an adhesive badage such as Aderplast® or Strap Band.
- Uses:
 - post-surgical dressings,
 - primary or secondary layers,
 - joint protection (stifle, hock, fetlock),
 - pressure dressings.

Supplied as a 500 g roll in an individual plastic bag. Available in 2 widths.

Code	Dimensions
307280	30 cm x 3.5 m
307282	50 cm x 2 m



HIGHLY
ABSORBENT

■ STOCKINETTE

100% stretch cotton stocking, natural colour. Protects the skin under casts.

Abdominal dressings.

Supplied in 25 m rolls in a polyethylene bag.



Code	Length
307020	3 cm
307022	5 cm
307024	7 cm
307026	10 cm
307028	15 cm
307030	20 cm

■ ADERPLAST®

White adhesive elastic bandage.

- Aerated strip, 100% woven cotton.
- Flexible elastic band for effective tightening.
- Body made from highly adhesive surgical rubber.
- Protection of siliconised paper, low noise, with edging to facilitate removal.
- Good skin tolerance.
- Excellent resistance to repeated movement.

Supplied by 12 or 18. Available in 4 widths.



AERATED STRIP
100% WOVEN COTTON

Code	Dimensions	Pack.
307250	3 cm x 2.5 m	x 12
307252	6 cm x 2.5 m	x 18
307254	8 cm x 2.5 m	x 12
307256	10 cm x 2.5 m	x 12

■ ADERPLAST® ULTRA

NEW

White adhesive elastic bandage with high adhesive strength.

- Aerated strip, 100% woven cotton.
- Highly adhesive, suitable for all types of dressings and bandages.
- Protection of siliconised paper: low noise, does not frighten the animal.
- Easy to peel off from its support thanks to the edges of the siliconised paper.

Supplied by 12. Available in 4 widths.



Easy to peel off
from its support

LOW
NOISE | HIGHLY
ADHESIVE | AERATED STRIP
100% WOVEN COTTON

Code	Dimensions	Cond.
307290	3 cm x 2.5 m	x 12
307292	6 cm x 2.5 m	x 12
307294	8 cm x 2.5 m	x 12
307296	10 cm x 2.5 m	x 12

SPLINTS

Concave plastic splints; red, blue or green depending on size; coated with a thick protective foam.

- Very strong material, poly-gloss finish.
- No sharp angles, thick closed-cell protective foam that extends beyond the edges of the splint to protect the animal.
- Can be cut to fit the animal's limb.
- Air holes along the length of the splint allow air to circulate and prevent scar formation.

Supplied by unit or by 12.



NO SHARP
ANGLE | VERY STURDY
MATERIAL

Code x 1	Code x 12	Length	O/pack.
307801	307800	20 cm	x 24
307806	307805	30 cm	x 8
307811	307810	40 cm	x 6

FLAT SPLINTS

One aluminium side and one protective soft foam side.

- Easy to cut with Mayo serrated scissors to fit the animal's limb.
- Radiolucent.
- Sturdy, light and atraumatic.
- Ideal for temporary limb immobilisation.
- Available in 5 widths.

Supplied by 12.



RADIOLUCENT
ATRAUMATIC

Code x 12	Dimensions
307820	2 x 20 cm
307822	2.5 x 30 cm
307824	5 x 40 cm
307826	8 x 45 cm
307828	10 x 45 cm

p.47 Find our Mayo serrated scissors

ROLL SPLINTS

Aluminium roll splint with foam on both sides.

- Easy to cut.
- Cut with Mayo serrated scissors to fit the animal's limb.
- Radiolucent.
- Flexible, atraumatic, easily takes the shape of the limb requiring immobilisation.
- Available in 3 widths.

Supplied by 4.




FLEXIBLE |

RADIOLUCENT
ATRAUMATIC

Code x 4	Dimensions
307830	4.5 x 25 cm
307832	5.5 x 35 cm
307834	9 x 40 cm

p.47 Find our Mayo serrated scissors



THE CHOICE IS BASED ON THE VETERINARIAN'S CLINICAL ASSESSMENT

TYPE OF WOUND	DRESSINGS	DRESSING CHANGE
 <p>Non-infected wound. Surgical wound. Healing by first intention. Low exudate wound.</p>	<p>SURGI</p>	When saturated. From every day to every few days.
 <p>Wound in debridement stage. High or moderate exudate and/or cavitory wound.</p>	<p>ALGI</p> <p><i>Rough side against the wound</i></p>	When saturated. From every day to every few days.
 <p>Wound in debridement stage or in granulation stage. Moderate exudate wound without cavitation.</p>	<p>HYDRO</p>	Every three days on average. Change if discoloured or swollen.
 <p>Wound in granulation stage. Low exudate wound. Burns.</p>	<p>TULLO</p>	From every day to every few days.
 <p>Wound from debridement to epithelialisation. Medium/high exudate wound Aural hematoma.</p>	<p>SPONGI</p> <p><i>Foam side against the wound</i></p>	When saturated or every five days.

ANIPLAST® SET

Set of Aniplast® dressings for small and large animals.

Supplied by 10 or 20.

Code	Model	Pack.
327040	Small animals set 4 of each dressing 10 x 10 cm	x 20
327042	Large animals set 2 of each dressing 10 x 20 cm (Surgi, Algi, Tullo) and 20 x 20 cm (Hydro, Spongi)	x 10



p.80 Find our adhesive Aderplast® bandages

■ ANIPLAST® SURGI

Non-adhesive absorbent dressing.

- Non-woven absorbent pad: prevents maceration and infection.
- Micro-perforated polyethylene sheets on each surface limit maceration.

Supplied by 6 or 12.

Code	Dimensions	Pack.	O/pack.
327030	10 x 10 cm	x 12	x 24
327032	10 x 20 cm	x 6	x 24



DOES NOT ADHERE
TO THE WOUND

■ ANIPLAST® ALGI

Super absorbent calcium and sodium alginate dressing with silver ions.

- Silver ions with antibacterial properties.
- Forms a protective gel on the wound surface.
- Haemostatic.

Supplied by 6 or 12.

Code	Dimensions	Pack.	O/pack.
327020	10 x 10 cm	x 12	x 24
327022	10 x 20 cm	x 6	x 24



SUPER
ABSORBENT

■ ANIPLAST® HYDRO

Absorbent healing dressing.

- Gelatine-free hydrocolloid layer applied to a polyurethane film to form a gel on the wound surface.
- Maintains a moist and warm environment on the surface of the wound: promotes granulation and epithelialisation along with wound self-debridement.
- Resistant to bacteria.

Supplied by 5 or 10.

Code	Dimensions	Pack.	O/pack.
327014	10 x 10 cm	x 10	x 48
327016	20 x 20 cm	x 5	x 24



HYDROCOLLOID


■ ANIPLAST® TULLO

Tulle gras dressing.

- A 100% cotton absorbent gauze impregnated with white paraffin.
- Made from reticular cotton fabric that allows exudate to drain from the wound; no maceration.
- Pro-inflammatory activity: promotes granulation.

Supplied by 10 or 20.

Code	Dimensions	Pack.	O/pack.
327006	10 x 10 cm	x 20	x 24
327008	10 x 20 cm	x 10	x 24



TULLE GRAS


■ ANIPLAST® SPONGI

Super absorbent dressing. Non-adhesive, semi-occlusive foam dressing on a thick water-resistant polyurethane film.

- Permeable to gas and water vapours but resistant to bacteria; limits maceration and infection.
- Keeps the wound surface moist and warm: encourages wound self-debridement, granulation and epithelialisation.

Supplied by 3 or 10.

Code	Dimensions	Pack.	O/pack.
327000	10 x 10 cm	x 10	x 48
327002	20 x 20 cm	x 3	x 24



ABSORBS UP TO 50
TIMES ITS WEIGHT

CURITY NON-ADHERENT DRESSING

Sterile, non-adherent dressing, featuring a vaseline emulsion blend impregnated into open mesh.

- Composition: cellulose acetate woven fabric, emulsion of vaseline, light mineral oil, sorbitan sesquioleate, distilled water.
- Promotes exudate drainage from wound.
- Perfect for donor sites, delicate sutures, graft areas and draining wounds.

Supplied by 50.



Code x 50	Dimensions
307074	8 x 8 cm

TELFA ABSORBENT NON-ADHERENT DRESSING

Sterile, non-adherent dressing featuring an absorbent pad bonded on both sides with perforated polyester film.

- Composition: micro-perforated polyester film, absorbent non-woven and adhesive cotton pad
- Protects wounds and does not disturb healing tissue.
- Conforms to wound edges.
- Moderate exudate wounds.

Supplied by 100.



Code x 100	Dimensions
307076	10 x 7.5 cm
307078	20 x 7.5 cm

ALGINATE HYDROCOLLOID DRESSING

Sterile alginate hydrocolloid dressing for lightly to moderately exudative wounds.

- Composition: gas-permeable polyurethane film, hydrophilic colloidal particles of natural calcium alginate.
- Promotes granulation tissue formation and epithelialisation through gentle debridement and a moist healing environment.
- Provides an effective barrier against bacteria and accelerates healing.

Supplied by 5.



Code x 5	Dimensions
307080	10 x 10 cm

CALCIUM ALGINATE DRESSING

Sterile, non-adherent calcium alginate dressing.

- Composition: non-woven pads or strips, calcium and sodium alginate fibres: Marine seaweed extract (brown algae).
- Absorbs wound exudate (up to 20 times its weight).
- Creates a protective gel and moist environment to promote healing.
- Prevents skin maceration.
- Painless and easy removal; doesn't disintegrate.

Supplied by 10.



Code x 10	Dimensions
307072	10 x 10 cm

HYDROGEL CURAFIL DRESSING

Glycerin-based dressing.

- Composition: glyceryl polymethacrylate, preservative, carbomer, gauze, transparent viscous gel composed of purified water (> 70%).
- Promotes granulation tissue formation in a moist environment protecting skin against maceration.
- Softens and debrides dry necrotic tissue.
- Rehydrates, removes and absorbs fibrin to facilitate removal.
- Neutralises bacterial growth.



Code	Capacity
307087	28 g

HYDROPHILIC FOAM DRESSING

Hydrophilic polyurethane sterile foam dressing.

- Composition: polyurethane foam (covered with adhesive polyurethane for compression models; adheres to the healthy skin but not to the wound), purified water, surfactant, sodium hydroxide and sulphuric acid.
- Maintains a moist environment promoting wound healing.
- Supports fluid balance.
- Better healing compared to hydrocolloids.
- Maintains its structure.
- Soft and comfortable.

Supplied by 10.



Code x 10	Dimensions
307082	10 x 10 cm
307083	10 x 20 cm

■ YLG SENIOR TATTOOING MACHINE

Electric tattooing machine with a 220/12 Volt transformer and foot pedal.

- The device is designed to deliver constant deep penetration of the 6-needle group no matter how thick the skin is, ensuring a lasting tattoo.
- The high vibration frequency provides a continuous line for clearly legible characters. The needle is activated by an electromagnet that ensures the correct power, speed and reliability. This is one of the best machines of the market.

Supplied in a case with a bottle of black ink and 1 replacement multi-needle.

Code	Model	Capacity
227108	Complete machine	-
227110	Tube of 5 replacement multi-needles	-
220900 ●	Tattoo ink	15 mL
220904 ●	Tattoo ink	15 mL
220906 ●	Tattoo ink	125 mL
220908 ●	Tattoo ink	125 mL



■ YLG JUNIOR TATTOOING MACHINE

This light, compact tattooing machine was designed for tattooing small animals using a multi-needle or single needle. This device is ideal for tattooing cats (small or delicate tattoos on the ear pinna using the single needle).

- Its rotary motor provides regular oscillations. The device can be battery operated or plugged in, both providing perfect needle penetration. It is powered either by a 230 Volt 50 Hertz wall transformer providing 3 volts of direct current or by 3 AA 1.5 volt batteries (LR6 alkaline).
- This machine has a finger switch at the end of the pen for quick switching on and off and a high degree of comfort. The YLG Junior tattooing machine is simple and durable, requiring maintenance only of the needles and the adjustment bearing.

Supplied in a case with a bottle of black ink, one multi-needle and one single needle.

	Code	Model	Capacity
	221500	Complete machine	-
A	227110	Tube of 5 replacement multi-needles	-
B	227111	Tube of 5 replacement mono-needles	-
	220900 ●	Tattoo ink	15 mL
	220904 ●	Tattoo ink	15 mL
	220906 ●	Tattoo ink	125 mL
	220908 ●	Tattoo ink	125 mL



TIKER®


NEW

To safely remove ticks from animal. Efficient and quick !
Suitable thanks to the 2 sizes of spoons in the same product which allow to remove easily all type of ticks.

- Made in Green PE, the TIKER® is eco friendly:
 - the material is biobased and 100% recyclable,
 - the cardboard packaging is 100% recycled, 100% recyclable.
- Fast.
- Painless.
- Hygienic.
- Without leaving the mouth-parts of the tick planted in the skin.
- The spoon allows to hold the tick the time to eliminate it.

Supplied in a cardboard by 24 in a dispenser box.

Watch the video version
on our Youtube channel !



Hold the whole tick without leaving
the mouth-parts in the skin

2 IN 1
FOR ALL TYPE OF TICKS

Code x 24	Model
191061	Tiker®

I'm green™
Plastic
98% Biobased
Verified by ASTM D6866

Made in Green PE,
biobased material 100% recyclable.
100% recycled packaging!



PILL APPLICATOR


PVC pill applicator with flexible tip. Secured.

- Useful to administer pills to cats and small dogs.
- Can be used with just one hand.
- Waterproof. Add water to promote swallowing if needed.
- Atraumatic soft tip.

Supplied by 12 in a dispenser box.



Code x 12	Model
227230	Pill applicator



TABLET CRUSHING CUPS

Compartmented plastic cup for cutting, crushing and storing tablets.



Code	Diameter	Height
227086	40 mm	64 mm

Outer packaging:
Master case of 50 units.

BOTTLE TEATS

Non-perforated, natural latex teats for kitten and puppy that fit on bottle necks.

Certified 93/11/CE.

Supplied in bulk.



	Code	Model
A	227021	Kitten
B	227022	Puppy

DIGIFLASH

Digital thermometer for small and large animals.

- **Flexible** tip, length 7 cm.
- Temperature measurement in 5 seconds.
 - Recalls the last 5 values.
 - Temperature range: 32 to 43 °C / 90 to 110 °F.
 - Accuracy: 0.1 °C / 0.18 °F.
 - Alarm at end of measurement.
- Low battery symbol display.
- Auto power-off.
- Waterproof.
- Shock-resistant.

Supplied in a transparent polycarbonate box with an additional battery.



Code	Length	Tip length
227972	15.5 cm	7 cm

Outer packaging:

Master case of 12 and 240 units

FLEXIBLE
TIP

FAST READING
5 SECONDS

DIGIFIX

Digital thermometer for small and large animals.

- **Rigid** tip, length 7.5 cm.
- Temperature measurement in 10 seconds.
 - Recalls the last value.
 - Temperature range: 32 to 43°C/90 to 110°F.
 - Accuracy 0.1°C/0.18°F.
 - Alarm at end of measurement.
- Low battery symbol display.
- Auto power-off.
- Waterproof.
- Shock-resistant.

Supplied in a transparent polycarbonate box with an additional battery.



Code	Length	Tip length
227978	15.5 cm	7,5 cm

Outer packaging:

Master case of 12 and 240 units

RIGID
TIP

DIGIVET

Digital thermometer for small animals.

- **Flexible** tip, length 5 cm.
- Temperature measurement in 10 seconds.
 - Recalls the last value.
 - Temperature range: 32 to 42 °C / 90 to 108 °F.
 - Accuracy: 0.1 °C / 0.18 °F.
 - Alarm at the end of measurement.
- Low battery indicator symbol.
- Auto power-off.
- Waterproof.
- Shock-resistant.

Supplied in a transparent polycarbonate box with an additional battery.



Code	Length	Tip length
227970	12.5 cm	5 cm

Outer packaging:

Master case of 12 and 240 units

FLEXIBLE
TIP

FAST READING
10 SECONDS



CAPTURE

IMMOBILISATION EQUIPMENT

Projectors

Blowpipes	91
Pneumatic projectors	92
Gas projectors	94
Powder projectors	96
Accessories	97

Syringes and cannulas

11 mm syringes and cannulas	102
13 mm syringes and cannulas	104
13 mm disposable syringes	106
Pole syringes	107

CAPTURE EQUIPMENT

Poles and tongs

Capture poles	108
Clinical poles	110
Capture tong and landing nets	111

Traps, transportation

Traps	112
Kennels	114
Stretcher	116

Reptiles 117

Capture gloves 120

DISTINJECT PROJECTORS

PROJECTOR SELECTION GUIDE

ANIMALS	DISTANCE	TYPE OF PROJECTOR									
		BLOWPIPES		GAS PROJECTORS						POWDER PROJECTORS	
		MINI-JECT	DISTINJECT	MOD. 45 STANDARD	MOD.45 SPECIAL	MOD. 35N	MOD. 50N	MOD. 70	MOD. 72	MOD. 30N	MOD. 60N
Cattle, deer, cat, dog, buck, grizzly, llama, sheep, bear, pig	L < 20 m	•	•	•	•	•	•	•	•	•	•
Wild boar, elephant					•	•	•	•	•	•	•
Cattle, deer, cat, dog, buck, grizzly, llama, sheep, bear, pig, wild boar, elephant	20 < L < 40 m					•	•	•	•		•
Bison, mountain goat, gazelle, wildebeest, kangaroo, leopard, lion, wolf, sheep, fox, reindeer, tiger	40 < L < 50 m						•	•	•		•
Giraffe, bison, badger, horse, deer, elk, cheetah, oryx, cougar, monkey, zebra	L > 50 m							•	•		•



HYPODERMIC PROJECTOR |
FOR TELEANESTHESIA |

For more information on our hypodermic projector range,
request our Distinject Projector brochure or download it on our website.




■ MINI-JECT BLOWPIPE - 11 MM

Polycarbonate blowpipe for capture of animals at a short distance.

- Range: **1 to 7 m** (depending on the syringe type), ideal for animals with short flight distance.
- For use **with 11 mm diameter syringes** (p.102).
- Syringes fitted with wool stabilisers.
- The rubber end-piece facilitates projection. **A**

Supplied with full 11 mm equipment.*




Code	Model	Weight	Length	Calibre	Range
192030	Mini-ject blowpipe 11 mm with full equipment	120 g	90 cm	11 mm	1 to 7 m
192031	End-piece for 11 mm blowpipe A				

■ DISTINJECT BLOWPIPE - 16 MM WITH EXTENSION

Polycarbonate blowpipe with extension for capture of animals at a short to medium distance.

- Range: **up to 15 m** depending on the training of the shooter. Up to 7 m without extension.
- **For use with 11 mm diameter syringes** (p.102).
- Syringes fitted with PVC stabilisers.
- The rubber end-piece facilitates projection. **B**
- Easy to assemble.
- Supplied in a rigid lightweight carrying case with shoulder strap.

Supplied with full 11 mm equipment.*



Code	Model	Weight with/ without extension	Length with/ without extension	Calibre	Range
192036	Distinject blowpipe 16 mm with extension and full equipment	450 g / 250 g	150 cm / 76 cm	16 mm	15 m
192037	End-piece for 16 mm blowpipe B				

**For full range, request our Distinject Projector brochure or download it on our website.*



■ PNEUMATIC PROJECTOR 45 DELTA STANDARD, 11 MM SYRINGES

Pneumatic projector made entirely from aluminium, for capture of animals at a short distance.

- Energy less than 3.5 Joules.
- Range: **up to 4 m** (depending on the syringe type).
- For use only with **11 mm diameter syringes** (p.102).
- Syringes fitted with wool stabilisers.
- Barrel fixed with bayonet attachment.
- Easy to use.
- Transformable into 45 Delta Special model by adding a pressure chamber with manometer **A** and gas inlet **B** with connector **C**.
- **Treated 11 mm steel barrel**, length 35 cm.
- Aiming system incorporated to improve precision (front and rear sight).

Supplied with full 11 mm equipment.*

Code	Model	Weight	Length	Calibre	Range
192032	45 Delta Standard pneumatic projector with full equipment	450 g	35 cm	11 mm	4 m



*For full range, request our *Distinject Projector* brochure or download it on our website.


■ PNEUMATIC PROJECTOR 45 DELTA SPECIAL, 11 MM SYRINGES

Pneumatic projector made entirely from aluminium, for capture of animals at a short and medium distance.

- Energy less than 6 Joules.
- Range: **up to 20 m** (depending on the syringe type).
- For use only with **11 mm diameter syringes** (p.102).
- Syringes fitted with wool stabilisers.
- Barrel fixed with bayonet attachment.
- Easy to use.
- **Treated 11 mm steel barrel**, length 35 cm.
- Aiming system incorporated to improve precision (front and rear sight).
- **65 mL pressure chamber** with gauge. **A**
- **Pocket charger for CO₂ gas C** (fitted with a 16 g CO₂ capsule **B** holder and an 8 g reducer for holding 8 g CO₂ capsules).

Supplied with full 11 mm equipment.*



Code	Model	Weight	Length	Calibre	Range	Chamber volume
192034	45 Delta Special pneumatic projector with full equipment	800 g	35 cm	11 mm	20 m	65 mL



p.98 [Find our pneumatic projector accessories](#)

GAS PROJECTORS

GAS PROJECTOR'S SHOOTING DISTANCE ACCORDING TO SYRINGE MODELS

		SYRINGE MODEL	GAS PROJECTOR MODEL			
			35N	50N	70	72
STRAIGHT SHOT 	MINIJECT	1 mL, 2 mL	30 m	30 m	40 m	40 m
		3 mL, 5 mL	30 m	30 m	40 m	40 m
	EASY	3 mL	30 m	40 m	40 m	40 m
		5 mL	20 m	30 m	40 m	30 m
	SOFTY	3.8 mL	20 m	30 m	40 m	30 m
	SPEEDY	3.5 mL	20 m	30 m	40 m	40 m
	FLIP	1 mL	30 m	30 m	40 m	40 m
	ALUMINIUM	1 mL, 2 mL	20 m	30 m	40 m	40 m
		3 mL, 4 mL	20 m	30 m	40 m	40 m
		5 mL	20 m	30 m	40 m	40 m
		7 mL	10 m	20 m	30 m	30 m
		10 mL	10 m	20 m	30 m	30 m
		15 mL	10 m	20 m	30 m	30 m
CURVED SHOT 	MINIJECT	1 mL, 2 mL	30 m	20 to 40 m	20 to 40 m	20 to 40 m
		3 mL, 5 mL	20 m	20 to 40 m	20 to 40 m	20 to 40 m
	EASY	3 mL	30 m	20 to 50 m	20 to 40 m	20 to 40 m
		5 mL	20 m	20 to 40 m	20 to 40 m	20 to 40 m
	SOFTY	3.8 mL	20 m	20 to 40 m	20 to 40 m	20 to 40 m
	SPEEDY	3.5 mL	20 m	20 to 40 m	20 to 40 m	20 to 40 m
	FLIP	1 mL	30 m	20 to 30 m	20 to 40 m	20 to 40 m
	ALUMINIUM	1 mL, 2 mL	20 m	20 to 50 m	20 to 60 m	20 to 40 m
		3 mL, 4 mL	20 m	20 to 40 m	20 to 60 m	20 to 40 m
		5 mL	20 m	20 to 40 m	20 to 60 m	20 to 40 m
		7 mL	20 m	20 to 40 m	20 to 50 m	20 to 40 m
		10 mL	10 m	20 to 30 m	20 to 50 m	20 to 40 m
		15 mL	10 m	20 to 30 m	20 to 40 m	20 to 40 m


Values given as an indication only.
Shots performed in a shooting tunnel; distances can vary according to the environment.



■ GAS PROJECTOR MODEL 35N, 11/13 MM SYRINGES

Small gas projector model for all situations, allowing long-distance shots up to 30 m.

- Energy 7.5 Joules.
 - Fast pressure adjustment for a range **up to 30 m**, depending on the syringe type. The recommended range is 20 m (see firing range p.93).
 - Versatile: accepts all commercially available 11 mm and 13 mm syringes.
 - **13 mm treated steel barrel**, length 37.5 cm, with sight (p.99) for **13 mm diameter syringes** (anodised aluminium syringes p.104, Speedy and Flip p.106).
 - **11 mm reducer for barrel**, length 38.5 cm (p.99) for **11 mm diameter syringes** (p.102).
 - Very safe.
 - Easy to use.
 - Standard prismatic rail for mounting various additional aiming systems except laser rangefinder (p.97).
 - Safety lock system with bayonet-fitting indicator light (chamber plug 17.5 mm diameter p.99) for inserting and positioning syringes.
 - Basic rear sight included.
 - Pressure gauge visible within the field of view.
 - CO₂ 16 g capsule holders and reducer for 8 g.
- Supplied with full standard 11 mm equipment.**



COMPACT
GAS PROJECTOR


Code	Model	Weight	Length	Calibre	Range	Chamber volume
192008	Gas projector model 35N with full equipment	1.6 kg	54 cm	11 and 13 mm	30 m	65 mL

**For full range, request our Distinject Projector brochure or download it on our website.*

■ GAS PROJECTOR MODEL 50N, 11/13 MM SYRINGES

A versatile gas projector model developed for all situations, enabling long range shots up to 50 m. Used worldwide for the capture of all types of animals.

- Energy 9.2 Joules.
 - Fast pressure adjustment for a range **up to 50 m**, depending on the syringe type. The recommended range is 20-30 m (see firing range p.93).
 - Versatile: accepts all commercially available 11 mm and 13 mm syringes.
 - **13 mm treated steel barrel**, length 75 cm, with sight (p.99) for **13 mm diameter syringes** (anodised aluminium syringes p.104, Speedy and Flip p.106).
 - **11 mm aluminium reducer for barrel**, length 76.5 cm (p.99) for **11 mm diameter syringes** (p.102).
 - Prismatic rail for mounting various additional aiming systems (p.97).
 - Safety lock system with bayonet-fitting indicator light (chamber plug 17.5 mm diameter p.99) for inserting and positioning syringes.
 - Removable graduated rear sight for greater shooting accuracy (p.97).
 - Pressure gauge visible within the field of view.
 - CO₂ 16 g capsule holders and reducer for 8 g.
- Supplied with full standard 13 mm equipment.**



VERSATILE
GAS PROJECTOR

Code	Model	Weight	Length	Calibre	Range	Chamber volume
192020	Gas projector model 50N with full equipment	2.6 kg	118 cm	11 and 13 mm	50 m	105 mL

■ GAS PROJECTOR MODEL 70, 11/13MM SYRINGES


Top of the line gas projector, allowing long-distance shots up to 60 m.

- Energy 9.8 Joules.
- Fast pressure adjustment for a range **up to 60 m**, depending on the syringe type. The recommended range is 30-40 m (see firing range p.93).
- Versatile: accepts all commercially available 11 mm and 13 mm syringes.
- **13 mm treated steel barrel**, length 75 cm, with sight (p.99) for **13 mm diameter syringes** (anodised aluminium syringes p.104, Speedy and Flip p.106).
- **11 mm reducer for barrel**, length 76.5 cm (p.99) for **11 mm diameter syringes** (p.102).
- Trigger with safety button.
- Prismatic rail for mounting various additional aiming systems except laser rangefinder (p.97).
- Safety lock system with bayonet-fitting indicator light (chamber plug 15.5 mm diameter p.99) for inserting and positioning syringes.
- Removable graduated rear sight for greater shooting accuracy (p.97).
- Pressure gauge visible within the field of view.
- CO₂ 16 g capsule holders and reducer for 8 g.
- After sales service: carried out exclusively in the factory (including seal replacement).

Supplied with full standard 11 mm equipment.*

Code	Model	Weight	Length	Calibre	Range	Chamber volume
192000	Gas projector model 70 with full equipment	3.1 kg	115 cm	11 and 13 mm	60 m	160 mL

**For full range, request our Distinject Projector brochure or download it on our website.*




LONG RANGE
GAS PROJECTOR

■ GAS PROJECTOR MODEL 72, 11/13MM SYRINGES

Folding gas projector, allowing long-distance shots up to 40 m.

- Energy 9.8 Joules.
- Quick pressure adjustment, **up to 40 m** when fitted with a 50 cm barrel depending on the syringe type. The recommended range is 30-40 m (see firing range p.93). The range can be increased up to **60 m** when fitted with a 75 cm barrel (on request, p.99).
- Versatile: accepts all commercially available 11 mm and 13 mm syringes.
- **13 mm treated steel barrel**, length 50 cm, with sight (p.99) for **13 mm diameter syringes** (anodised aluminium syringes p.104, Speedy and Flip p.106).
- **11 mm aluminium reducer for barrel**, length 51.5 cm (P.99) for **11 mm diameter syringes** (p.102).
- Trigger with safety button.
- Easy to transport.
- Prismatic rail for mounting various additional aiming systems (p.97).
- Safety lock system (chamber plug 15.5 mm diameter p.99) for inserting and positioning syringes.
- Removable graduated rear sight for greater shooting accuracy (p.97).
- Pressure gauge visible within the field of view.
- CO₂ 16 g capsule holders and reducer for 8 g.
- After sales service: carried out exclusively in the factory (including seal replacement).

Supplied with full standard 11 mm equipment.*



FOLDING
GAS PROJECTOR

Code	Model	Weight	Length	Calibre	Range	Chamber volume
192004	Gas projector model 72 with full equipment	2.9 kg	61 cm folded / 96 cm open	11 and 13 mm	40 m	160 mL

POWDER PROJECTOR MODEL 30N, 13 MM SYRINGES

Small powder projector model for all situations, allowing medium-distance shots.

- Energy 5 to 12 joules depending on the percussion caps.
- Range: **up to 20 m** (depending on the syringe type).
- **13 mm treated steel fixed barrel**, length 24 cm, with sight (p.99), for **13 mm diameter syringes** (anodised aluminium syringes p.104, Speedy and Flip p.106).
- Easy to use.
- Very safe.
- Fixed, precision, fluorescent rear sight, factory set.
- Short percussion cap holder (p.99).

*Supplied individually with full standard 13 mm equipment.**



COMPACT
POWDER PROJECTOR

Code	Model	Weight	Length	Calibre	Range
192012	Powder projector model 30N with full equipment	0.7 kg	39 cm	13 mm	20 m

POWDER PROJECTOR MODEL 60N, 13 MM SYRINGES

Durable and reliable powder projector model, easy to use, allowing medium and long distance shots.

- Energy 5 to 18 joules depending on the percussion caps.
- Range: **up to 60 m** (depending on the syringe type).
- **13 mm treated steel fixed barrel**, length 64 cm, with sight (p.99), for **13 mm diameter syringes** (anodised aluminium syringes p.104, Speedy and Flip p.106).
- Easy to use.
- Very safe.
- Prismatic rail for mounting various additional aiming systems except laser rangefinder (p.97).
- Removable graduated rear sight for greater shooting accuracy (p.97).
- Long percussion cap holder (p.99).

*Supplied with full standard 13 mm equipment.**



IDEAL FOR
LONG DISTANCES | DURABLE AND RELIABLE
POWDER PROJECTOR

Code	Model	Weight	Length	Calibre	Range
192016	Powder projector model 60N with full equipment	2.6 kg	115 cm	13 mm	60 m

**For full range, request our Distinject Projector brochure or download it on our website.*

PERCUSSION CAP SELECTION GUIDE

PERCUSSION CAPS		SYRINGES	RANGE	0 m	10 m	20 m	30 m	40 m	50 m	60 m +
30N	192296	Aluminium	5-25 m	15 mL	7 mL	1 mL				
		Speedy	1-15 m	SPEEDY						
	192300	Aluminium	10-20 m		15 mL	7 mL	1 mL			
		Speedy	12-20 m		SPEEDY					
		Flip	12-25 m		FLIP					
60N	192298	Aluminium	5-25 m	15 mL	7 mL	1 mL				
		Speedy	5-30 m	SPEEDY						
	192306	Aluminium	20-35 m			15 mL	7 mL	1 mL		
		Speedy	25-40 m			SPEEDY				
	192302	Aluminium	30-50 m				15 mL	7 mL	1 mL	
	192304	Aluminium	45-60 m					15 mL	7 mL	1 mL

ABS PROJECTOR CASES

ABS projector carrying cases.

- Durable.
- Highly reliable lock and hinges.
- Foam.



	Code	Model	Dimensions (L x W x H)
A	192078	ABS case for model 50N/60N/70/72	1215 x 235 x 100 mm
B	192080	ABS case for model 30N/35N	810 x 230 x 100 mm

PRECISION GRADUATED REAR SIGHT

Mechanical viewfinders allowing increased shot accuracy by alignment of the aiming system with the sight.



Code	Model
192048	Precision rear sight for model 30N
A 192050	Precision rear sight for model 35N/50N/70/72/60N

TELESCOPIC SIGHT 4X32

Optical sight for magnifying the target to facilitate aiming. Replaces the sight and precision rear sight.



FACTORY ADJUSTABLE
TO MATCH PROJECTOR

Code	Model
192051	Telescopic sight with integrated laser rangefinder - on request
192052	Telescopic sight 4x32 with rail (mounting additional)
192053	Mounted on projector - on request

RED DOT VIEWFINDER

Optical viewfinder projecting a bright dot (crosshairs) on a lens in front of the shooter's eye. Removes the need to align the targeting components for faster aiming.



Side view

Front view

Code	Model
192062	Red dot viewfinder (mounting additional)
192053	Mounting on projector: on request

LASER POINTER

Optical viewfinder with a beam that illuminates the target with a bright dot. Beam visible in broad daylight up to 25 m, in bright sunlight up to 15 m and in twilight up to 60 m.



ON
DEMAND

Code	Model
192064	Laser pointer (mounting additional)
192053	Mounting on projector: on request

LASER RANGEFINDER

Electronic viewfinder allowing target distance to be calculated. Facilitates aiming even at very long distance. Range 15 to 400 metres. Handheld.



Code	Model
192054	Laser rangefinder - 15 to 400 m

*Product may differ from image.

MAINTENANCE OF GAS PROJECTOR* CONTROLS AND TESTS

This package includes:

- change of all the joints and springs,
- pressure resistance tests,
- firing tests,
- cleaning of the projector,
- return of the device.


A quote will be provided for all other repairs.

*Products: 35N, 50N, 70 and 72 gas projectors.

Code	Model
192990	Gas projector maintenance package.

■ PRESSURE CHAMBER FOR MODEL 45 DELTA SPECIAL

Chamber with pressure gauge for rapid pressure testing (see model 45 Delta Special (code 192034, p.92).




Code	Model
192068	Pressure chamber for model 45 Delta Special

p.92 [Find our pneumatic projector 45 Delta Special](#)

■ POCKET CO₂ GAS CHARGER FOR MODEL 45 DELTA SPECIAL

Supplied complete with pocket charger equipped with a CO₂ capsule holder 16g and with its reducer 8g (see model 45 Delta Special code 192034, p.92).



Code	Model
192066	CO ₂ gas pocket charger, for model 45 Delta Special with 16 g capsule holder and 8 g reducer

p.92 [Find our pneumatic projector 45 Delta Special](#)

■ CAPSULE HOLDER



Code	Model
192345	Reducer, 8 g only
192347	CO ₂ capsule holder, 16 g only

■ CO₂ CAPSULE

Box of 10 capsules.



Code x 10	Model
192344	CO ₂ capsule 8 g (6 to 8 shots)
192346	CO ₂ capsule 16 g (8 to 16 shots)
192348	CO ₂ capsule 12 g (8 to 16 shots), for discontinued model 55 only

■ HAND PUMP

Hand pump with male quick connector for models 45 Delta Special, 35N, 50N, 70 and 72.

- Maximum 14 bar.
- Not compatible with model 45 Delta Standard.
- Can replace the CO₂ capsules if required.



Code	Model
192056	Hand pump including connector and adapter for model 45 Delta special, 35N, 50N, 70 and 72
A 192057	Hand pump adapter only with connector and adapter for model 45 Delta special, 35N, 50N, 70 and 72
B 192882	Connector for model 45 Delta Special only

■ WOODEN STOCK FOR MODEL 50N

Wooden stock for model 50N.

- Adaptable to model 35N for greater stability.
- Supplied by unit with chuck, threaded rod and nut.



Code	Model
192356	Wooden stock for model 50N

PROJECTOR BARRELS

Interchangeable barrels with sight.



Code	Model	Diameter	Length
192359	45 Delta Standard and Special	11 mm	35 cm
192358	Optional 45 Delta Special	11 mm	70 cm
192361	35N	13 mm	37.5 cm
192353	72	13 mm	50 cm
192352	Optional model 50N/70 or 72	13 mm	75 cm

[p.92 Find our Delta pneumatic projectors](#)

[p.94 Find our gas projectors](#)

CHAMBER PLUG



	Code	Model	Diameter
A	192880	Chamber plug for models 35N and 50N	17.5 mm
B	192886	Chamber plug for models 70 and 72	15.5 mm
A	192895	Plug seal (x3) for models 35N and 50N	-
B	192896	Plug seal (x3) for models 70 and 72	-

[p.94 Find our gas projectors](#)

PERCUSSION CAPS

Box of 20 percussion caps for powder projector (30N and 60N models).



Code x 20	Model	Range*
192296	Projector model 30N	1/15 m
192300	Projector model 30N	10/25 m
192298	Projector model 60N	5/30 m
192306	Projector model 60N	20/40 m
192302	Projector model 60N	30/50 m
192304	Projector model 60N	45/60 m

*Depending on the syringes used.

[p.96 Find our perfusion cap selection guide](#)

[p.96 Find our powder projectors](#)

REDUCER BARRELS

11 mm diameter aluminium reducer for barrels, to reduce the diameter from 13 mm to 11 mm.



35N reducer

Code	Model	Diameter	Length
192351	35N	11 mm	39 cm
192357	72	11 mm	51.5 cm
192350	Optional model 50N/70 or 72	11 mm	76.5 cm

[p.94 Find our gas projectors](#)

PERCUSSION CAP HOLDER

Percussion cap holder for projector models 30N (discontinued model 60) or 60N.

- Clean and lubricate the seal before each use.

Supplied with a pack of seals.



	Code	Model	Diameter	Length
A	192324	Long percussion cap holder for projector model 60N	14.3 mm	80 mm
B	192326	Short percussion cap holder for projector model 30N or discontinued model 60	18.75 mm	25 mm

ACCESSORIES

	Code x3	Model
B	192888	Pack of short percussion cap holder seals
A	192890	Pack of long percussion cap holder seals

[p.96 Find our powder projectors](#)

CARTRIDGE POSITIONER AND EJECTOR

Dual function:

- Positioner for 11 mm syringe used with Delta models.
- Cartridge ejector for projector models 30N and 60N.



Code	Model
192336	Cartridge positioner and ejector

[p.92 Find our Delta pneumatic projectors](#)

[p.96 Find our powder projectors](#)

CLEANING KIT

Cleaning kit for models 30N and 60N.



Code	Model
192332	Cleaning kit for 30N and 60N models (with case)

[p.96 Find our powder projectors](#)

65 ML GAS REFILL

Gas refill for 11 mm syringes and 45 Delta model.



Code	Model
192342	Gas refill 65 mL only
A 192884	Connector for model 45 Delta Standard

[p.92 Find our Delta pneumatic projectors](#)

SILICONE GREASE

12 g tube for lubricating rubber plungers and 13 mm aluminium syringes barrels before each use.



Code	Model
192320	Silicone grease 12 g

[p.104 Find our aluminium syringes](#)

SILIGLISS

Thick silicone oil for lubricating seals on all projectors.
Supplied by unit.



Code	Model
106020	10 mL tube

PACK OF SEALS

Pack containing seals and clips required for maintenance of projector models 35N and 50N.



Code	Model
192070	Pack of seals for models 35N and 50N

[p.94 Find our gas projectors](#)

PLUNGER PUSHER

Plunger pusher for 11 mm syringes.

- Replaces the Mini-ject syringe pusher.
- Can be used with Softy syringes.



Code	Model
192337	Plunger pusher

[p.102 Find our 11 mm syringes](#)

SYRINGES SELECTION GUIDE

Watch the instructions for use in « Distinject » playlist on our Youtube channel !



REUSABLE NYLON SYRINGES - 11 MM


11 mm diameter hypodermic syringes, for use with 11 mm calibre blowpipes, Delta models and gas projectors.

STABILISERS (P.102)




WEIGHT (p.102)
required for long distance shooting

SYRINGE BARRELS (P.102)




CANNULAS (P.103)



REUSABLE ALUMINIUM SYRINGES - 13 MM

13 mm diameter hypodermic syringes, for use with 13 mm calibre gas projectors or powder projectors.

STABILISERS (P.104)



SYRINGE BARRELS (P.104)



CANNULAS (P.105)



DISPOSABLE NYLON SYRINGES - 13 MM

Automatic Speedy and Flip syringes, disposable, with cannula, for all 13 mm projectors.



SPEEDY (p.106)
Do not use with orange and white caps



FLIP (p.106)



MINI-JECT SYRINGES

Reusable 11 mm nylon syringes.

- Nylon syringe body, for use with blowpipes and/or projectors with 11 mm barrel.
- The injection pressure is produced by gas (visible).
- Stabilisers: made from wool or PVC **additional**.
- Cannulas **additional**.

Supplied by 5 with 1 gas remover and 1 plunger pusher (code 192280 p.103).



Code x 5	Model	Size	Capacity
192266	Mini-Ject syringe barrel	45 mm	1 mL
192268	Mini-Ject syringe barrel	55 mm	2 mL
192270	Mini-Ject syringe barrel	70 mm	3 mL
192272	Mini-Ject syringe barrel	115 mm	5 mL

p.103 Find cannulas for 11 mm syringes

WEIGHT FOR CANNULAS

Placed on the end of nylon syringes (Mini-Ject, Softy and Easy) after loading the needle for increasing the range above 6 m.



Code	Model
192276	Cannula weight

WOOL STABILISER

Stabiliser compatible with short to medium distance shots.

- For use when shooting the two blowpipes, the Delta models and all gas projectors.
 - Placed on the 11 mm Mini-Ject and Softy syringes.
- Supplied by 5.



Code x 5	Model
192264	11 mm Wool stabiliser

PVC STABILISER

Stabiliser compatible with short distance shots.

- Only used when shooting the Distinject blowpipe (code 192036), with 11 mm Mini-Ject or Softy syringes.
- The ergonomics of the stabilizer limits the loss of air introduced by the shooter, and improves the range.

Supplied by 5.



VENTURI
EFFECT

p.91 Find Distinject blowpipe

Code x 5	Model
192274	16 mm PVC stabiliser

SOFTY SYRINGES

Reusable 11 mm nylon syringes.

- Nylon syringe for use with blowpipes and all projectors with 11 mm barrel.
- The injection pressure is produced by gas (visible) or compressed air (not visible).
- Removable wool stabiliser.
- Weight: 6.8 g.
- Graduations at 1, 2, 3 and 3.8 mL.
- Option: PVC stabiliser when shooting with the Distinject blowpipe (code 192036).
- Cannulas **additional**.

Supplied by 5 with 1 gas remover and 1 plunger pusher (code 192280 p.103).

Practice cannulas (code 192185) are not supplied with syringes.



Code x 5	Model	Size	Capacity
192222	Softy syringe 3.8 mL	115 mm	3.8 mL

p.103 Find cannulas for 11 mm syringes

p.91 Find Distinject blowpipe

EASY SYRINGES

Reusable 11 mm nylon syringes for long distance use.

- Nylon syringes specially designed for long-distance shots, for use with all projectors with an 11 mm barrel.
- The injection pressure is produced by gas.
- Attached stabiliser (feathered) for more accurate long-distance shots.
- Weight: 6.6 and 7.9 g.
- Cannulas **additional**.

Supplied by 5 with 1 gas remover and 1 plunger pusher (code 192280 p.103).

Practice cannulas (code 192185) are not supplied with syringes.



Code x 5	Model	Size	Capacity
192260	Easy syringe	125 mm	3 mL
192262	Easy syringe	170 mm	5 mL

p.103 Find gas remover and cannulas for 11 mm syringes

SMOOTH CANNULAS 1.1 MM & 1.2 MM DIAMETERS

Smooth cannulas, preferably used for vaccination of small animals.

For use on nylon syringes projected by the two blowpipes, Delta models and all gas projectors.

- The hole in the needle allows injection of the product when the plug is pushed back at the moment of impact.

Supplied by 5.



Code x 5	Model	Cannula length
192242	Smooth cannula, 1.1 mm diameter	25 mm
192240	Smooth cannula, 1.2 mm diameter	38 mm

[p.102 Find nylon syringes](#)

SMOOTH CANNULAS 1.6 MM & 2.1 MM DIAMETERS

Smooth cannulas, preferably used for vaccination of medium- and large animals.

For use on nylon syringes projected by the two blowpipes, Delta models and all gas projectors.

- The hole in the needle allows injection of the product when the plug is pushed back at the moment of impact.

Supplied by 5 (with 1 weight and 4 additional plugs per cannula).



Code x 5	Model	Cannula length
192257	Smooth cannula, 1.6 mm diameter + weight	20 mm
192256	Smooth cannula, 1.6 mm diameter + weight	25 mm
192254	Smooth cannula, 1.6 mm diameter + weight	38 mm
192258	Smooth cannula, 2.1 mm diameter + weight	51 mm

[p.102 Find nylon syringes](#)

CANNULAS WITH BARB 1.6 & 2.1 MM DIAMETERS

For use on nylon syringes projected by the two blowpipes, the Delta Special model and all gas projectors.

- The hole in the needle allows injection of the product when the plug is pushed back at the moment of impact.
- The barb keeps the syringe in place during injection of the product.

Supplied by 5 (with 1 weight and 4 additional plugs per cannula).



Code x 5	Model	Cannula length
192246	Cannula with barb, 1.6 mm diameter + weight	25 mm
192244	Cannula with barb, 1.6 mm diameter + weight	38 mm
192243	Cannula with barb, 2.1 mm diameter + weight	51 mm

[p.102 Find nylon syringes](#)

CANNULAS WITH FLANGE 1.6 & 2.1 MM DIAMETERS

For use on nylon syringes projected by the two blowpipes, the Delta Special model and all gas projectors.

- The hole in the needle allows injection of the product when the plug is pushed back at the moment of impact.
- The flange keeps the syringe in place during injection of the product and is less traumatic than the barb.

Supplied by 5 (with 1 weight and 4 additional plugs per cannula).



Code x 5	Model	Cannula length
192250	Cannula with flange, 1.6 mm diameter + weight	25 mm
192248	Cannula with flange, 1.6 mm diameter + weight	38 mm
192252	Cannula with flange, 2.1 mm diameter + weight	51 mm

[p.102 Find nylon syringes](#)

PRACTICE CANNULAS

For use with all 11 mm syringes (Mini-Ject, Softy, Easy).

Supplied by 5 with 1 weight per cannula.



Code x 5	Model
192185	Practice cannula

[p.102 Find 11 mm syringes](#)

GAS REMOVER AND PLUNGER PUSHER

Gas remover and plunger pusher for use with reusable 11 mm syringes (Mini-Ject, Softy, Easy).

- The plunger pusher is used with a standard 10 mL Luer syringe.



Code	Model
192280	Gas remover and plunger pusher

[p.102 Find 11 mm syringes](#)

CANNULA PLUGS

Supplied in bags of 10.



	Code x 10	Model
A	192338	Plug for cannula 1.1 mm and 1.2 mm diameter
B	192340	Plug for cannula 1.6 mm and 2.1 mm diameter



ALUMINIUM SYRINGES

Reusable anodised aluminium syringes for 13 mm projectors. Can be fully disassembled.

- The complete syringes are supplied disassembled, to permit greasing the syringe barrel and plunger before use.
- A syringe comprises:
 - an anodised aluminium syringe barrel,
 - a rubber plunger,
 - a stabiliser.
- Must be supplemented with an appropriate injection capsule, a cannula (p.105), a PVC rod (code 192328) and silicone grease (code 192320 p.100) for maintenance.



Code	Model	Size	Capacity
192200	Complete aluminium syringe	110 mm	1 mL
192202	Complete aluminium syringe	120 mm	2 mL
192204	Complete aluminium syringe	130 mm	3 mL
192206	Complete aluminium syringe	140 mm	4 mL
192208	Complete aluminium syringe	155 mm	5 mL
192210	Complete aluminium syringe	175 mm	7 mL
192212	Complete aluminium syringe	205 mm	10 mL
192214	Complete aluminium syringe	255 mm	15 mL

ANODISED ALUMINIUM SYRINGE BARRELS

High-quality anodised aluminium syringe barrels for 13 mm diameter projectors, enabling powerful high-performance shooting.



Code	Model	Size	Capacity
192100	Syringe barrel	55 mm	1 mL
192102	Syringe barrel	65 mm	2 mL
192104	Syringe barrel	75 mm	3 mL
192106	Syringe barrel	85 mm	4 mL
192108	Syringe barrel	100 mm	5 mL
192110	Syringe barrel	120 mm	7 mL
192112	Syringe barrel	150 mm	10 mL
192114	Syringe barrel	200 mm	15 mL

FEATHERED STABILISER

Goose feather stabiliser compatible with 13 mm anodised aluminium syringes.

- Stabilises the syringe, allowing accurate shooting at long range.



Code	Model	Length
192182	Feathered stabiliser	55 mm

WOOL STABILISER

Wool stabiliser compatible with 13 mm anodised aluminium syringes.

- Stabilises the syringe, allowing accurate shooting at short to medium range.
- For an use with gaz projectors only.

DO NOT USE WITH POWDER PROJECTORS.



Code	Model
192192	Wool stabiliser

YELLOW PLASTIC STABILISER

Yellow plastic stabiliser with metal mouthpiece compatible with 13 mm anodised aluminium syringes. Stabilises the syringe, allowing accurate shooting at long range.

- Do not use with orange and white precussion caps.




Code	Model
192194	Yellow plastic stabiliser

INJECTION CAPSULES

Capsules with firing pin triggering product injection upon impact. Positioned in the plunger, placed in the anodised aluminium syringe barrel.

Supplied by 10.



VISUAL
CODE

Code x 10	Model	Visual code
192290	Injection capsule 1 to 5 mL	•
192292	Injection capsule 7 to 10 mL	••
192294	Injection capsule 15 mL	•••

PLUNGER

Rubber plunger.

- Grease the piston with silicone grease (p.100) and place the injection capsule inside before inserting it into the aluminium barrel.

Supplied by unit.

Code	Model
192180	Rubber plunger



PVC ROD

20 cm PVC rod, for greasing the plunger and lubricating the anodised aluminium syringe barrels with silicone grease (code 192320 p.100).



Code	Model
192328	PVC plunger lubricating rod

SMOOTH CANNULAS

Cannulas compatible with 13 mm anodised aluminium syringes, smooth.

- Holes allow product injection upon impact.
- Aluminium hubs and stainless steel cannulas.

Supplied individually.



Code	Distinct reference	Diameter	Length	Number of holes
192120	NA2	2.5 mm	19 mm	1 hole
192122	NA3	2.5 mm	28 mm	2 holes
192124	NA4	2.5 mm	32 mm	2 holes

CANNULAS WITH BARB

Cannulas compatible with 13 mm anodised aluminium syringes.

- Holes allow product injection upon impact.
- Aluminium hubs and stainless steel cannulas.
- The barb keeps the syringe in place for injection of the product.

Supplied individually.



Code	Distinct reference	Diameter	Length	Number of holes
192126	NC1	2.5 mm	19 mm	1 hole
192128	NC2	2.5 mm	28 mm	2 holes
192130	NC3	2.5 mm	41 mm	2 holes

CANNULAS WITH FLANGE

Cannulas compatible with 13 mm anodised aluminium syringes.

- Holes allow product injection upon impact.
- Aluminium hubs and stainless steel cannulas.
- The flange keeps the syringe in place for injection of the product and is less traumatic than the barb.

Supplied individually.



Code	Distinct reference	Diameter	Length	Number of holes
192144	NS1	2.5 mm	16 mm	1 hole
192146	NS2	2.5 mm	19 mm	1 hole
192132	NM1	2.5 mm	28 mm	1 hole
192134	NM2	2.5 mm	32 mm	2 holes
192136	NM3	2.5 mm	41 mm	2 holes
192138	NM4	2.5 mm	45 mm	2 holes
192140	NM5	2.5 mm	51 mm	2 holes
192142	NM6	2.5 mm	63 mm	2 holes

CANNULAS WITH BRAKE

Cannulas compatible with 13 mm anodised aluminium syringes, with brake enabling a less traumatic shot.

- Cannulas with barb.
- Aluminium hubs and stainless steel cannulas.

Supplied individually.



Code	Length
192186	19 mm
192188	28 mm
192189	38 mm

ACCESSORIES


Code x 4	Model
192190	Replacement brake blades (19 mm x 2/28 mm)

AFRICAN CANNULAS

Reinforced smooth cannulas compatible with 13 mm anodised aluminium syringes.

- Holes allow product injection upon impact.
- Large diameter cannulas, specially adapted for use on large animals.
- Stainless steel hubs and cannulas.

Supplied individually.




Code	Distinct reference	Type of cannula	Diameter	Length
192148	EN1	Smooth	4 mm	48 mm
192150	EN2	Smooth	4 mm	68 mm
192152	EN3	Smooth	4 mm	78 mm
192154	EH1	Barb	4 mm	48 mm
192156	EH2	Barb	4 mm	68 mm
192158	EH3	Barb	4 mm	78 mm
192160	EC1	Flange	4 mm	48 mm
192162	EC2	Flange	4 mm	68 mm
192164	EC3	Flange	4 mm	78 mm

ELEPHANT CANNULAS

Smooth cannulas compatible with 13 mm anodised aluminium syringes.

- Holes allow product injection upon impact.
- Aluminium hubs and stainless steel cannulas.

Supplied individually.



Code	Model	Length	Diameter	Number of holes
192166	Smooth elephant cannula	65 mm	4 mm	2 holes
192168	Elephant cannula with flange	65 mm	4 mm	2 holes

PRACTICE CANNULAS

Practice cannula for 13 mm anodised aluminium syringes.

- Aluminium hubs and stainless steel cannulas.

Supplied by 5.



Code x 5	Model
192184	Practice cannula for 13 mm anodised aluminium syringes



■ SPEEDY SYRINGES

Disposable automatic syringes, for use with all 13 mm projectors.

- Lightweight (between 13 and 14 g), limits the risk of injury.
- Easy preparation: requires only introduction of the anaesthetic product via the cannula.
- Cannula with barb.
- Built-in percussion cap triggers product injection upon impact.
- Safety pin.
- Disposable for hygiene and performance.
- Contents: 3 mL.
- Range 5 to 40 m.
- Do not use with orange and white percussion caps.

Supplied by 4 with filling cannula.



Code x 4	Model	Cannula diameter	Cannula length
192216	Speedy syringe 3 mL	2 mm	20 mm
192218	Speedy syringe 3 mL	2 mm	30 mm

■ FLIP SYRINGES

Automatic disposable syringe, for use with all 13 mm projectors, particularly compatible with remote anaesthesia of small monkeys.

- Lightweight (5 g), limits the risk of injury.
- Easy preparation: requires only introduction of the anaesthetic product via the cannula.
- Smooth cannula.
- Built-in percussion cap triggers product injection upon impact.
- Disposable for hygiene and performance.
- Contents: 1 mL.
- Range 30 to 60 m.

Supplied by 4 with filling cannula.



Code x 4	Model	Cannula diameter	Cannula length
192220	Flip syringe	2.5 mm	13 mm

p.96 [Find our percussion cap selection guide](#)

AUTOMATIC INJECTION STICK

Pole syringes for instantaneous injection.

Maximum capacity 5 mL. Length 35 cm.

• Full equipment:

- 1 syringe of 5 mL,
- 1 bag of 5 disposable needles,
- 65 mL gas refill,
- 1 plunger pusher (code 192337 p.100).

• Option: 85 cm extension.



Code	Model	Needle size	Use	Pack.
192372	Automatic injection stick - full equipment	diameter 1.6 x L 19 mm	Dogs/Cats	1 bag of 5 needles
192370	Automatic injection stick - full equipment	diameter 2.0 x L 25 mm	Cattle/Horses	1 bag of 5 needles
192376	16G x 3/4" needles	diameter 1.6 x L 19 mm	Dogs/Cats	1 bag of 5 needles
192378	14G x 1" needles	diameter 2.0 x L 25 mm	Cattle/Horses	1 bag of 5 needles
A 192380	5 mL syringe only	-	-	-

ACCESSORIES

Code	Model
192342	Gas refill 65 mL only (p.100)

EXTENSION FOR AUTOMATIC INJECTION STICK

Rigid extension which is screwed to the tip of the automatic injection stick above.



Code	Model
192374	Extension for 85 cm automatic injection stick

p.9 [Find our extended hypodermic syringes](#)

p.17 [Find our injection extension stick](#)



DISTINJECT POLE

Professional quality, quick-release aluminium capture pole.


- Ideal for intensive use or for very large dogs.
- Lightweight and durable.
- 2 non-slip grip handles. **A**
- 22 mm diameter reinforced aluminium tube.
- 6 mm 7-strand stainless steel cable; very strong, with plastic sheath.
- Two cable release systems:
 - ball handle for lock and instantaneous cable release system, **B**
 - instantaneous release ring. **C**
- Fixed head for hanging the cable. **D**



Closed head mechanism



Opened head mechanism



PROFESSIONAL
QUALITY

Code	Model	Weight	Length
192400	Capture pole quick lock and release	1.06 kg	70 cm
192402	Capture pole quick lock and release	1.22 kg	100 cm
192404	Capture pole quick lock and release	1.34 kg	120 cm
192406	Capture pole quick lock and release	1.57 kg	150 cm
192408	Capture pole quick lock and release	2.00 kg	200 cm

ROTATABLE HEAD POLE

Pole with a rotatable head, professional quality, for capturing dogs of all sizes.

- 2 non-slip grip handles. **A**
- 22 mm diameter reinforced aluminium tube with protective sheath. **C**
- 6 mm 7-strand stainless steel cable; very strong, with plastic sheath.
- Ball handle for lock and instantaneous cable release system. **B**
- Anti-strangulation rotatable head. **D**



Code	Model	Weight	Size
221430	Rotatable head pole, reinforced tube	0.96 kg	120 cm
221432	Rotatable head pole, reinforced tube	1.06 kg	150 cm


PROFESSIONAL
QUALITY



TELESCOPIC POLE

Professional quality telescopic pole with rotatable head for capturing dogs of all sizes.

- Locking ring. **E**
- Identical to rotatable head pole, with an extension capacity from 120 to 180 cm.



Code	Model	Weight	Size
221434	Telescopic pole	1.16 kg	120-180 cm

REINFORCED POLE

Professional quality, reinforced pole for capturing dogs of all sizes.

- 2 grip handles. **A**
- 32 mm diameter reinforced aluminium tube.
- 7 mm stainless steel cable, very strong.
- Adjustable handle for easy handling of the pole. **B**
- Two cable release systems:
 - ball handle for lock and instantaneous cable release system, **C**
 - instantaneous release ring. **D**



Code	Model	Weight	Length
192409	Reinforced pole	2.28 kg	150 cm
192422	Pole only	-	150 cm
192424	Sliding handle only	-	-


REINFORCED
POLE



■ LASCAP ALU BASIC

Restraint pole with simple slipknot, without locking handle, for dogs.

- Anodised aluminium tube.
- Plastic handles.
- Sheathed stainless steel cable.
- Fixed anchorage.




Code	Weight	Length
221350	800 g	100 cm
221351	985 g	150 cm

■ LASCAP ALU SUPERIOR

Restraint pole featuring a slipknot with immediate neck release ring and snap hook, without locking handle, for dogs.

- Identical to Lascap Alu Basic.
- Ring and snap hook for immediate release.




Code	Weight	Length
221352	815 g	100 cm

■ LASCAP ALU PLUS

Restraint pole with simple slipknot without immediate neck release, featuring anti-strangulation lock-handle, for dogs.

- Identical to Lascap Alu Basic.
- Instant locking handle.
- Fixed anchorage.




Code	Weight	Length
221356	1.5 kg	100 cm
221357	1.1 kg	150 cm

■ LASCAP ALU PROFESSIONAL

Restraint pole featuring a slipknot with immediate neck release ring and featuring anti-strangulation lock-handle, for dogs.

- Identical to Lascap Alu Basic.
- Ring and snap hook for immediate release.
- Instant locking handle.




Code	Weight	Length
221354	870 g	100 cm
221355	1.1 kg	150 cm

■ REINFORCED CAPTURE TONGS FOR CATS

Reinforced capture tongs for feral and/or very aggressive cats.

- Moulded and polished aluminium handle and tongs.
- Very strong.
- Lightweight.
- Ergonomic handle.
- 18 mm diameter aluminium tube.




Code	Model	Weight	Length
192440	Reinforced capture tongs for cats	708 g	90 cm
192443	Reinforced capture tongs for cats	900 g	180 cm

■ CAPTURE LANDING NET

Capture landing net for small animals (reptiles).

- Rubber retention handle. **A**
- Open/close with a cable. **B**
- Fine mesh to reduce risk of injury.
- The net can wrap around the handle to prevent escape.
- Strong.
- 20 mm diameter aluminium tube.



Code	Model	Weight	Length	Net dimensions (W x L x D)
192472	Capture landing net	920 g	140 cm	19 x 40 x 50 cm

■ ADJUSTABLE CAPTURE LANDING NET

Adjustable stainless steel landing nets for catching small animals (cats, birds, etc.).

- 2 rubber grip handles.
- Open/close by sliding. **A**
- Fine mesh to reduce risk of injury.
- Strong nylon net.
- 20 mm diameter stainless steel tube.



Code	Model	Weight	Length	Net dimensions (W x L x D)
192480	Adjustable capture landing net	2.2 kg	150 cm	42 x 76 x 71 cm
192504	Replacement cable for landing net	-	-	-
192506	Replacement net for landing net	-	-	-

■ FIXED CAPTURE LANDING NET

Fixed capture landing net for small animals (reptiles).

- Polyethylene net, knotted square mesh.
- Aluminium tube.




Code	Model	Weight	Length	Net dimensions (W x L x D)
192471	Fixed landing net	1.5 kg	150 cm	50 x 120 x 67 cm

For bird nets, request our *Distinfect Capture* brochure or download it on our website.

■ SINGLE DOOR CAT TRAP

Metal cat trap with single door.

- Door closes under the pressure of the animal's weight on the tray.
- Steel trap door. **A**
- Removable sliding door to position the trap and retrieve the animal. **B**
- Fully mechanised system.
- Strong and lightweight.
- Carrying handle.
- Mesh: 2.5 x 2.5 cm.
- 2.5 mm diameter steel wire coated with lacquer paint.



Code	Model	Weight	Dimensions
192550	Single door cat trap	3.8 kg	77 x 25 x 25 cm

■ DOUBLE DOOR CAT TRAP

Metal cat trap with double door.

- Doors closes under the pressure of the animal's weight on the tray.
- Guillotine doors.
- Fully mechanised system.
- Very strong.
- The double door system allows the cat to see a potential exit, thereby encouraging it to enter the trap.
- Carrying handle.
- Mesh: 2.5 x 2.5 cm.
- 2.5 mm diameter steel wire coated with lacquer paint.



Code	Model	Weight	Dimensions
192552	Double door cat trap	10.3 kg	100 x 31 x 31 cm

■ REINFORCED CAT TRAP

Reinforced metal cat trap with single entrance.

- Door closes under the pressure of the animal's weight on the tray.
- Plexiglas guillotine door. **A**
- Fully mechanised system.
- Very strong.
- Carrying handle.
- Sheet metal back with epoxy paint coating.
- Mesh: 2.5 x 7.5 cm.
- 2.3 mm diameter steel wire coated with epoxy paint.
- Trap mechanism rod made of stainless steel.




Code	Model	Weight	Dimensions
192554	Reinforced metal trap	7.3 kg	76 x 28 x 32 cm

■ FOLDING CAT TRAP

Folding stainless steel cat trap with single entrance.

- Door closes under the pressure of the animal's weight on the tray.
- Galvanised steel trap door. **A**
- Plexiglas sliding access door to place the bait on the tray or to extract the trapped animal. **B**
- Fully mechanised system.
- Strong.
- Carrying handle.
- Mesh: 2.5 x 5 cm.
- Aluminium trap bottom.
- 2 mm diameter steel wire with epoxy paint coating.
- Mechanism cable with protective sheath.



Code	Model	Weight	Dimensions
192556	Folding cat trap	5.5 kg	77 x 28 x 33 cm (8 cm folded)

For bird traps and kennels, request our *Distinfect Capture* brochure or download it on our website.

■ FOLDING DOG TRAP

Reinforced folding metal dog trap, with single door.

- Door closes under the pressure of the animal's weight on the tray.
- Painted steel trap door with locking rings. **A**
- Painted steel guillotine door. **B**
- Slot for inserting a pole to capture the animal. **C**
- Fully mechanised system.
- Strong.
- Carrying handle.
- Painted steel trap mesh.
- Trap mechanism rod made of painted steel.
- Painted steel trap door frame.
- Mesh: 5 x 5 cm.
- 2.3 mm diameter wire.



Code	Model	Weight	Dimensions
192560	Folding dog trap	20.3 kg	128 x 52 x 61 cm (12 cm folded)

■ REINFORCED COLLAPSIBLE DOG TRAP

Reinforced collapsible dog trap, with single door.

- Door closes under the pressure of the animal's weight on the tray.
- Accordion door.
- Fully mechanised system.
- Reinforced structure.
- Trap mechanism cable made of painted steel.
- Full epoxy paint coating.
- Mesh: 5 x 5 cm.
- 4 mm diameter wire.



Code	Model	Weight	Dimensions
192558	Reinforced collapsible dog trap	34.0 kg	128 x 65 x 65 cm


For bird traps and kennels, request our Distinfect Capture brochure or download it on our website.



■ HOLDING KENNEL WITH ONE DOOR

Holding kennel for cats in plastic coated steel wire, with top door.

- Holding grid, which is easily manoeuvrable from the outside.
- Top door for putting the animal in.
- Strong.




Code	Model	Weight	Dimensions
192610	Holding kennel with one door	3.5 kg	44 x 30 x 29 cm

■ HOLDING KENNEL WITH TWO DOORS

Holding kennel for cats in painted steel wire, with top door and side door.

- Holding grid, which is easily manoeuvrable from the outside.
- Two doors: one top door for putting the animal in and a side door for removing the animal.
- Strong.




Code	Model	Weight	Dimensions
192612	Holding kennel with two doors	3.3 kg	45 x 30 x 30 cm

■ REINFORCED TRANSPORT KENNEL

Galvanised steel reinforced transport kennel for transporting small animals.

- Perforated sheet metal that prevents scratches and bites through the kennel.
- Reliable and quick-release butterfly catch closure.
- Guillotine door. ^A
- Rubber-lined door to decrease noise caused by vibrations, and to prevent injuries.
- Rubber anti-slip pads.
- Carrying handle.
- Urine retention tank.



^A Rubber-lined guillotine door

Code	Model	Weight	Dimensions
192616	Reinforced transport kennel	3.9 kg	45 x 30 x 30 cm

■ STRAY KENNEL

Galvanised steel two-door stray kennel with side shields.

- Very sturdy, welded mesh.
- Can be locked using padlocks or another closure system.
- Guillotine doors.
- PVC side protection on both sides.
- 4 side handles for easy handling.
- Bottom of the kennel has a removable anti-slip rubber mat.



Code	Model	Weight	Dimensions
192614	Stray kennel	33.5 kg	103 x 64 x 71 cm

For bird traps and kennels, request our *Distinfect Capture* brochure or download it on our website.

FOLDING METAL KENNELS

Galvanised steel folding metal kennel.

- Removable tray.
- Sliding handle lock.
- 2 doors for easy access: side and front.
- Carrying handle.
- Quick and easy setup.
- Mesh - 13 x 3 cm.
- 3 mm diameter galvanised steel wire.



Code	Model	Weight	Dimensions
192622	Folding metal kennel	8 kg	55 x 63 x 61 cm (7 folded)
192624	Folding metal kennel	11.0 kg	54 x 76 x 61 cm (7 folded)
192626	Folding metal kennel	13.5 kg	58 x 88 x 67 cm (7 folded)
192628	Folding metal kennel	19.0 kg	68 x 107 x 75 cm (7 folded)
192630	Folding metal kennel	20.2 kg	76 x 122 x 84 cm (7 folded)

WAKEFIELD FOLDING METAL KENNELS

Wakefield folding galvanised steel kennel with plastic tray.

- Removable plastic tray.
- Sliding handle lock.
- Single door.
- Quick and easy setup.
- Mesh - 8.5 x 3 cm.
- 3 mm diameter galvanised steel wire.



Code	Model	Weight	Size
192656	Wakefield folding metal kennel	6.2 kg	62 x 46 x 50 cm

5-SIDED MODULAR KENNEL

5-sided, bottomless, modular kennel coated with epoxy paint.

- Removable double-leaf door with lateral or top positioning.
- Key locking.
- 5 cm x 5 cm mesh.
- 5 mm diameter welded mesh.



Code	Model	Weight	Dimensions
192658	Adjustable 5-sided kennel	39.0 kg	100 x 100 x 100 cm

For bird traps and kennels, request our *Distinfect Capture* brochure or download it on our website.

STANDARD VARI-KENNEL

Lightweight transport case that is very strong and particularly suited to transporting dogs, cats and other animals.

- Two superimposed parts with screw assembly.
- Welded mesh door.
- Carrying handle on the medium-sized kennel.
- Made of durable resin.
- Shockproof: withstands large stresses and strains.
- Very well ventilated.
- Beige colour.



Code	Model	Weight	Dimensions
192642	Standard Vari-Kennel: medium	5.1 kg	71 x 52 x 55 cm
192644	Standard Vari-Kennel: intermediate	5.7 kg	81 x 57 x 61 cm
192646	Standard Vari-Kennel: large	8.9 kg	91 x 64 x 69 cm
192648	Standard Vari-Kennel: extra large	9.2 kg	102 x 69 x 76 cm

VARI-KENNEL SKY KENNEL

Lightweight transport case that is very strong and particularly suited to transporting dogs, cats and other animals.

- Two superimposed parts with screw assembly.
- Reinforced 2 or 4 point lock.
- Welded mesh door and ventilation grills.
- Made of durable resin.
- Shockproof: withstands large stresses and strains.
- Very well ventilated.
- Grey colour.
- Complies with IATA standards for air transport (Air France).



Code	Model	Weight	Dimensions
192640	Sky Kennel Vari Kennel - 2 point lock	3.5 kg	53 x 41 x 38 cm
192650	Sky Kennel Vari Kennel - 4 point lock	20 kg	122 x 82 x 89 cm

STRETCHERS FOR TRANSPORTING ANIMALS

Rigid stretcher to transport injured or anaesthetised animals.

- 25 mm diameter aluminium tube frame.
- Wheels. **A**
- Carrying handles. **B**
- Securing straps.
- Durable washable vinyl canvas.



Code	Model	Weight	Dimensions
192620	Stretcher for transporting animals	4.1 kg	122 x 54 cm

For bird traps and kennels, request our *Distinfect Capture* brochure or download it on our website.


■ REINFORCED CAPTURE TONGS FOR REPTILES

Reinforced tongs for catching large reptiles.

- Moulded and polished aluminium handle and tongs.
- Very strong.
- Lightweight.
- Ergonomic handle.
- Grabber tongs for a better grip.
- 18 mm diameter aluminium tube.

On demand: cork jaw sheathing.

PROFESSIONAL
QUALITY



Code	Model	Weight	Length
192445	Reinforced capture tongs for reptiles	855 g	150 cm
192444	Reinforced capture tongs for reptiles	820 g	130 cm
192447	Reinforced capture tongs for reptiles	720 g	90 cm
192448	Reinforced capture tongs for reptiles	685 g	70 cm
192441	Jaws with additional rubber, including fitting	-	-



WITHOUT
RUBBER JAWS



WITH
RUBBER JAWS



*For reptiles equipment, request our **Distinject Capture** brochure or download it on our website.*


■ RESTRAINING POLE FOR REPTILES

Restraining pole for reptiles, suitable for use on all surfaces.

- End loop, metallic with soft leather strap, compatible with hard ground. **A**
- V-shaped metallic end, compatible with soft ground. **B**
- 16 mm diameter aluminium tube.



Hard ground



Soft ground



Code	Model	Weight	Length
192462	Restraining pole for reptiles	435 g	115 cm


■ HOOK FOR REPTILES

Hook for catching reptiles.

- Ergonomic rubber handle.
- Strong.
- Lightweight.
- 16 mm diameter aluminium tube.
- Tapered hook end.



SPECIAL MODELS
ON DEMAND



Code	Model	Weight	Length
192466	Hook for reptiles	320 g	105 cm

■ TELESCOPIC HOOK FOR REPTILES

Telescopic hook for catching reptiles.

- Rubber handle.
- Lightweight.
- Adjustable length from 120 - 200 cm.
- Plastic-covered steel tube.
- Tapered hook end.



TELESCOPIC I

INEXPENSIVE I

Code	Model	Weight	Length
192468	Telescopic hook for reptiles	670 g	120-200 cm

For reptiles equipment, request our *Distinfect Capture* brochure or download it on our website.

REPTILES CAPTURE SET

NEW


Multi-usage capture kit with removable accessories and hooks, suitable for capturing most species of snake.

Set content:


- 2 anodized aluminum poles 80 cm in length, comprising a quick-grip tip and an aluminum fitting for attaching the extension. These enable two hooks to be used simultaneously to obtain a better grip on the animal. **A**
- 1 anodized-aluminium extension measuring 50 cm, to be screwed. **B**
- 1 short hook suitable for small snake species. **C**
- 1 standard hook. **D**
- 1 "flat-iron" hook, ideal for constrictors. **E**
- 1 hoop tip with non-traumatic, soft-leather strap, suitable for restraining on hard floors. **F**
- 1 V-shaped metal tip, suitable for restraining on soft floors. **G**

Characteristics:

- Hooks quick and easy to change.
- Lightweight and resistant, the kit can transport reptiles up to 25 kg.
- Non-traumatic thanks to the hooks' rounded edges.
- Compact and ergonomic, the entire kit is carried in a 81 x 23 x 10 cm case. **H**



QUICK
FASTENING SYSTEM



COMPATIBLE WITH A LARGE
NUMBER OF SPECIES



ADAPTABLE TO ALL
FLOOR TYPES

Code	Model
192467	Multi-usage reptiles capture set

ACCESSORIES

	Code	Model	Length	Use
A	192496	2 anodised aluminium poles	80 cm	-
B	192497	Extension for pole	50 cm	-
C	192490	Short hook	-	Small species
D	192491	Standard hook	-	All types
E	192493	'Flat-iron' hook	-	Constrictors
F	192494	Hoop tip with leather strap	-	Hard floors
G	192495	V-shaped metal tip	-	Soft floors
H	192080	ABS case	810 x 230 x 100 mm	-



EASILY
TRANSPORTABLE

For reptiles equipment, request our *Distinject Capture* brochure or download it on our website.



■ PROTECTIVE GLOVES FOR CATS

Protective gloves for catching cats or small animals: thick, soft, single skin leather.

- Provides protection from the forearm to the elbow.
- CE making.
- Total length 55 cm.



Code	Model	Weight	Length
192750	Protective gloves for handling small animals	445 g	55 cm

■ PROTECTIVE GLOVES FOR MONKEYS AND BIRDS OF PREY

Reinforced thick leather protective gloves for capturing and handling monkeys and birds of prey.

- Special reinforcement on top of the hand and forearm.
- CE making.
- Total length 65 cm.



Code	Model	Weight	Length
192752	Special protective gloves for monkeys and birds of prey	1.1 kg	65 cm

■ REINFORCED PROTECTIVE GLOVES

Reinforced protective gloves to capture animals.

- Soft, thick leather palms lined with fleece.
- Cuff with double layer of leather, reinforced with a fang cushion.
- Elbow open for greater comfort.
- CE making.
- Total length 65 cm.



Code	Model	Weight	Length
192754	Reinforced protective gloves	1.3 kg	65 cm

■ HIGH REINFORCED PROTECTIVE GLOVES

Strong reinforced protective gloves to capture aggressive animals (dogs, snakes, etc.).

- Soft, thick, triple-layer leather palms:
 - 2 layers of puncture-resistant material, in high tenacity polyester (material protecting against the risk of perforation, studied for bulletproof vests and fencing),
 - 1 cowhide leather layer.
- 40 cm pigmented crust cuff reinforced.
- Elbow open for greater comfort.
- CE making.
- Total length 65 cm.



Code	Model	Weight	Length
192756	High reinforced protective gloves	1.5 kg	65 cm

For capture clothing, request our *Distinfect Capture* brochure or download it on our website.



PROTECTION

Exploration gloves and lubricating gel	122
Examination and surgery gloves	124
Body protection	125

■ ECOGAN

Disposable polyethylene exploration gloves (25 µm).


- Without neck strap.
- Standard touch sensitivity.
- Green gloves.

Supplied by 100 gloves per dispenser box.



Code x 100	Length	Pack.
307650	95 cm	x 100

Outer packaging:
Master case of 10 boxes.



■ EXPLOGAN®


Disposable polyethylene exploration gloves (30 µm).

- Neck strap to prevent slipping.
- Good touch sensitivity.
- Orange gloves.
- Excellent balance between resistance and sensitivity.

Supplied by 100 gloves per dispenser box or bags of 50.



Code	Length	Pack.	O/pack.
307611	95 cm	x 100	x 10
307613	95 cm	x 50	x 50



■ SENSIGAN®


Disposable polyethylene exploration gloves (28 µm).

- With a neck strap to prevent slipping.
- Smooth surface for excellent touch sensitivity.
- Transparent gloves.

Supplied by 100 gloves per dispenser box or bags of 50.



Code	Length	Pack.	O/pack.
307610	95 cm	x 100	x 10
307612	95 cm	x 50	x 50



■ PROGAN®


Disposable polyethylene exploration gloves (30 µm).

- Without neck strap. Can be stretched to prevent slipping.
- Good touch sensitivity.
- Yellow gloves.
- Highly tear-resistant.
- Thin and strong seams.

Supplied by 100 gloves per dispenser box.



Code x 100	Length	Model	Pack.
307626	87 cm	S	x 100
307627	90 cm	M	x 100
307629	95 cm	L	x 100



Outer packaging:
Master case of 10 boxes.

EXPLORATION
GLOVES



■ AISOGAN®

Disposable polyethylene exploration gloves (25 µm).

- Armpit protection and slips over the neck.
- Excellent touch sensitivity.
- Transparent gloves.
- Maximum protection.

Supplied by 50 gloves per dispenser box.



RESISTANCE

3/4

PROTECTION

4/4

SENSITIVITY

4/4

Code x 50	Length	Pack.
307620	124 cm	x 50

Outer packaging:
Master case of 10 boxes.

■ MAXOGAN

Disposable polyethylene exploration gloves (25 µm).

- Armpit protection and slips over the neck.
- Standard touch sensitivity.
- Green gloves.

Supplied by 50 gloves per dispenser box.



RESISTANCE

2/4

PROTECTION

4/4

SENSITIVITY

2/4

Code x 50	Length	Pack.
307623	120 cm	x 50

Outer packaging:
Master case of 10 boxes.

■ MOUFLEX

Disposable polyethylene mitt gloves for exploration or artificial insemination (25 µm).

- Red mitt gloves.

Supplied by 100 gloves per dispenser box.



Code x 100	Length	Pack.
307652	85 cm	x 100

Outer packaging:
Master case of 10 boxes.

■ EXPLOGEL®

Lubricating and protective gel for vaginal and rectal examinations, obstetric procedures, and ultrasound examinations.

- Fits in pocket without leaking.
- Non-spermicidal.
- Thicker texture.
- Squeeze bottle.



Code	Model	O/Pack.
227660	Explogel® 500 mL	x 20
227662	Explogel® 1 L	x 12
227664	Explogel® 5 L	x 2

ACCESSORIES

Code	Model
227666	5 L pump

NON
SPERMICIDAL

VETRILE

NEW

Single-use synthetic examination gloves, 100% nitrile, powder-free, non-sterile.

- New 100%-nitrile formula.
- Reduced allergy potential: free of latex proteins.
- Ambidextrous, resistant, non-sterile.
- Smooth surface and rolled edges.
- Durable: resistant to perforations and tears.
- Antimicrobial barrier.
- Good performance to caustic chemicals, detergents, alcohol, and chlorhexidine.
- Porosity AQL* 1.5.
- Excellent price/performance ratio.

Supplied by 100 gloves per dispenser box.

*AQL, or Acceptable Quality Level, defines the resistance of the glove to penetration by chemical and biological products. The lower the AQL, the better the glove.



Code x 100	Size
307769	6/7
307770	7/8
307771	8/9
307772	9/10

Outer packaging:
Master case of 10 boxes.

WITHOUT
LATEX

LIMITED
ALLERGENICITY



EXAMED

Disposable examination gloves made from pre-powdered latex.

- Ambidextrous, strong, comfortable, non-sterile gloves.
- Smooth surface of natural latex with low protein content to limit allergenicity.
- Good stretchability > 650% elongation.
- Pre-powdered with absorbent USP grade cornstarch (non allergenic < 120 mg/g).
- Double dipped to reduce porosity.
- Porosity standard AQL* 1.5 (usual standard 2.5).
- Rolled edges.

Supplied by 100 gloves per dispenser box.

*AQL, or Acceptable Quality Level, defines the resistance of the glove to penetration by chemical and biological products. The lower the AQL, the better the glove.



Code x 100	Size
307760	6/7
307761	7/8
307762	8/9
307763	9/10

Outer packaging:
Master case of 10 boxes.



EXAMINATION
GLOVES
LATEX

SURGITEK

Anatomically-designed sterile latex surgical gloves, lightly powdered, with long cuffs.

- Natural latex with low protein content to limit allergenicity.
- Good stretchability > 850%.
- Length 290 mm for better protection of the lower surface of the forearm.
- Variable thicknesses to ensure strength and flexibility (0.23 mm thick at the palm, 0.21 mm thick at the wrist, 0.26 mm thick at the fingers).
- Micro-textured palm for improved grip on instruments.
- Lightly powdered with biodegradable USP grade cornstarch (non-allergenic): < 100 mg/g.
- Anatomically-designed fingers and thumb.
- Rolled edges for easier removal.
- Double wrapped in medical grade packages.
- Sterilised by gamma radiation.

Supplied by 50 pairs per dispenser box.



Code x 50	Size
307700	6.5
307702	7
307704	7.5
307706	8
307708	8.5

Outer packaging:
Master case of 4 boxes.



BEST
PROTECTION
LATEX SURGICAL
GLOVES
OPTIMUM TOUCH
SENSITIVITY

EKOGELE

Lubricating and protective gel for external and internal ultrasound examinations.

- Fits in pocket without leaking.
- Non-spermicidal.
- Thicker texture, lightly adherent.
- Works well with external and internal ultrasound probes.
- Excellent transmission quality.
- Squeeze bottle.

FOR
ULTRASOUND



Code	Model	O/pack.
227682	Ekogel 1 L	x 12
227684	Ekogel 5 L	x 2

ACCESSORIES

Code	Model
227666	Pump 5 L

p.44 Find our surgical instruments




PROTECT

Professional quality, disposable, polyethylene protective gowns for Caesareans, calving, ultrasound examinations, embryo transfers and necropsies.

- Long funnel-shaped raglan sleeves with tight forearm cuffs to provide a good seal.
- No back opening for better protection.
- Long and spacious for kneeling.
- Put on like a sweater, take off like a jacket after tearing it open from top to bottom.
- Size according to length.
- Suitable for food use (food-grade certificate declaring compliance with European regulations 1935/2004/EC, 2023/2006/EC and 10/2011/EC).
- Highly-resistant seams.

Supplied in bags of 24 units folded and individually wrapped.



Maximum waterproofness



RESISTANT
NO TEAR

Code x 24	Model	Length	O/pack.
307880	< 160 cm	130 cm	x 6
307882	> 160 cm	140 cm	x 6
307884	> 175 cm	156 cm	x 6
307886	> 185 cm	165 cm	x 5

COMBIVET

Synthetic non-woven polypropylene fabric coveralls with hood, for farm visits and livestock handling.

- Non-woven polypropylene (45 g/m²).
- Washable several times at 40°C.
- 2 trouser pockets and 1 chest pocket.
- Zipper closure.
- Elastic at the waist, wrists and ankles.
- Navy blue colour.
- Odour-resistant.
- Watertight under normal use.

Supplied in individual bags.



Code	Size	Length	Hip width
307656	S	160 cm	65 cm
307658	M	171 cm	70 cm
307660	L	185 cm	78 cm

Outer packaging:
Master case of 25 units.

VELVET

Waterproof, reusable and milking gown made of polyester.

- Elastic at the wrists.
- Fastens in back with two velcro strips.
- Adjustable waist tie.
- Folded velvet collar.
- 1 chest pocket and 2 hip pockets with perforations for liquid drainage.
- Navy blue color.
- Machine washable (40°C).

Packed and supplied individually.



VERY
COMFORTABLE



3 large pockets

Code	Model	Length
307890	1	130 cm
307892	2	145 cm
307893	3	150 cm



POLYBOOT

Disposable plastic boot covers with elastics bands, for farms visits.


- 40.5 cm length and 50 cm high.
- Thickness: 60 µm.

Supplied by bags of 50.

MORE
RESISTANT



MORE
ERGONOMIC



Code x 50 Pack.

307640 x 50

Outer packaging:

Master case of 20 bags.

BOUFFANT CAPS

Disposable non-woven polypropylene bouffant caps (14g/m²) with elastic band.

- Transparent.
- Elastic band for perfect fit.
- Light and airy material.
- Accordion folded for easy storage.

Supplied in bags of 100.



Code x 100 Pack.

307685 x 100

Outer packaging:

Master case of 10 bags.



HYGIENE

Instrumentation	128, 130
Surfaces	129, 131
Hand cleaning	129

INSTRUMENTATION

■ GÉNIA CLEAN
CLEANSING POWDER

Pre-sterilisation enzymatic disinfectant for reusable medical and surgical instruments.

- Composition: sodium carbonate, didecyl dimethyl ammonium chloride, isopropanol, non-ionic surfactant, calcium carbonate sequestrant, enzymes.
- Bactericidal, fungicidal.
- Optimal proteolytic activity (alkaline pH).
- Gentle.
- 750 g = 150 L of cleanser solution.
- Contact time: 15 minutes in 40°C water.
- Safe for ultrasonic tanks and washing machines.



INSTRUMENTATION

Code	Model	O/pack.
317400	750 g can	x 6

750 G = 150 L
OF PREPARED SOLUTION

■ GÉNIA CLEAN
DISINFECTANT CONCENTRATE

Cold sterilisation by immersion of heat-sensitive reusable medical devices.

- Composition: didecyl dimethyl ammonium chloride, purified glutaraldehyde, non-ionic surfactant, isopropanol.
- Bactericidal, virucidal, fungicidal.
- 250 mL bottle: dilute to 5%, i.e. 5 L of useful solution per bottle (complete disinfection).
- 1 L bottle: dilute to 2%, i.e. 50 L of useful solution per bottle (significant disinfection).
- 5% dilution: 50 mL in 1 L of water.
- 2% dilution: 20 mL in 1 L of water.
- Contact time: 15 minutes.
- Does not damage stainless steel instruments.



INSTRUMENTATION

Code	Model	O/pack.
317402	250 mL bottle	x 12
317404	1 L bottle	x 6

■ GÉNIA CLEAN
DISINFECTANT, READY TO USE

Ready-to-use cold sterilisation by immersion of heat-sensitive reusable medical devices.

- Composition: didecyl dimethyl ammonium chloride, purified glutaraldehyde, non-ionic surfactant, isopropanol.
- Bactericidal, virucidal, fungicidal.
- Contact time: 15 minutes.



INSTRUMENTATION

Code	Model	O/pack.
317406	5 L container	x 4

■ GÉNIA CLEAN
IODINE REMOVER

Ready-to-use iodine remover for floors, surfaces, fabrics, medical equipment, etc.

- Elimination of all traces of iodine.
- Use to treat or prevent.
- No rubbing needed.
- Safe for washing machines.



INSTRUMENTATION AND SURFACES

Code	Model	O/pack.
317412	500 mL spray	x 12

p.132 [Find our disinfection protocol](#)



SURFACES

■ GÉNIA CLEAN SURFACE CLEANSING SPRAY

Cleaning, disinfecting of surfaces with high contamination risk and non-invasive, non-sterilisable and non-immersible medical devices.

Ready to use.

- Composition: alkylamine, isopropanol combined with an amphoteric surfactant.
- Bactericidal, virucidal, fungicidal.
- Quick-drying, no residue.
- Grapefruit fragrance.
- Immediate action.

EFFECTIVE ON
PARVOVIRUS

WORKS
IMMEDIATELY

FAST
DRY



SURFACES

Code	Model	O/pack.
317408	1 L spray	x 12
317410	5 L refill	x 4

■ GÉNIA CLEAN DISINFECTANT FOAMING SPRAY

Ready-to-use surface disinfectant foaming spray.

- Composition: ethyl alcohol and alkyl benzyl dimethylammonium chloride.
- Combination of a surfactant and an antimicrobial agent to remove dirt and disinfect.
- Bactericidal, virucidal, fungicidal.
- No-rinse, no residue, quick-drying.
- Grapefruit fragrance.



SURFACES

Code	Model	O/pack.
317440	750 mL spray	x 12
317442	5 L refill	x 4

FAST
DRY

FOAMY
TEXTURE

HANDS

■ GÉNIA CLEAN GENTLE CLEANSING LOTION

Cleansing lotion that is gentle on skin, for frequent use.

- Composition: water, sodium laureth sulfate, sodium chloride, glycerine, cocobetaine, coco-glucoside, glyceryl oleate, sodium lauryl sarcosinate, citrus aurantium dulcis, sodium hydroxyde, peg-40 hydrogenated castor oil, propylene glycol, tocopheryl acetate, retinyl palmitate, aesculus hippocastanum seed extract, panthenol, linseed acid, helianthus annuus seed oil, sorbitol, bht, stearic acid, methylchlorisothiazolinone, methylisothiazolinone, citric acid, tocopherol, hydrogenated palm glycerides citrate.
- Excellent cleansing power.
- Glycerine and vitamin complex (vitamins A, E and F) combine to moisturise and protect skin.
- Neutral pH formula.
- Hypoallergenic, fragrance-free, colourless formulation.
- Used for:
 - Simple washing (30 sec.)
 - Antiseptic handwashing (1 min.)
 - Surgical handwashing (5 min.)

HYPOALLERGENIC

NEUTRAL PH
FORMULA

LEAVES
THE SKIN SOFT



HAND CLEANING

Code	Model	O/pack.
317420	1 L bottle	x 6
317422	5 L container	x 2

■ GÉNIA CLEAN HAND GEL

Rapid hand sanitiser, no rinsing or wiping.

- Usable in all situations, particularly before medical examinations or surgical procedures.
- Composition: propane-2-ol, ethanol, water, glycerine, gelling agent and triethanolamine. Active on A/H1N1 virus.
- Bactericidal, virucidal, fungicidal.
- Contains an emollient to moisturise and prevent skin irritation.
- Neutral pH formula.
- Hypoallergenic, fragrance-free, colourless formulation.
- Used for:
 - Simple washing (30 sec.)
 - Antiseptic handwashing (1 min.)
 - Hand hygiene in examination and waiting areas.

HYPOALLERGENIC

NEUTRAL PH
FORMULA



HAND CLEANING

Code	Model	O/pack.
317414	500 mL bottle	x 12



■ ALKAZYME

Proteolytic alkaline detergent (pH 10.5) for pre-disinfection and immersion cleaning of medical and surgical instruments, heat-sensitive endoscopic devices and probes, before chemical disinfection or sterilisation.

- Composition: didecyl dimethyl ammonium chloride, proteolytic enzyme, calcium carbonate sequestrant, non-ionic surfactant.
- Bactericidal and yeast-killing agent.
- Alkazyme attacks and eliminates the bacterial biofilm consisting of proteins and substances secreted by microorganisms adhering to surfaces and surfaces colonised by bacteria.
- Safe for ultrasonic tanks and washing machines.
- Soaking time: 15 min in 40°C water, open surgical instruments.
- Dilution: 0.5%, equal to 200 L of solution per kg.



Code	Model	O/pack.
317247	Single use packets 12 x 20 g	x 42
317248	750 g bucket	x 6
317250	2 kg bucket	x 6
317252	5 kg bucket	x 4

■ ALKACIDE

Rapid cold sterilisation by immersion of heat-sensitive medical devices such as surgical instruments, probes, endoscopes (rigid and flexible), laparoscopes, fiberscopes, glassware, tonometers. Used after pre-disinfection and proteolysis with Alkazyme.

- Stabilised glutaraldehyde aqueous solution combined with non-ionic and cationic surfactants to potentiate the system.
- Bactericidal, sporicidal, fungicidal, virucidal solution.
- Use in a graduated disinfection container with a drain and cover
- Not irritating to skin or eyes.
- Dilute 20 mL per litre of water to produce a 2% solution or 50 mL for a 5% solution.
- Soaking time 15 minutes, longer for sporicidal activity.
- If possible, rinse with microbiologically quality controlled water and dry.



Code	Model	O/pack.
317230	1 L bottle - 2% dilution	x 6
317232	250 mL bottle - 5% dilution	x 12
317234	5 L container, ready to use	x 4

■ CLINALKAN

Liquid detergent for pre-disinfection by immersion of medical and surgical instruments, before chemical disinfection or sterilisation.

- Dilute to 0.5%.
- Composition: non-ionic surfactant, calcium carbonate sequestrant, grapefruit fragrance.
- Bactericidal, fungicidal, virucidal.
- Safe for ultrasonic tanks.



Code	Model
317260	1 L container

Outer packaging:
Master case of 6 units.

■ BIONET

Powered non-ionic detergent, and alkaline sodium and trisodium phosphate salts for washing surgical instruments, laboratory equipment, work surfaces and benches without brushing. Powerful detergent with instant action, biodegradable. Destroys pyrogens, eliminates blood traces, tissues and other organic and mineral materials. Prepare surgical instruments for optimal (chemical) cleanliness before sterilisation.



Code	Model
317210	1 L bottle

Outer packaging:
Master case of 15 units.

p.44 [Find our surgical instruments](#)



CIDALKAN

Spray for cleaning and disinfecting medical equipment and soiled surfaces.

- Composition: alkylamine, isopropanol combined with an amphoteric surfactant.
- Provides detergent, bactericidal, fungicidal, virucidal, tuberculocidal activity. Invisible and fast-drying.
- Free of protein-fixing aldehydes.



Code	Model	O/pack.
317240	1 L spray	x 12
317242	5 L refill	x 4

CIDALKAN WIPES

Product identical to Cidalkan in non-woven wipe form for fast, convenient cleaning and disinfection. The cleaning capacity is about 2m² per wipe.

Presentation: 120 wipe round box dispenser, 23 x 12 cm.



Code	Model
317236	120 wipe dispenser (23 x 12 cm)

Outer packaging:
Master case of 12 units.

BETANETT

Stain remover to remove iodine stains from floors, surfaces, textiles. Ready to use.

- Spray on the stain and let it work.
- Safe for washing machines.



Code	Model
317256	500 mL spray

Outer packaging:
Master case of 12 units.



DISINFECTION PROTOCOL

FOR IMMERSIBLE AND HEAT-SENSITIVE SURGICAL INSTRUMENTS AND MEDICAL DEVICES

Génia[®]clean
Cleansing powder



Génia[®]clean
Disinfectant concentrate



DESCRIPTION

Immersion cleaning and pre-disinfection, immediately following use.

SPECTRUM OF ACTIVITY

Bactericidal, fungicidal.



DESCRIPTION

Immersion disinfection after deproteinising cleaning and pre-disinfection of heat-sensitive equipment.

SPECTRUM OF ACTIVITY

Bactericidal, fungicidal, virucidal, mycobactericidal, sporicidal.

STEP 1: CLEANING AND PRE-DISINFECTION >> GENIA CLEAN CLEANSING POWDER



1

Measure the required quantity of powder detergent using the measuring scoop (capacity 7 g) and add it to the required quantity of hot water (0.5%: 5g per litre of water at 40°C).



2

Stir.



3

Immerse and irrigate the medical devices. Contact time: according to the manufacturer's recommendations.



OR

Immerse the surgical instruments, opened and disassembled. Contact time: 15 min. No need to scrub.



4

Rinse thoroughly with microbiologically quality controlled water. Replace the solution as soon as it is dirty or at least every 24hrs.

STEP 2: CHEMICAL DISINFECTION OF IMMERSIBLE AND HEAT-SENSITIVE MEDICAL DEVICES (ENDOSCOPES, PROBES, CANNULAS, ...) >> GENIA CLEAN DISINFECTANT CONCENTRATE

OR

STEP 2: HEAT STERILISATION OF SURGICAL INSTRUMENTS




1

Pour out 250 mL bottle and fill with tap water to produce 5 L of solution.

OR

Prepare a 2% solution: squeeze the sides of the bottle pour out 20 mL. Pour into 1 L of water.



2

Immerse and irrigate the medical devices. Contact time: according to the manufacturer's recommendations. Generally 15 min.



3

Drain and rinse thoroughly with microbiologically quality controlled water.

4

Dry with a sterile cloth or by controlled blowing of microbiologically quality controlled air.



PRECAUTIONS FOR USE:
DO NOT USE ON ALUMINIUM.
WEAR GLOVES AND SAFETY GOGGLES.
REFER TO THE SAFETY DATA SHEET.





LIVESTOCK

Drenching

Drenching guns	134
Drenching syringes	136
Accessories	138

Large animals restraint	140
--------------------------------------	------------

Large animals identification	142
---	------------

Reproduction

Castration	144
Calving	145
Lactation care	146
Dehorning	147
Measuring and diagnosis instruments	148

Equine dentistry	149
-------------------------------	------------

Bloat

Trocars	150
Oesophageal catheters	151
Magnet and bolus applicators	152

Foot care

Hoof knives, farrier range	154
Hoof knives, veterinary range	155
Accessories	156

■ DRENCHMASTER® & APPLIMASTER®


80 mL automatic drenching guns.

- Ergonomic and innovative design.
- Fast, accurate and ambidextrous dose setting.
- Easy to view black volume markings.
- Comfortable grip.
- Fast flow of liquids.
- 2.5 mL graduations.
- Interchangeable nozzles and washers.

Supplied in a polyethylene bag with 1.5 m of tubing, an additional washer, instructions for use and a 10 mL silicone oil bottle.
On demand: other capacities and customisations.

DRENCHMASTER® (DRENCHING)

	Code	Model	Nozzle diameter	Length	Pour-on nozzle diameter
A	190000	Drenching gun with plastic nozzle	15 mm	180 mm	-
	190002	Drenching gun with brass nozzle	10 mm	180 mm	-
	190004	Drenching gun with chrome-plated nozzle	10 mm	180 mm	-
	190010	Drenching gun with plastic nozzle	15 mm	180 mm	10 mm
	190012	Drenching gun with brass nozzle	10 mm	180 mm	10 mm



APPLIMASTER® (POUR-ON)

	Code	Model	Length	Pour-on nozzle diameter
B	190006	Applicator with pour-on nozzle	100 mm	10 mm
C	190008	Applicator with pour-on nozzle	450 mm	10 mm
D	190015	Pour-on nozzle only	450 mm	10 mm

p.139 Find backpack tanks and washers



PISTOLMAN

Universal manual (or automatic for 20, 50 and 70 mL models) drenching guns with interchangeable barrels.

- Accurate, fast adjustment via the rear nut.
- 20, 50 and 70 mL models can be converted into automatic models or pour-on and automatic hypodermics by replacing the solid plunger with a perforated one and adding the front and rear valve assembly.
- High-tech, heavy-duty plastic.
- Can be entirely disassembled for cleaning.
- Barrels are transparent, resistant to boiling water, with indelible, engraved graduations.
- Brass and chrome-plated nozzles with a reinforced wall and olive fitting at one end.
- Aluminium nut for easier, more accurate positioning of the cannula and good sealing.
- Galvanised steel handle springs colour-coded according to capacity.
- Silicone o-rings.
- All parts easy to clean.
- Compatible for use with standard pharmaceutical products.

Supplied in a polyethylene bag, with a nozzle, instructions for use, an additional ring and a 10 mL silicone oil bottle.



Brass nozzle Code	Chrome plated nozzle Code	Nozzle model	Capacity	Nozzle diameter	Graduation
180060	180300	Short	20 mL	6 mm	1 mL
180065	180302	Short	50 mL	10 mm	2 mL
180070	180305	Short	70 mL	10 mm	5 mL
180072	180306	Long	70 mL	10 mm	5 mL
180075	180308	Long	150 mL	10 mm	10 mL
180079	180310	Long	250 mL	12 mm	25 mL
180078	-	Long	250 mL	18 mm*	25 mL

*only for thick products.

[p.138 Find our drenching nozzles](#)

PISTOLMATIC

Automatic drenching guns identical to manual models, with front and rear valve assembly.

- Identical to manual models.
- Front and rear anodised aluminium valve assembly can be entirely disassembled.
- Ground and polished plastic ball bearings and stainless steel springs.
- Can be converted to a manual model by removing the plunger and the front and rear valve assembly and replacing the perforated plunger with a solid one.
- Can be converted to a hypodermic model with a reducer (code 189624 p.138) and Luer-Lock, Recordfix or Rotlauf hub (p.16); or a pour-on by adding a nozzle (code 186044 p.138).

Supplied in a polyethylene bag with a nozzle, 1.5 m of 7/11 mm tubing, instructions for use, an additional set of rings and valves, and a 10 mL silicone oil bottle.



Brass nozzle Code	Chrome plated nozzle Code	Nozzle Model	Capacity	Nozzle diameter	Graduation
180080	180314	Short	20 mL	6 mm	1 mL
180085	180320	Short	50 mL	10 mm	2 mL
180087	180324	Short	70 mL	10 mm	5 mL
180090	180326	Long	70 mL	10 mm	5 mL

[p.139 Find our washers and valve assembly sets for guns](#)

HYPODERMIC PISTOLMATIC

Hypodermic guns identical to automatic models, with monobloc Luer-Lock hub.

Supplied in a polyethylene bag with 1.5 m of 7/11 mm tubing, instructions for use, an additional set of washers and valves, and a 10 mL silicone oil bottle.



Code	Capacity	Graduation
180095	20 mL	1 mL
180100	50 mL	2 mL

[p.18 Find our hypodermic needles](#)

POUR-ON PISTOLMATIC

Pour-on guns identical to automatic models with a short 25 mm nozzle (code 186044 p.138).

Supplied in a polyethylene bag with 1.5 m of 7/11 mm tubing, instructions for use, an additional set of washers and valves, and a 10 mL silicone oil bottle.



PISTOLMATIC POUR-ON

Code	Capacity	Graduation
180110	20 mL	1 mL
180115	50 mL	2 mL
180117	70 mL	5 mL

POUR-ON NOZZLE

Code	Nozzle diameter	Length
186044	10 mm	25 mm



■ DRUGMATIC

Moulded plastic automatic syringes with engraved graduations on the barrel. Can be entirely disassembled. Sterilisation: resistant to boiling water.

- Identical to Tubmatic® syringe (p.12).
- Silicone plunger washers that also fit the metal Tubmatic® and Flamatic® syringes (p.139).
- Chromed brass hub.

Supplied in a polyethylene bag with a 6 mm diameter brass nozzle, 1.5 m of 4/7 tubing, instructions for use, washers and valves set, and a 10 mL silicone oil bottle.



Code	Inside diameter	Model	Size	Graduation
180002	9 mm	With tubing	2 mL	0.1 mL
180004	14 mm	With tubing	5 mL	0.5 mL

ACCESSORIES

Code	Model
106196	Ball, spring and washer set (common to all models)


[p.12 Find our Tubmatic® syringes](#)

■ ORALPLEX

Drenching syringes for sheep and goats, with eccentric hubs and short 6 mm x 120 mm brass nozzle.

- Models fitted with a metal insert to protect the screw thread from the tank.

Supplied in a polyethylene bag with instructions for use and a 10 mL silicone oil bottle.



Code Métalplex®	Code Elpex®	Capacity	Nozzle diameter
180030	180020	50 mL	6 mm - Luer-Lock
180032	180022	50 mL	6 mm - with screw
-	180018	30 mL	6 mm - with screw
180028	-	20 mL	6 mm - with screw
180026	-	20 mL	6 mm - Luer-Lock

[p.10 Find our Métalplex® and Elpex® syringes](#)

[p.17 Find our drenching nozzles](#)

■ GÉNIAPLEX 300 ML DRENCHING SYRINGE

Plexiglas drenching syringes for professionals.

- Identical to Géniaplex 300 mL syringe (p.8).

Supplied individually in a polyethylene bag with an additionnal plunger washer, a 10 mm diameter brass nozzle for cattle and a 10 mL silicone oil bottle.



Code	Model
180052	Drenching syringe 300 mL
109270	Washer (40-50) x 6

[p.139 Find drenching washers](#)

[p.8 Géniaplex 300 mL syringes can be converted into hypodermic syringes by replacing the nozzle with a reducer \(ref.189625 p.8\) and a hub \(p.16\).](#)

■ SYRMAN

Translucent plastic drenching syringes with indelible engraved graduations.

- Resistant to boiling water.

Supplied in a polyethylene bag with an additionnal washer and a 10 mL silicone oil bottle.



Code 300 mL	Code 450 mL	Model
180050	180057	Drenching syringe with brass nozzle for cattle
180330	180336	Drenching syringe with chrome-plated nozzle for cattle
180049	180058	Drenching syringe + reducer + Luer-Lock hub, bibloc
180056	180059	Drenching syringe without nozzle
180055	-	Drenching syringe + Uterine catheter hub (code 187032)

[p.11 Syrman syringes can be converted into hypodermic syringes by replacing the nozzle with a reducer \(ref.189625 p.8\) and a hub \(p.16\).](#)



AGRIPLAST 100 ML

Syringe with flexible drenching nozzle attachment instead of hub.

- Cannulas designed for feeding pigeons.

Supplied in a polyethylene bag with a silicone flat cut washer.



Code	Model
107509	Syringe with a Luer-Lock hub + flexible nozzle
107510	100 mL Luer-Lock syringe only
107511	11.5 cm flexible drenching nozzle, 10 mm diameter, only

Outer packaging:
Master case of 100 units

FEEDING SYRINGES

Disposable 50/60 mL feeding syringes for lambs (with 1 mL graduations) with a concentric hub to hold a feeding tube 6 mm in diameter and 31 cm long.



Code	Model	Pack.	O/pack.*
107031	Complete kit	unit	-
317136	Tube only	x 10	-
107154	Dispoject® feeding syringe only	x 30	x 12

*Number of boxes

p.14 [Find our Dispoject® syringes](#)




FORCE-FEEDING NOZZLES

Force-feeding nozzles for birds.

- Stainless steel with Luer-Lock hub.
- Fit all types of syringes.

Supplied by 12.




	Code x 12	Model	Length	Diameter
A	307135	Straight	50 mm	2.5 mm
B	307136	Straight	80 mm	2.5 mm
C	307137	Curved	40 mm	1.2 mm
D	307138	Curved	60 mm	1.5 mm
E	307139	Curved	80 mm	2.5 mm
F	147086	Blunt	50 mm	0.9 mm




DRENCHING GUN NOZZLES

Brass and chrome-plated steel nozzles with reinforced walls and an olive connector at the end.

The reducer and the nozzles are supplied individually with a washer.



Brass nozzles



Chrome-plated nozzles

	Brass nozzle code	Chrome-plated nozzle code	Diameter	Use	Length	Capacity
A	187038	186048	6 mm	Lamb	105 mm	20 mL
B	187042	186050	10 mm	Sheep	105 mm	50/70 mL
C	187040*	186052*	10 mm	Cattle	180 mm	70/150 mL
D	186044	-	10 mm	Pour-on	25 mm	20/50/70 mL
E	187044	186054	12 mm	Cattle	180 mm	250 mL
F	187046	-	18 mm	Cattle	180 mm	250 mL
G	186046	186056	10 mm	Cattle	220/140 mm	20 to 250 mL

*For 300 and 450 mL drenching guns + syringes

	Code	Model	Capacity	Nozzle diameter
H	189646	Nozzle positioning screw nut for gun	20 to 150 mL	10 mm
H	189645	Positioning screw nut for nozzle	150 mL	12 mm
H	189647	Positioning screw nut for nozzle	250 mL	18 mm
I	189625	Reducer with needle hub washer	150 mL*	10 mm
I	189624	Reducer with needle hub washer	250 mL	12 mm

*For Géniaplex 300 mL (p.8), Pistolman and Pistolmatic (p.135), Syrman (p.136) syringes.

[p.134 Find our drenching guns](#)


TUBING WITH CAP

1.5 m 7/11 or 4/7 PVC tubing with cap, for automatic drenching guns.

- Attaches directly to the bottle and the automatic gun.
- Assembled set, including 2 tubes and a cap with adapter.

The weight and 2 springs are optional.

	Code	Model
	180141	4/7 tubing for thin substances
	189676	7/11 tubing for thick substances
A	189674	Weight
B	189690	Spring



ON DEMAND: SUPPLY CAPS AND TELL US THE LENGTH OF THE TUBING TO REACH THE BOTTOM OF THE BOTTLE

SET OF BARRELS FOR DRENCHING GUNS

Each set contains one barrel, one or two plungers, one adapter, one washer, one spring, instructions for use and a 10 mL silicone oil bottle.

- These sets of barrels fit all manual and automatic hypodermic and pour-on guns. They are used to obtain different volumes from a manual or automatic gun.

Supplied in polyethylene bag.



Automatic barrels

Manual barrels

SETS FOR MANUAL GUNS

Code	Capacity	Nozzle diameter
186010	20 mL	6 mm
186012	50 mL	10 mm
186014	70 mL	10 mm
186016	150 mL	10 mm
186017	250 mL	12 mm
186018	250 mL	18 mm

SETS FOR AUTOMATIC GUNS

Code	Capacity
186020	20 mL
186022	50 mL
186024	70 mL

[p.134 Find our drenching guns](#)

VALVE ASSEMBLY SETS FOR GUNS

Valve assembly set to convert a 20, 50 or 70 mL manual model into an automatic one.

- To convert an automatic model into a manual one, replace the solid plunger with a perforated one. Add the front and rear valve assemblies after removing the plug on the rear handle and the front nozzle. Finally, screw the nozzle on the valve assembly.
- The front valve assembly holds the 6 and 10 mm drenching nozzles as well as the pour-on nozzle together with the reducer (ref 189624 and 189625 p.138), and Luer-Lock, Recordfix, Rotlauf hubs (p.16).

Supplied individually in a polyethylene bag with 1.5 m of 7/11 tubing and instructions for use. The reducer and the hubs are supplied separately.



Code	Model
186060	Valve assembly set (front and rear)
186062	Complete set of washers, ball bearings and springs

[p.16 Find hubs](#)



DRENCHING WASHERS

Drenching washers for Drugmatic, Oralplex, 300 mL Géniaplex drenching syringes, Syrman and other Génia drenching guns.


- Silicone washers moulded according to Génia's standards, extra-strong, with constant shore hardness across the entire surface. Water-resistant, non-stick.
- Guaranteed perfect seal and a smooth sliding of the plunger.

Supplied individually and by 6.

Minimum order by unit: 25 washers.



O-ring washer Syrman
300/450 mL



O-ring washers
For drenching guns

	Code x1	Code x 6	Model	Capacity	Washers
C	109254	109265	Drugmatic	2 mL	9-14
D	109256	109266	Drugmatic	5 mL	14-20
G	109262	109269	Oralplex	50 mL	30-40
H	109264	109270	Géniaplex	300 mL	40-50
I	189500	189501	Syrman	300/450 mL	-
J	189502	189503	Drenching gun	20 mL	-
K	189505	189506	Drenching gun	50 mL	-
L	189508	189509	Drenching gun	70 mL	-
M	189511	189512	Drenching gun	150 mL	-
N	189513	189514	Drenching gun	250 mL	-



Flat washers

INJECTION HARNESS

NEW

Multi-purpose harness (injection, Pour-On or drenching) designed for operator comfort and safety.

- Two chest pockets with double zip, able to receive bottles up to 500 mL.
- One back pocket receiving tanks up to 5L (Pour-On, drenching)
- Belt equipped with two adjustable pockets (clean and used needles) and a holster to secure an automatic syringe.
- Machine washable and fast drying.

Supplied individually with two carabiners hook.



Code	Model
227296	Injection harness

p134 [Find our drenching syringes](#)

BACKPACK TANKS

Small backpack tank with an integrated air intake and an olive connector, for 7/11 mm tubing.

Supplied with air intake cap and straps.



	Code 2.5 L tank	Code 5 L tank	Description
A + B + C	187003	187007	With straps
A + B	187009	187010	Without straps

ACCESSORIES

	Code	Description
C	187011	Pair of straps for 5 and 2.5 L
B	187006	Air intake cap 5 and 2.5 L



VILLETTE®

Villette® electric prods for professionals high voltage, low current shocks offer greater efficacy and safety.

- Reliable, repairable, safe prods.
- Works with:
 - AP: 3 LR6 batteries
 - SRP: 4 LR6 batteries
 - ASRP: 1 6LR61 batteries

Supplied individually, without battery, in a blister pack.

Code	Tension	Model
221000	3000 Volts	AP
221002	4500 Volts	SRP
221003	6000 Volts	ASRP



ADVANCE

Génia electric prods without timer, with interchangeable extensions: generate safe high voltage, low current shocks.

- Works with six 1.5 Volt LR14 Alkaline batteries.
- Generate shocks with no time delay.
- Closed core coil complies with electromagnetic compatibility standards (CE marking).
- Replaceable wireless printed circuit board and coil.
- Unbreakable waterproof case (standard IP 54), weighs 420 grams without battery, 840 grams with battery.
- Distance between electrodes provides effective stimulation.
- Battery life optimised by the printed circuit board, provides 8 continuous hours, or 1 to 2 months of regular use.
- No adjustment required.
- Does not burn, damage the hide, cause bruising and doesn't modify the pH of the meat.
- Low battery warning light.

Supplied in blister packs without battery.



Code	Model	Extension length
221710	6000 Volts	250 mm


EXTENSIONS

Code	Length
221640	250 mm
221642	500 mm
221644	1 000 mm

HOG CATCHER

Restraint devices for pigs.

- Stainless steel bar.
- Chrome-plated brass heads.
- Plastic handles.
- Twisted and galvanised steel wire.
- Secure rear wire attachment.



Code	Model	Length
227340	Short	24 cm
227342	Long	56.5 cm

COW IMMOBILISER

Adjustable galvanised steel anti-kick bar.

- Galvanised steel tube Ø 30 mm, thickness 2.5 mm.
- Rubber tips.
- Adjustable stainless steel springs.
- 5 adjustment points.



Code	Model
227041	Complete
227042	Pair of rubber tips
227043	Pair of springs



COW LIFT

Durable, strong cow lift.


To raise and support weakened cattle (e.g. during difficult calving).

- An investment that quickly pays for itself.
- Covered side clamps to prevent injuries.
- Any animal can be raised using a hoist or any other device.
- Galvanised steel.
- Tubular PVC sheath.
- Easy to position.
- Essential for any dairy cattle farm.
- A cow that cannot stand up must be lifted immediately.
- Maximum weight 900 kg.



	Code	Model
A	227039	Vink
B	227040	Standard

BULL LEADS



	Code	Model	Length
A	227028	With hook	19 cm
B	227029	With chain	19 cm
C	227030	With slider	20 cm

PENMARK®

High quality marker pens for cattle, sheep, goats and pigs
Marker pen holder frees up both hands.

- Velcro band for hand fitting.
- Machine washable Neoprene.
- With recoil restraint to hold the marker pen in place.


Supplied by box of 10.



Code x 10	Model
227630	Blue
227632	Red
227634	Green
227636	Purple
227638	Black
227640	Yellow


Outer packaging:

Master case of 5 boxes of 10



ACCESSORIES

Code	Model
129280	Set of 4 markers (red, blue, purple, green)
227628	Penmark® holder



IDENTIX SPRAY

Marking spray (dye) for cattle, pigs, sheep and goats.

- Marking lasts for at least 3 weeks.
- Fast-drying, non-drip.
- Disappears when washed at 40°C, does not damage wool.

Supplied by box of 12.



Code 200 mL x 12	Code 400 mL x 12	Colour
227510	227520	Red
227512	227522	Green
227514	227524	Blue

STOCK MARKER

Marking spray (paint) for cattle, pigs, sheep and goats.

- Marking lasts for several months.
- Fast-drying, non-drip.
- Disappears when washed at 40°C, does not damage wool.

Supplied by box of 12.



Code 500 mL x 12	Colour
227412	Blue
227414	Red
227416	Green



LEG BANDS

- Length: 35 cm; Width: 2.5 cm.

Supplied in a polyethylene bag of 10 units.



Code x 10	Colour
277600	Orange
277602	Green
277604	Yellow
277606	Blue

Code	Model
277608	Set of leg bands (3 x 4 colours)

MARKING BLOCKS

Multipurpose marking blocks for harness.

- Mark ewes after each breeding.
- To be used between 15 and 29°C.



Code	Colour
227480	Red
227482	Blue
227484	Green

Outer packaging:
Box of 12 units

TATTOOMARK

Industrial black tattooing ink to mark pigs.



Code	Model
220902	1 L

Outer packaging:
Master case of 12 units

CASTRATOR

Burdizzo castrator for cattle and sheep.



	Code	Model	Length
A	307996	Sheep	23 cm
	307999	Sheep/Calves	30 cm
	307994	Cattle	34 cm
B	308001	Cattle	40 cm
	307997	Cattle	48 cm
	307995	Cattle	48 cm (above)


ACCESSORIES

	Code	Model
C	308002	Kneepad for castrating pliers

REIMER'S AND SAND EMASCULATORS

Stainless steel Reimer's and Sand emasculators for horses. Smooth jaws.

- Can be entirely disassembled.
- Double emasculation.
- Extended locking tab.
- Separate, sharpened cutting arm (Reimer's)



	Code	Model	Length
A	307978	Sand	32 cm
B	307990	Reimer's	32 cm

EMASCULATORS

Two piece beech set for castrating foals and ponies. Supplied in bulk.



	Code	Model	Length
	307983	Straight	16 cm
	307986	Straight	20 cm
	307987	Straight	24 cm
	307988	Curved	24 cm


■ CHERON FORCEPS

Angled 25 cm stainless steel forceps for manipulating insemination straws.

- Can also be used as a swab holder or compress holder for obstetric disinfection before examination or for treating wounds.



Standard model



Refined model

Code	Model	Length
657040	Standard	25 cm
657041	Refined	25 cm



■ GENIA CALF PULLER

Calf puller, with strong, reliable ratchet and pole, suitable for all types of calves, even large ones.

- Alternative ratchet motion.
- Enables pulling of the limbs of the calf one after the other. This facilitates delivery and minimizes the risk of pelvic obstruction.
- The ergonomic and adjustable breechen of the calf puller provides a strong grip on the animal and prevents slipping.
- The high mobility of the breechen.
- Quick release hooks in case of complications give great freedom of action during calving.
- Composition: chrome-plated steel tube.

Supplied with two calving chains and two hooks.




Code	Steel tube length
227037	1.8 m

■ PLASTIC MILK SUCKING PREVENTOR

Plastic milk sucking preventor for calves and young cattle, double closure for secure hold.

- Sealed with one hand and without tools which allows the anti-sucker to be placed singly.
- Anti-lifting tips to prevent detachment.
- Three locking notches to fit any nose size.
- Can be easily removed by lifting the notched tab.
- Strong plastic resistant to traction and impact.
- Screw-free, will not rust, break, or fall.
- Sizes: 75 x 75 x 30 mm.
- Weight: 25 grams.




CLOSED MILK SUCKING PREVENTOR

Code	Model	O/pack.
220500	Plastic milk sucking preventor x 4	-
227038	Plastic milk sucking preventor in bulk (minimum 100 units)	x 600

■ ALUMINIUM MILK SUCKING PREVENTOR

Adjustable aluminium milk sucking preventor. Professional model.



Code	Model
227052	Aluminium milk sucking preventor

■ CLAMPEX

Disposable umbilical clamp for calves. Usable length: 45 mm.



Code x 50	Pack.
157590	x 50



BOTTLE TEATS

Non-perforated, natural latex teats that fit on bottle necks.
Certified 93/11/CE.

Supplied in bulk.



Code	Model	O/pack.
227023	Lamb	x 1000
227024	Calf	x 500

TEAT CATHETERS

2.5 mm diameter stainless steel teat catheters with Luer-Lock hub.

- Ball tips with 2 deburred side holes.

Supplied in plastic bags by 12.



Code x 12	Length	Cannula length
227061	80 mm	60 mm
227066	100 mm	80 mm
227071	120 mm	100 mm

DANISH TEAT SLITTER

Stainless steel Danish teat slitter with concealed, sharpened blades.



Code	Length
307984	19.5 cm

ADOPT-SPRAY

Adoption spray, consisting of a special blend of fragrances to disguise odors and promote:

- care of lambs and calves by their mothers
- grouping for transportation or mixing groups (grazers, heifers)
- acceptance of new food on weaning (piglet).

Supplied in boxes of 12.



Code x 12	Model
227500	200 mL aerosol spray

SAW WIRE

Dehorning and embryotomy wire.

Supplied on a plastic reel.



	Code	Model	Length	O/pack.
A	220840	Swedish 27 strand	12 m	-
B	227842	Standard 18 strand	12 m	x 200

SAW WIRE HANDLE

Saw wire handle.

Supplied in pairs.



	Code	Model	Diameter	Length
A	223100	Strong, aluminium	24 mm	100 mm
B	227840	Thin, stainless steel	12/15 mm	103 mm

SH PLUS

Dehorning gel.

- For young calves (between 8 and 21 days old) from the moment the horn buds can be felt.
- Dehorn by applying a single drop on the horn buds.
- The least traumatic horn removal method for the animal.
- One applicator containing 45 grams can be used to dehorn about 30 calves.



	Code	Model
	227844	45g applicator with spatula

Outer packaging:
Box of 24 units



DIGIFLASH

Digital thermometer for small and large animals.

- **Flexible** tip, length 7 cm.
- Temperature measurement in 5 seconds.
 - Recalls the last 5 values.
 - Temperature range: 32 to 43 °C / 90 to 110 °F.
 - Accuracy: 0.1 °C / 0.18 °F.
 - Alarm at end of measurement.
- Low battery symbol display.
- Auto power-off.
- Waterproof.
- Shock-resistant.

Supplied in a transparent polycarbonate box with an additional battery.



Code	Length	Tip length
227972	15.5 cm	7 cm

Outer packaging:
Master case of 12 and 240 units

FLEXIBLE
TIP


FAST READING
5 SECONDS

DIGIFIX

Digital thermometer for small and large animals.

- **Rigid** tip, length 7.5 cm.
- Temperature measurement in 10 seconds.
 - Recalls the last value.
 - Temperature range: 32 to 43°C/90 to 110°F.
 - Accuracy 0.1°C/0.18°F.
 - Alarm at end of measurement.
- Low battery symbol display.
- Auto power-off.
- Waterproof.
- Shock-resistant.

Supplied in a transparent polycarbonate box with an additional battery.



Code	Length	Tip length
227978	15.5 cm	7.5 cm

Outer packaging:
Master case of 12 and 240 units

RIGID
TIP

COLOSTRUM SCALE

To evaluate the quality of the maternal colostrum absorbed by the new-born calf.

The floating level of the densimeter estimates the quantity of gammaglobulins in the maternal colostrum.

- Colour-coded for quality assessment at a glance:
 - Green zone: ≥ 100 g/l.
 - Yellow zone: 50-100 g/l.
 - Red zone: ≤ 50 g/l.
- Minimum value: 25 g/l.
- Maximum value: 125 g/l.



	Code	Model
A	227300	Densimeter only (with plastic box)
B	227304	Colostrum scale + separate test-tube
C	227302	Colostrum scale + integrated test-tube

VAGINOSCOPE

Electric vaginoscope with plexiglas speculum.

- Compact and solid handle made from anodised aluminium.
- Plexiglas speculum that slides through the handle ring.
- Lock the speculum with the handle.
- Usable in all positions.
- Magnified light bulb sends beam of light to the end of the speculum.
- Replaceable penlight.
- Can be entirely disassembled. Resistant to boiling.



Specculum only Code A	Complete Code	Dimensions	Use
223007	223013	2 x 30.5 cm	Goat
223002	223000	4 x 49.5 cm	Cow
223008	223010	5 x 54.5 cm	Mare

ACCESSORIES

	Code	Model	Use
C	223001	Lamp	-
D	223004	Handle only	-
B	223005	Handle ring	Cow
B	223011	Handle ring	Mare
B	223012	Handle ring	Goat/Ewe

ZOOMETRIC MEASURING TAPE

Measuring tape for cattle and pigs to measure and estimate the standing weight of slaughtered cattle and pigs.

- With or without automatic roller.



Code	Model	Length	O/pack.
227081	Without automatic roller	2.5 m	-
227082	With automatic roller	2.5 m	x 350

EQUINE DENTAL FORCEPS

Stainless steel equine dental forceps for molars.



	Code	Model	Length
A	307900	Upper tooth, curved	370 mm
B	307901	Lower tooth, straight	370 mm

WOLF TOOTH EXTRACTION FORCEPS


Stainless steel equine dental forceps for wolf tooth extraction.



	Code	Model	Length
B	307902	Half-Curved	260 mm
A	307903	Curved	260 mm

TOOTH RASPS


Tooth floats for horses, with wooden handles.



	Code	Model
	307904	Complete: Convex
	307905	Complete: Straight
A	307907	Convex blade only
B	307908	Straight blade only

MOUTH GAGS

Stainless steel equine mouth gag.
Climax and Schoupe (spring) models.




	Code	Model	Length	Opening
	227032	Schoupe	260 mm	-
	227033	Climax	-	145 x 155 mm



RUMEN TROCARS

Stainless steel rumen trocars.

- Plastic handle.
- Cannula with two holes on the flange for fixation.



TROCARS

A Stainless steel cannulas code	B Plastic disposable cannulas code	Diameter	
		Int.	Ext.
220300	220330	5 mm	6 mm
220305	220335	8 mm	9 mm
220310	220340	9 mm	10 mm
220315	-	11 mm	12 mm

CAP I

REPLACEMENT PARTS


Stainless steel cannulas code	Plastic disposable cannulas code	Cap	Diameter		Cannula length
			Int.	Ext.	
220400	220450	220470	5 mm	6 mm	112 mm
220405	220455	220472	8 mm	9 mm	142 mm
220410	220460	220474	9 mm	10 mm	162 mm
220415	-	220476	11 mm	12 mm	190 mm

SCREW TROCAR

Plastic screw trocar.

- Food grade, with 2 holes on the flange for fixation.
- Trocar designed for chronic bloat.
- Can be left in place for several days, or even longer if correctly inserted.
- Peritoneum and rumen are held together, minimising the risk of peritonitis.

Supplied in a polyethylene bag with instructions for use.



	Code	Model
A	220600	Complete trocar with instructions
B	220602	Trocar only
C	227800	Stainless steel stylet only

BLOODLETTING TROCAR

Stainless steel bloodletting trocar with screw-on handle.



Code	Diameter		Total length	Cannula length
	Int.	Ext.		
220291	5 mm	6 mm	250 mm	90 mm

■ STOMAFLEX

Red silicone nasoesophageal tubes for horses and cattle.

- One round, open end with a side hole.
- Flexible, atraumatic and non-deformable.

Supplied in a polyethylene bag.



Code	Diameter		Length
	Int.	Ext.	
227013	6 mm	9.5 mm	2 m
227005	8 mm	13 mm	2 m
227010	9.5 mm	16 mm	2.25 m
227014	11.6 mm	19 mm	3 m

■ NASOFLEX

Transparent PVC nasoesophageal tubes for horses.

- One round, open end with two side holes.
- One end widened for pump or funnel.
- Good flexibility during both summer and winter, atraumatic and non-deformable.
- Easy to insert and clean.

Supplied in a polyethylene bag.



Code	Diameter	Length
222000	9 mm	2.6 m
222002	13 mm	2.7 m
222004	16 mm	3.4 m
222006	19 mm	3.6 m


■ NASOFLEX PUMPS

Plastic or metal pumps with tube adapter for Nasoflex tubes. Inexpensive and sturdy.

- Plastic pump: 0.5 L flow,
- Metal pump: 0.125 L flow.

Metal pump

Plastic pump



Code	Model
222020	Plastic pump + tube adapter
227020	Metal pump + tube adapter

■ ESOFLEX


Red plastic-coated metal stomach tubes for adult cattle and calves.



Code	Diameter	Use	Length
227015	14 mm	Calf	1.35 m
227016	18 mm	Adult	1.60 m

GÉNIA BOLUS APPLICATOR - DESCRIPTION

DOUBLE BOLUS APPLICATOR



BOLUS APPLICATOR WITH HANDLE




BOLUS APPLICATOR

Ergonomic bolus applicator in stainless steel (stainless steel or aluminium barrel; stainless steel arm, pin and spring) for the administration of a bolus or magnet to cattle.

- Any type of bolus or magnet can be administered.
- Adaptable to your needs.
- Protected barrel: strong, flexible and non-porous rubber tip.
- No pinching or injury.
- Ergonomic curved arm.
- Retains the bolus before administration; minimal effort to administer.
- Flexible stainless steel spring for easy administration, even from the shoulder.


Special order: other sizes, with a minimum order of 50 units.



OTHER LENGTHS
ON DEMAND

Code	A Total length	B Diameter maxi ext. barrel	C *Barrel length	D Diameter int. barrel	E Tip int.
215090	370 mm	27 mm	50 mm	17,5 mm	12 mm
215120	400 mm	30 mm	65 mm	22 mm	18 mm
215060	570 mm	39 mm	65 mm	29 mm	24 mm
215080	620 mm	39 mm	90 mm	29 mm	24 mm
215100	650 mm	29 mm	105 to 110 mm	20 mm	12 mm
215160	680 mm	45 mm	105 to 120 mm	35,6 mm	24 mm
215150	680 mm	45 mm	110 mm	35,6 mm	30 mm
215030	680 mm	52 mm	120 mm	40,5 mm	28 mm
215070	750 mm	52 mm	120 mm	40,5 mm	28 mm
215140	720 mm	30 mm	140 mm	22 mm	18 mm
215130	750 mm	43 mm	150 mm	35,6 mm	22 mm
215000	800 mm	40 mm	180 mm	29 mm	22 mm
215040	880 mm	52 mm	220 mm	40,5 mm	28 mm

*Distance from piston to tip outlet.
Classification according to (C).



BOLUS APPLICATOR WITH HANDLE

NEW

- Identical to standard bolus applicator.
- Ergonomic handle.
- Articulated handle end to ease manipulation.

OTHER LENGTHS
ON DEMAND


Code	Model	A Total length	B Diameter maxi ext. barrel	C *Barrel length	D Diameter int. barrel	E Tip int.
215180	Cattle, sheep	610 mm	39 mm	90 mm	29 mm	24 mm
215192	Cattle	710 mm	45 mm	90 mm	35,6 mm	29 mm
215195	Sheep	300 mm	26 mm	50 mm	17,5 mm	14 mm

*Distance from piston to tip outlet.

BOVIMAG® CATTLE MAGNETS

Powerful rectangular magnets made of oxyferite.

- Dimensions: 60 x 20 x 15 mm
- Supplied by 6 or 12.



Code	Packaging	Pack.	O/pack.
227812	Polystyrene box	x 12	x 16
257810	Blister	x 6	-



ACCESSORIES


Code	Model
215060	Bolus applicator for cattle magnets

BOVIMAG® CAGE MAGNETS

Uniquely designed cage magnet collects longer and more numerous metallic objects, which align themselves longitudinally.

- Single piece magnet 36 mm in diameter and 100 mm long avoids the overlapping of magnets in the rumen.
- Bars of the cage situated on the 4 edges of the magnet create more space for foreign bodies.
- Spaced out lines allow foreign bodies to align along the magnet.

Supplied in boxes of 12.



Code x 12	Model
227815	Green
227817	White

ECOMAG

Cage magnet with double magnet and multi-retaining bars.

Supplied in boxes of 12.



Code x 12	Model
227820	Green

Outer packaging:
Master case of 10

CAGE MAGNET APPLICATOR

Cage magnet applicator for BOVIMAG® and ECOMAG cage magnets.

- Magnet is held by the rubber sleeve.



Code	Model
215030	Cage magnet applicator




FARTEC RAZOR BLADE

Carbon steel hoof knives, farrier quality, S blade.

- Ergonomic handle made of polished, stained beech wood.
- Riveted half blades made of cutlery steel.
- Slightly curved blades with short, narrow grooves.
- The curved blade at the bottom of the handle allows better positioning of the blade on the sole of the hoof for a uniform and clean cut.
- Special cutlery steel.

Supplied in a plastic case.

On demand: bevelled blade.



Code	Model
220156	Right-handed
220158	Left-handed


SURGIFAR RAZOR BLADE

Hoof knives with very narrow stainless steel surgical blades, farrier quality.

- Standard handle in stained and polished beech.
- Riveted half-blades in cutlery steel.
- Slightly curved blades with short, narrow grooves.
- Sharp along whole length to the handle.

Supplied in a plastic case.

On demand: bevelled blade.



Code	Model
220140	Right-handed surgical blade
220142	Left-handed surgical blade
220148	Right-handed large blade
220149	Left-handed large blade

FARKNIFE RAZOR BLADE

Carbon steel hoof knives, farrier quality.

- Long, **thick**, ergonomic, stained and polished beech handle.
- Riveted half blades made of cutlery steel.
- Straight blades, wide at the base and narrow at the end.
- Slight curve.
- Short and narrow grooves.

Supplied in a plastic case.

On demand: bevelled blade.



Code L	Code XL	Model
220108	220134	Right-handed
220107	220136	Left-handed

L: SHORT BLADE
XL: LONG BLADE

FARLAND RAZOR BLADE

Carbon steel hoof knives, farrier quality.

- Long, **tapered**, ergonomic, stained and polished beech handle.
- Riveted half blades made of cutlery steel.
- Straight blades, wide at the base and narrow at the end.
- Slight curve.
- Short and narrow grooves.

Supplied in a plastic case.

On demand: bevelled blade.



Code L	Code XL	Model
220120	220100	Right-handed
220122	220102	Left-handed

L: SHORT BLADE
XL: LONG BLADE

FARLOOP

Carbon steel hoof knife, oval shape, farrier quality.

- Ergonomic, long tapered Farland handle made of polished, stained beech.
- Riveted blades made of cutlery steel.

Supplied in a plastic case.



Code	Model
220110	Large
220112	Small

RINGLAND

Ring shaped drawing knife with wooden handle for cattle and horses.

- Standard quality.
- Carbon-steel blade.



Code	Length	Model
227051	150 mm	Sharpened
227050	150 mm	Unsharpened

VETLAND BEVELLED BLADE

Hoof knives with carbon steel blades, veterinary quality.

- Full blades riveted to a plastic handle.
- Slightly curved blades and standard grooves.
- Special cutlery steel.

Supplied in a plastic case.



	Code	Model	Finish
A	220002	Right-handed narrow blade	Single edge
	220004	Right-handed large blade	Single edge
	220006	Left-handed narrow blade	Single edge
	220008	Left-handed large blade	Single edge
B	220010	Right-handed large blade	Double edge (1 short and 1 long)
	220032	Right-handed large blade	Double edge (2 long)

STANLAND BEVELLED BLADE

Hoof knives with carbon steel blades, veterinary quality.

- Half-blades riveted to a beech handle.
- Slightly curved blades and standard grooves.
- Special cutlery steel.

Supplied in a plastic case.



	Code	Model	Finish
	220050	Right-handed large blade	Single edge
A	220052	Left-handed large blade	Single edge
B	220054	Right-handed large blade	Double edge (1 short and 1 long)

PROLAND BEVELLED BLADE

Hoof knives with carbon steel blades, veterinary quality.

- Half-blades riveted to a stained beech handle.
- Slightly curved blades and standard grooves.
- Special cutlery steel.

Supplied in a plastic case.



	Code	Model	Finish
	220020	Right-handed narrow blade	Single edge
A	220022	Right-handed large blade	Single edge
	220024	Left-handed narrow blade	Single edge
	220026	Left-handed large blade	Single edge
	220028	Right-handed large blade	Double edge (1 short and 1 long)
B	220030	Left-handed large blade	Double edge (1 short and 1 long)

DRAWING KNIVES BEVELLED BLADE

Double edge drawing knives with carbon steel blade, veterinary quality.

- Full blades riveted to a plastic handle.
- Special cutlery steel.

Supplied in a plastic case.



Code	Model	Size
220164	N°6	170 mm
220166	N°8	170 mm
220168	N°10	170 mm

p.156 [Find our sharpening steel](#)

SAGE KNIFE BEVELLED BLADE

Double edge carbon steel sage knife, veterinary quality.

- Full blade riveted to a plastic handle.
- Special cutlery steel.

Supplied in a plastic case.



Code	Length
220150	190 mm



HOOFLAND

Sharpened hoof scraper made of special carbon steel of farrier quality.

- Wooden or plastic-reinforced handle.
- Cutlery steel for easy and long lasting sharpening.
- Easy to hold (plastic handle).

Supplied in a plastic case.

Code	Type	Model	Total length	Blade length
220202	Small	Standard	280 mm	27 mm
220215	Small	Reinforced handle	280 mm	27 mm
220226	Medium	Wood handle	280 mm	32 mm
220213	Medium	Reinforced handle	280 mm	32 mm
220214	Large	Reinforced handle	360 mm	44 mm

Standard model

Reinforced model



HOOFSRAP

Sharpened hoof scraper with no grip. Standard quality.

Supplied in a plastic case.



	Code	Model	Length
A	220200	Hoofscarp only	30 cm
	220210	Hoofscarp only	24 cm
B	220199	PVC grip only	-

HOOF TESTERS

Stainless steel hoof testing forceps.

Flat

Round



	Code	Model	Length
	227100	Flat	35 cm
	227102	Flat	47 cm
	227103	Round	35 cm
	227104	Round	47 cm

SHARPENING STEEL

Oval sharpening steel, coated with diamond microparticles for finishing work.

- Suitable for all knives, especially the grooves of hoof knives and drawing knives.
- Total length 265 mm.

Supplied complete.



Code	Blade length	Blade width	Blade thickness
227222	150 mm	18 mm	5 mm

CICABOM

Black balm ointment for fast wound healing.

- Its antiseptic, bactericidal, and insecticidal qualities provide an effective barrier for the wound and keep the area moist.
- Composition: vaseline, cod liver oil, pharmaceutical-grade zinc oxide, balsam of Peru, pine tar.



SHARPENING SET

Sharpening kit for hoof knives and hoof scrapers.

- Semi-circular whetstone to sharpen grooves.
- Conical whetstone for drills and turbines.

Supplied in a polyethylene bag with instructions for use.



Code	Model
220220	Complete set

Code	Model
227846	200 mL jar
227847	500 mL jar





GROOMING

Grooming scissors 158

■ TISSERAND STANDARD SCISSORS

Straight carbon steel grooming scissors, without finger rest, including:

- Adjusting knob.
- Blade with micro teeth.
- Round rings.



Code	Model	Length
500261/1	Straight bronze	15.5 cm
500262/1	Straight gold bronze	15.5 cm
500291/1	Curved bronze	15.5 cm
500292/1	Curved gold bronze	15.5 cm
500296/1	Curved bronze	17 cm
500297/1	Curved gold bronze	17 cm
500301/1	Curved bronze	18.5 cm
500380/1	Straight gold bronze	18.5 cm
500381/1	Curved gold bronze	18.5 cm
500276/1	Straight bronze	20 cm
500306/1	Curved bronze	20 cm
500382/1	Straight gold bronze	20 cm
500383/1	Curved gold bronze	20 cm

■ TISSERAND THINNING SCISSORS

Carbon steel grooming scissors including:

- Adjusting knob.
- Finger rest.
- Standard rings.
- Teeth on both blades.

Bronze model 30 teeth

Gold bronze model 23 teeth



Code	Model	Length	Teeth
500094	Adjustable straight bronze	15.5 cm	23
500095	Adjustable straight gold bronze	15.5 cm	23
500097	Adjustable straight gold bronze	15.5 cm	30

■ TISSERAND SCULPTING SCISSORS

Carbon steel grooming scissors including:

- Adjusting knob.
- Finger rest.
- Standard rings.
- Teeth on one blade.



Code	Model	Length	Teeth
500126	Adjustable straight gold bronze	15.5 cm	30
500165	Adjustable straight bronze	15.5 cm	40
500166	Adjustable straight gold bronze	15.5 cm	40



■ GENIA STAINLESS STEEL SCISSORS

Stainless steel grooming scissors including:

- Adjusting knob.
- Round rings.
- Micro-teeth blade.
- Possibility to add a finger rest.

Supplied without finger rest.



Code	Model	Length
505302/1	Curved	18.5 cm
505271/1	Straight	18.5 cm
505307/1	Curved	20 cm
505277/1	Straight	20 cm

ACCESSORIES

Code	Model
A 599110	Finger rest

■ THINNING SCISSORS WITH SCREW

Chrome-plated carbon steel thinning scissors.



Code	Model	Length
601475	With screw, straight	17 cm
601476	With screw, curved	17 cm



ALPHABETICAL

A

ABS, CASE	96
ABSORBABLE, SUTURE	38-39
ABSORBENT, DRYSOFT® PAD	78
ACCESSORIES, DRENCHING	138-139
ACCESSORIES, HOOF CARE	156
ACCESSORIES, HOSPITALIZATION	86-87
ACCESSORIES, NEEDLES	25
ACCESSORIES, OSTÉOSYNTHESIS	67-68
ACCESSORIES, PROJECTORS	97-100
ACCESSORIES, SYRINGE	17
ADAPTERS, SYRINGE	16
ADERPLAST® ULTRA, ADHESIVE BANDAGE	80
ADERPLAST®, ADHESIVE BANDAGE	80
ADHESIVE, ADERPLAST® BANDAGE	80
ADOPTION SPRAY	146
ADOPT-SPRAY, ADOPTION SPRAY	146
ADSON BROWN FORCEPS	51
ADSON FORCEPS	51
ADSON GRAEFE FORCEPS	51
ADVANCE, ELECTRIC POD	140
AEROSOL, ADOPTION	146
AFRICAN CANNULA, SYRINGE, PROJECTOR	105
AGRIPLAST, DRENCHING SYRINGE	137
AIR NEEDLE	23
AISOGAN®, EXPLORATION GLOVE	123
ALGI, ANIPLAST® DRESSING	83
ALGINATE HYDROCOLLOID DRESSING	84
ALKACIDE, INSTRUMENTS CLEANSING, DISINFECTION	130
ALKACIDE, INSTRUMENTS DISINFECTION	130
ALLIS FORCEPS	52
ALU-DETECT®, DETECTABLE NEEDLE	22
ALUMINIUM SYRINGE, PROJECTOR	104
ALUMINIUM, NEEDLE, HUB	20
ANESTHESIA, INTUBATION CATHETER	36
ANIPLAST® DRESSING, ALGI	83
ANIPLAST® DRESSING, HYDRO	83
ANIPLAST® DRESSING, SPONGI	83
ANIPLAST® DRESSING, SURGI	83
ANIPLAST® DRESSING, TULLO	83
ANIPLAST® SET, DRESSING	82
ANODISED ALUMINIUM SYRINGE BARREL, PROJECTOR	104
APPLICATOR, BOLUS	152-153
APPLICATOR, DRENCHING	134-137
APPLICATOR, MAGNET	152-153
APPLICATOR, PILL	87
APPLIMASTER®, POUR-ON DRENCHING GUN	134
ARMPIT PROTECTION, GLOVE	123
ASPIRATION CANNULA	55
ASSEMBLY, GÉNIAMATIC, VALVE	16
AUTOMATIC, INJECTION STICK	107
AUTOMATIC, SYRINGE	9-13

B

BALLOON, INTUBATION, CATHETER	36
BALM, CICABOM, OINTMENT	156
BANDAGE	79-81
BANDAGE, ADERPLAST®	80
BANDAGE, ADHESIVE, ADERPLAST®	80
BANDAGE, COHÉSIVE FUN STRAP®	79
BANDAGE, COHÉSIVE STRAP BAND	79
BANDAGE, ELASTIC	79
BANDAGE, EQUINE, EQUIPLAST®	80
BANDAGES SCISSORS	49
BARB, 11 MM SYRINGE CANNULA, PROJECTOR	103
BARB, 13 MM SYRINGE CANNULA, PROJECTOR	105
BARREL, DRENCHING GUN	138
BARREL, PROJECTOR	99
BEARING RETAINER	58
BETANETT, READY TO USE STAIN REMOVER	131
BIONET, CLEANSING POWDER	130
BIRD OF PREY, PROTECTIVE GLOVE	120
BIRD, SYRINGE	9,12-13
BLADDER, CATHETER	35
BLADE, NECROPSY KNIFE	55
BLADE, TOOTH RASPS	149

BLADES, SWANN MORTON SCALPEL	44
BLEEDING, TROCAR	150
BLOODLETTING	150
BLOWPIPE	91
BLOWPIPE, DISTINJECT, 11 MM, EXTENSION	91
BLOWPIPE, MINI-JECT, 11 MM	91
BODY, PROTECTION	125-126
BOLUS APPLICATOR, HANDLE	153
BOLUS APPLICATOR, MAGNET	152-153
BONE PIN CHUCK	68
BONNEY, SUTURE NEEDLE	43
BOOT, DISPOSABLE PROTECTION, POLYBOOT	126
BOTTLE HANGER, AUTOMATIC SYRINGE	12-13
BOTTLE HANGER, GÉNIAMATIC SYRINGE	9
BOTTLE TEATS	87, 146
BOUFFANT CAP	126
BOVIMAG®, CAGE MAGNET	153
BOVIMAG®, CATTLE MAGNET	153
BOX, INSTRUMENTS STORAGE, INSTRUBOX	55
BOYTON, NEEDLE HOLDER	50
BRAKE, SYRINGE CANNULA, PROJECTOR	105
BROPHY SCISSORS	46
BROWN, ADSON FORCEPS	51
BÜHNER NEEDLE	58
BÜHNER, VAGINAL TAPE	58
BULL LEAD	141
BURDIZZO, CASTRATOR	144
BUTTON, SURGICAL	68

C

CAESAREAN FORCEPS	58
CAESAREAN, PROLAPSE PREVENTION	58
CALF PULLER	145
CALVING	145
CALVING, PROTECTIVE COVERALL	125
CANCELLOUS SCREW, BONES	64
CANIS-MOBILE®, MOBILITY CART	70
CANNULA FOR PRACTICE, 11 MM SYRINGE, PROJECTOR	103
CANNULA WITH BARB, 11 MM SYRINGE, PROJECTOR	103
CANNULA WITH FLANGE, 11 MM SYRINGE, PROJECTOR	103
CANNULA, 11 MM SYRINGE, PROJECTOR	103
CANNULA, 13 MM SYRINGE, PROJECTOR	105
CANNULA, AFRICAN, SYRINGE, PROJECTOR	105
CANNULA, ASPIRATION	55
CANNULA, BARB, 13 MM SYRINGE, PROJECTOR	105
CANNULA, BRAKE, SYRINGE, PROJECTOR	105
CANNULA, ELEPHANT, SYRINGE, PROJECTOR	105
CANNULA, FLANGE, 13 MM SYRINGE, PROJECTOR	105
CANNULA, PRACTICE, 13 MM SYRINGE, PROJECTOR	105
CANNULA, SMOOTH, 11 MM SYRINGE, PROJECTOR	103
CANNULA, SMOOTH, 13 MM SYRINGE, PROJECTOR	105
CAP, MALE	33
CAPSULE HOLDER, CO2, PROJECTOR	98
CAPSULES, INJECTION, SYRINGE, PROJECTOR	104
CAPTURE	89-120
CAPTURE GLOVES, HIGH REINFORCED	120
CAPTURE GLOVES, PROTECTION, CAT, DOG	120
CAPTURE GLOVES, PROTECTION, MONKEY, BIRD OF PREY	120
CAPTURE, CAT	111-112,114,120
CAPTURE, REPTILE	117-119
CARE, FOOT	154-156
CARE, LACTATION	146
CARTRIDGE, POSITIONER AND EJECTOR	99
CASE, ABS, PROJECTORS, REPTILES CAPTURE SET	96,119
CASTRATION	144
CASTRATOR, BURDIZZO, CASTRATION	144
CAT, CAPTURE TONG	111
CAT, CATHETER, TOM CAT	35
CAT, CONTENTION KENNEL	114
CAT, PROTECTIVE GLOVES	120
CAT, TRAP	112
CAT, URINARY CATHETER, UROLENE® CAT	34
CATCHER, HOG	140
CATHETER	26-27
CATHETER, BLADDER AND UTERINE, STAINLESS STEEL	35

CATHETER, CAT, TOM CAT	35
CATHETER, CENTRACATH	27
CATHETER, INTRAFLOX	26
CATHETER, INTRANULE	26
CATHETER, INTUBATION WITH BALLOON	36
CATHETER, LACRIMAL	36
CATHETER, TEAT	146
CATHETER, URINARY TUBING	36
CATHETER, URINARY, POLYPROPYLENE	35
CATHETER, URINARY, PVC	35
CATHETER, URINARY, STAINLESS STEEL	35
CATHETER, URINARY, UROLENE® CAT	34
CATHETER, URINARY, UROLENE® DOG	34
CATHETER, UROLENE®	34
CATHETER, UROLITHIASIS	36
C-CUT, HYSTERECTOMY	58
CENTRACATH, CATHETER	27
CHERON, FORCEPS	145
CHUCK KEY	68
CHUCK, BONE PIN	68
CICABOM, HOOF OINTMENT	156
CIDALKAN WIPES, DISINFECTANT, CLEANING	131
CIDALKAN, DISINFECTANT CLEANING SPRAY	131
CLAMP, RIGHT ANGLE	52
CLAMP, UMBILICAL, CLAMPEX	145
CLAMPEX, UMBILICAL CLAMP	145
CLAMPS, FIXATION	63
CLEAN, GÉNIA, HYGIENE RANGE, DISINFECTION	128-129
CLEANING, SET, PROJECTOR	100
CLEANING, DISINFECTION	128-132
CLEANSING GENTLE LOTION, GÉNIA CLEAN	129
CLEANSING POWDER, GÉNIA CLEAN	128
CLEANSING, HAND	129
CLIMAX, MOUTH GAGS	149
CLINALKAN, DETERGENT	130
CLOSED, URINARY CATHETER UROLENE®	34
CLOTHING, PROTECTION	125-126
CO2 CAPS	98
CO2 CAPS, PROJECTOR	98
COHESIVE, FUN STRAP® BANDAGE	79
COHESIVE, STRAP BAND BANDAGE	79
COLOSTRUM SCALE	148
COMBIVET, PROTECTION	125
COMPRESSION, DYNAMIC OSTEOSYNTHESIS PLATE	66
CONTAINER, SYRINGE	17
CONTAINER, WASTLE	25
CORTICAL SCREW, OSTEOSYNTHESIS	64
COSYPAD® EXAMINATION PAD, HOSPITALIZATION	76-77
COSYPAD®, HANGER	72
COVERALL PROTECTIVE CALVING	125
COVERALL, DISPOSABLE, PROTECTION, COMBIVET	125
COW IMMOBILISER	141
COW LIFT	141
CRILE FORCEPS	52
CROWN, SCISSORS	67
CRUSHING, CUPS, TABLET	87
CRYLE WOOD FORCEPS	52
CUPS, TABLET CRUSHING	87
CURAFIL, HYDROGEL DRESSING	84
CURITY NA, DRESSING	84
CURSOR SYRINGE	8-11
CUTTABLE PLATES, OSTEOSYNTHESIS	65
CUTTING, WIRE, SCISSORS	67

D

DCP, PLATE, OSTEOSYNTHESIS	66
DEBAKEY FORCEPS	51
DEHORNING	147
DELTA, 11 MM PNEUMATIC PROJECTOR	92
DELVO, NOZZLE	18
DENSIMETER, COLOSTRUM SCALE	148
DENTAL FORCEPS, HORSE	149
DENTAL FORCEPS, WOLF TOOTH, HORSE	149
DENTISTRY, EQUINE	149
DERMASTEEL, NOZZLE	19
DETECTABLE, ALU-DETECT® NEEDLE	22
DETECTABLE, PLASTI-DETECT® NEEDLE	22
DETECTABLE, DISPOSABLE HYPODERMIC NEEDLE	22
DETERGENT, CLEANSING, ALKAZYME	130

DETERGENT, CLINALKAN	130
DETERGENT, DISINFECTING SPRAY, GÉNIA CLEAN	129
DETERGENT, POWDER, BIONET	130
DETERGENT, SPRAY, CIDALKAN	131
DIAGNOSTIC, INSTRUMENTS, MEASUREMENT	148
DIGIFIX, THERMOMETER	88,148
DIGIFLASH, THERMOMETER	88,148
DIGIVET, THERMOMETER	88
DISINFECTANT CONCENTRATE, GÉNIA CLEAN	128
DISINFECTANT READY TO USE, GÉNIA CLEAN	128
DISINFECTANT, CLEANSING SPRAY, GÉNIA CLEAN	129
DISINFECTANT, FOAMING SPRAY, GÉNIA CLEAN	129
DISINFECTION ALKACIDE	130
DISINFECTION PROTOCOL	132
DISPENSER CASE, SUTURE	38-41
DISPLACED ABOMASUM	57
DISPLACED ABOMASUM REPAIR, PLASTIC BUTTONS	57
DISPOJECT®, 2 PIECES SYRINGE	14
DISPOJECT®, 3 PIECES SYRINGE	14
DISPOJECT®, SAFETY INSULIN SYRINGE	15
DISPOJECT®, DISPOSABLE NEEDLE	21
DISPOJECT®, STANDARD INSULIN SYRINGE	15
DISPOSABLE HYPODERMIC NEEDLE	20-22
DISPOSABLE PROTECTION, POLYBOOT	126
DISPOSABLE, 13 MM SYRINGE, PROJECTOR	106
DISPOSABLE, HYPODERMIC SYRINGE	14-15
DISPOSABLES, HOSPITALIZATION	71-84
DISSECTION FORCEPS	51
DISTANCE, INJECTION STICK	17
DISTANCE, SYRINGE	9-10,12,107
DISTINJECT	89-120
DISTINJECT, 11 MM BLOWPIPE, 16 MM	91
DISTINJECT, POLE	108
DOG, PROTECTIVE GLOVES	120
DOG, TRAP	113
DOG, URINARY CATHETER, UROLENE® DOG	34
DORSAL, TANK	33,139
DOSIGÉNIA, SYRINGE	8
DOSIPLEX, SYRINGE	10
DOUBLE NEEDLE	33
DRAIN, PENROSE, LATEX TUBE	55
DRAPE, DISPOSABLE SURGICAL DRAPES	54
DRAWING KNIFE BEVELLED BLADE	155
DRENCHING	134-139
DRENCHING GUN	134-135
DRENCHING, ACCESSORIES	138-139
DRENCHING, NOZZLE	17,138
DRENCHING, SYRINGE	136-137
DRENCHMASTER®, DRENCHING GUN	134
DRESSING	82-84
DRESSING, ABSORBENT	83-84
DRIVER, PIN	67
DRUGMATIC, DRENCHING SYRINGE	136
DRYSOFT®, ABSORBENT PAD	78
DYNAMIC COMPRESSION PLATE	66

E

EASY, SYRINGE, PROJECTOR	102
ECHOGRAPHY GEL	124
ECOGAN, EXPLORATION GLOVE	122
E-COLLAR	72-75
E-COLLAR, HANGER	72
ECOMAG, CAGE MAGNET	153
EF, SUTUREC, SUTURE NEEDLE	43
EF2, SUTUREC, SUTURE NEEDLE	43
EF3, SUTUREC, SUTURE NEEDLE	43
EJECTOR, CARTRIDGE	99
EKOGE, ECHOGRAPHY GEL	124
ELECTRIC PROD ADVANCE	140
ELECTRIC PROD, EXTENSION	140
ELECTRIC PROD, VILLETTE®	140
ELEPHANT, SYRINGE CANNULA, PROJECTOR	105
ELPLEX®, SYRINGE	11
EMASCULATOR	144
EMASCULATOR, REIMER'S, SAND	144
ENUCLEATION SCISSORS	48
EPICRANEAL NEEDLE	27
EQUINE DENTISTRY	149
EQUINE, EQUIPLAST BANDAGE	80

EQUIPLAST, EQUINE BANDAGE	80
EQUIPMENT, PROTECTION, HOSPITALIZATION	76-78
ESOFLEX, STOMACH TUBE	151
EXAMED, EXAMINATION GLOVE, LATEX	124
EXAMINATION, GLOVE, GEL	124
EXPLOGAN®, EXPLORATION GLOVE	122
EXPLOGEL®, LUBRICATING GEL	123
EXPLORATION, GLOVE AND GEL	122-123
EXPULSION, EXPLORATION GLOVE	122-123
EXTENSION STICK, SYRINGE	17
EXTENSION, CATHETER	27
EXTENSION, ELECTRIC POD VILLETTE®	140
EXTENSION, INFUJECT	28
EXTENSION, INFUJECT TRIO	28
EXTENSION, INFUJECT SITE	28
EXTENSION, INFUSION SET, PERFUVET® TWIST	31
EXTENSION, INJECTION STICK	17,107
EXTERNAL FIXATION	61-63

F

FARKNIFE RAZOR BLADE, FARRIER KNIFE	154
FARLAND RAZOR BLADE, FARRIER KNIFE	154
FARLOOP, FARRIER KNIFE	154
FARRIER RANGE, HOOF KNIFE	154
FARRIER, VETERINARY RANGE	155
FARTEK RAZOR BLADE, FARRIER KNIFE	154
FASTFIL®, ABSORBABLE SYNTHETIC SUTURE	38
FEATHERED STABILISER	104
FEEDING SYRINGE, TUBE	137
FEEDING, NOZZLE, TUBE	137
FEEDING, TUBE	137
FILAMID, NON-ABSORBABLE SUTURE	40
FILESTER, NON-ABSORBABLE SUTURE	40
FILINE, NON-ABSORBABLE SUTURE	40
FILSILK, NON-ABSORBABLE SUTURE	40
FIXATION CLAMP	63
FIXATION, EXTERNAL ROD	63
FLAMATIC®, SYRINGE	12
FLANGE, 11 MM SYRINGE CANNULA, PROJECTOR	103
FLANGE, 13 MM SYRINGE CANNULA, PROJECTOR	105
FLAT SPLINT	81
FLIP, SYRINGE, PROJECTOR	106
FLUIDOTHERAPY SET	33-139
FOAM, HYDROPHILIC, DRESSING	83-84
FOLDING, KENNEL	115
FOMON SCISSORS	48
FOOT CARE	154-156
FORCE-FEEDING NOZZLE	137
FORCE-FEEDING, AGRIPLAST 100 ML SYRINGE	137
FORCEPS, ADSON	51
FORCEPS, ADSON BROWN	51
FORCEPS, ADSON GRAEFE	51
FORCEPS, ALLIS	52
FORCEPS, CASTRATION	144
FORCEPS, CHERON	145
FORCEPS, CRILE	52
FORCEPS, CRYLE-WOOD	52
FORCEPS, DEBAKEY	51
FORCEPS, DISSECTION	51
FORCEPS, FOREIGN BODY, HARTMANN	53
FORCEPS, GRAEFE	51
FORCEPS, HALSEAD MOSQUITO	52
FORCEPS, HARTMANN	53
FORCEPS, HEMOSTATIC	52
FORCEPS, HOOF TESTER	156
FORCEPS, KELLY	52
FORCEPS, MICRO ADSON	51
FORCEPS, RIGHT ANGLE CLAMP	52
FORCEPS, ROCHESTER PEAN	52
FORCEPS, SPIKELETS, HARTMANN	53
FORCEPS, STANDARD, DISSECTION	51
FORCEPS, SURGICAL DRAPES TOWEL CLIP	51
FORCEPS, WOOD, CRYLE	52
FOREIGN BODY, FORCEPS	53
FUR AND MANE SCISSORS	49
FUN STRAP®, COHESIVE BANDAGE	79
FUNCOL®, E-COLLAR	72

G

GAS REFILL	100
GAS REMOVER AND PLUNGER PUSHER	103
GAS, PROJECTOR	94-95
GEL, DEHORNING, SH PLUS	147
GEL, ECHOGRAPHY, EKOGE	124
GEL, EXAMINATION GLOVE	124
GEL, GLOVE, LARGE ANIMAL EXPLORATION	122-123
GEL, HAND SANITISER, GÉNIA CLEAN	129
GELPI RETRACTOR	53,68
GENALU, NEEDLE	20
GENIA CALF PULLER	145
GÉNIA CLEAN, CLEANING, DISINFECTION	128-129
GÉNIAMATIC BOTTLE HANGER, SYRINGE	9
GÉNIAMATIC WITH TUBING, SYRINGE	9
GÉNIAMATIC, LONG SYRINGE	9
GÉNIAMATIC, VALVE ASSEMBLY	16
GÉNIAPLEX 300 ML, DRENCHING SYRINGE	136
GÉNIAPLEX 300 ML, HYPODERMIC SYRINGE	8
GÉNIAPLEX, LONG SYRINGE	9
GÉNIAPLEX, SYRINGE	8
GERLACH-BÜHNER, NEEDLE	58
GILLIES, NEEDLE HOLDER	50
GLOVE, ARMPIT PROTECTION	123
GLOVE, EXAMINATION	124
GLOVE, GEL, LARGE ANIMAL EXPLORATION	122-123
GLOVE, INSEMINATION	122-123
GLOVE, SURGERY	124
GLYCOFIL®, ABSORBABLE SYNTHETIC SUTURE	39
GOWN, MILKING, VELVET	125
GOWN, PROTECTIVE, CALVING	125
GRADUATED, PRECISION REAR SIGHT	97
GRAEFE FORCEPS	51
GRAEFE, ADSON FORCEPS	51
GREASE, SILICONE	100
GREENCOL, E-COLLAR	73
GROOMING, SCISSORS	157-159
GROOMING, THINNING SCISSORS, SCREW	158-159
GRYMER STERNER, DISPLACED ABOMASUM TOGGLE SUTURES	57
GUN, DRENCHING	134-135

H

HALSTEAD MOSQUITO FORCEPS	52
HAND GEL, GÉNIA CLEAN	129
HAND PUMP, PROJECTOR	98
HANDLE, BOLUS APPLICATOR	152-153
HANDLE, SAW WIRE	147
HANDLE, SCALPEL	44
HANDY CANIS, HARNESS	69
HANGER, BOTTLE, AUTOMATIC SYRINGE	12-13
HANGER, E-COLLARS, COSYPAD®	72
HARNESS, INJECTION, DRENCHING, POUR-ON	17,139
HARNESS, REHABILITATION	69
HARRINGTON, MAYO SCISSORS	47
HARTMANN FORCEPS	53
HEMOSTATIC FORCEPS	52
HOG CATCHER	140
HOHMANN RETRACTOR	68
HOLDER, CAPSULE, PROJECTOR	99
HOLDER, NEEDLE	50
HOLDER, PLEXIGLAS, FOR NEEDLE	25
HOLDING KENNEL, CAT	114
HOOF CARE, ACCESSORIES	156
HOOF KNIFE, FARRIER SET	154
HOOF TESTER	156
HOOF, RINGLAND	154
HOOFLAND, HOOF KNIFE	156
HOOFSCARP	156
HOOFSCARP, HOOF KNIFE	156
HOOK, OVARIETOMY	53
HOOK, REPTILE	118-119
HORSE, MOUTH GAGS	149
HORSE, WOLF TOOTH, DENTAL FORCEPS	149
HOSPITALIZATION	71-88
HUB, HYPODERMIC SYRINGE	16
HYDRO, ANIPLAST® DRESSING	83
HYDROCOLLOID, ALGINATE, DRESSING	84
HYDROGEL CURAFIL DRESSING	84
HYDROPHILIC FOAM DRESSING	84

HYGIENE	127-132
HYGIENE, HAND	129
HYPODERMIC SYRINGE	8-17
HYPODERMIC, DISPOSABLE DETECTABLE NEEDLE	22
HYPODERMIC, DISPOSABLE NEEDLE	20-21
HYPODERMIC, DISTINJECT MATERIAL	89-107
HYPODERMIC, REUSABLE NEEDLE	18-19
HYPODERMIC, SYRINGE, GÉNIAPLEX	8
HYPODERMIC, SYRINGE, DOSIGÉNIA	8
HYPODERMIC, SYRINGE SYRMAN	11
HYPOJET®, NEEDLE	20
HYSTERECTOMY, C-CUT	58

I	
IDENTIFICATION, BAND	143
IDENTIFICATION, LARGE ANIMAL	142-143
IDENTIFICATION, SMALL ANIMAL	85
IDENTIX SPRAY, MARKING SPRAY	142
IMMOBILISER, COW	141
IMMOBILIZATION MATTRESS, VACUUMAT®	78
IMOMÉTAL, IMOVEINE	32
IMOPLAST, DISPOSABLE IMOVEINE	32
IMOVALVE, IMOVEINE	32
INFUJECT, EXTENSION	28
INFUJECT-SITE, EXTENSION	28
INFUJECT-TRIO, EXTENSION	28
INFUSION SET	28-33
INFUSION SET, ANTI-PINCH DEVICE, K-STAR®	33
INFUSION SET, EXTENSION, PERFUVET® TWIST	31
INFUSION SET, SAMPLING, CATHETER	26-36
INJECTION	7-36
INJECTION CAPSULES	104
INJECTION, EXTENSION SYRINGE	17,107
INJECTION, HARNESS	17
INJECTION, STICK	17,107
INJECTMASTER®, SYRINGE	13
INK, TATOOING MACHINE	85
INK, TATOOING, PIG, TATOOMARK	143
INSEMINATION, GLOVE	122-123
INSTRUBOX, STORAGE BOX	55
INSTRUMENT, MEASUREMENT, DIAGNOSTIC	148
INSTRUMENTATION, CLEANSING	128,131
INSTRUMENTATION, SURGERY	44-56
INSULIN, SAFETY, DISPOJECT® SYRINGE	15
INSULIN, STANDARD, DISPOJECT® SYRINGE	15
INTRAFLON, CATHETER	26
INTRANULE, CATHETER	26
INTUBATION, BALLOON, CATHETER	36
IODE, STAIN REMOVER, BETANETT	131
IODINE REMOVER, GÉNIA CLEAN	128
IRIDECTOMY SCISSORS	48

J	
JUNIOR, YLG TATOOING MACHINE	85

K	
KELLY FORCEPS	52
KENNEL, FOLDING	115
KENNEL, MODULAR	115
KENNEL, POUND	114
KENNEL, TRANSPORT	114-116
KEY, BONE PIN CHUCKS	68
KILLIAM SPECULUM	53
KNIFE, FARRIER RANGE, HOOF	154
KNIFE, NECROPSY	55
KNIFE, VETERINARY RANGE, HOOF	155
K-STAR®, ANTI-PINCH DEVICE, INFUSION SET	33

L	
LACFIL, ABSORBABLE SYNTHETIC SUTURE	39
LACRIMAL, CATHETER	36
LACTATION CARE	146
LANDING NET, CAPTURE	111
LASCAP, POLE	110
LASER POINTER	97
LASER RANGEFINDER	97
LASSERE SCISSORS	49
LATEX, EXAMINATION GLOVE EXAMED	124
LATEX, SURGICAL GLOVE SURGITEK	124

LEAD, BULL	141
LEG BAND	143
LIFT, COW	141
LIGAMENT REPAIR, SURGICAL BUTTON	68
LINEN, SUTURE	40
LINGERE SCISSORS	49
LISTER SCISSORS	49
LIVESTOCK	133-156
LONG, GÉNIAMATIC SYRINGE	9
LONG, GÉNIAPLEX SYRINGE	9
LONG, METALPLEX® SYRINGE	10
LONG, ROUX SYRINGE	12
LOTION, GENTLE CLEANSING, GÉNIA CLEAN	129
LUBRICANT, EKOGEL, GEL ECHOGRAPHY	124
LUBRICANT, EXPLOGEL®, EXPLORATION GEL	123
LUBRICANT, SILIGLISS	17,100

M	
MACHINE, TATOOING	85
MAGNET, CAGE	153
MAGNET, CATTLE, BOVIMAG®	153
MAGNETS, BOLUS APPLICATOR	152-153
MAINTENANCE OF GAS PROJECTOR	97
MALE CAP	33
MANUAL SYRINGE	8,10-11,14-15
MARKER PEN PENMARK®	142
MARKER PENMARK®	142
MARKING BLOCK	143
MARKING SCISSORS	49
MARKING SPRAY	142
MATERIAL, IMMOBILISATION	91-107
MATERIAL, CAPTURE	108-120
MATERIAL, SURGERY, LARGE ANIMAL	57-58
MATERIAL, SUTURE	38-43
MATHIEU, NEEDLE HOLDER	50
MATTRESS, IMMOBILIZATION, VACUUMAT®	78
MAXOGAN, EXPLORATION GLOVE	123
MAYO HARRINGTON SCISSORS	47
MAYO HEGAR, NEEDLE HOLDER	50
MAYO NOBLE SCISSORS	47
MAYO SCISSORS	47
MAYO SERRATED SCISSORS	47
MAYO STILLE SCISSORS	47
MEASUREMENT, DIAGNOSTIC, INSTRUMENTS	148
MEASURING TAPE, ZOOMETRIC	148
MEDICAL SCISSORS	46
METALPLEX®, LONG SYRINGE	10
METALPLEX®, SYRINGE	10
METZENBAUM SCISSORS	46
MICRO, ADSON FORCEPS	51
MICROFLEX, SCLAP VEIN SET	27
MILK SUCKING PREVENTOR, ALUMINIUM	145
MILK SUCKING PREVENTOR, PLASTIC	145
MILKING, GOWN, VELVET	125
MILKMAID CATHETER	146
MINI-JECT, 11 MM BLOWPIPE	91
MINI-JECT, SYRINGE, PROJECTOR	102
MOBILITY CART, CANIS-MOBILE®	70
MODULAR KENNEL	115
MONKEY, PROTECTIVE GLOVE	120
MONOFIL, ABSORBABLE SYNTHETIC SUTURE	38
MONOJECT, NEEDLE	20
MOUTH GAGS, CLIMAX	149
MOUTH GAGS, SCHOUBE	149
MORTON, SWANN, SCALPEL BLADES	44
MOSQUITO, HALSTEAD FORCEPS	52
MOUFLEX, INSEMINATION GLOVE, MITT	123

N	
NAILING, OSTÉOSYNTHESIS	61-63
NASOESOPHAGEAL TUBE	151
NASOFLEX, TUBE AND PUMP	151
NECKY, E-COLLAR	74
NECROPSY KNIFE	55
NECROPSY SCISSORS	55
NEEDLE HOLDER	50
NEEDLE HOLDER, BOYTON	50
NEEDLE HOLDER, GILLIES	50
NEEDLE HOLDER, MATHIEU	50

NEEDLE HOLDER, MAYO HEGAR	50
NEEDLE HOLDER, OLSEN HEGAR	50
NEEDLE, ACCESSORIES	25
NEEDLE, AIR	23
NEEDLE, ALUMINIUM HUB	20
NEEDLE, BONNEY'S	43
NEEDLE, BÜHNER, SUTURE	58
NEEDLE, CAESAREAN	58
NEEDLE, DETECTABLE, ALU-DETECT®	22
NEEDLE, DETECTABLE, PLASTI-DETECT®	22
NEEDLE, DETECTABLE, DISPOSABLE	22
NEEDLE, DISPOJECT®, DISPOSABLE	21
NEEDLE, DISPOSABLE, HYPODERMIC	20-22
NEEDLE, DOUBLE TRANSFER	33
NEEDLE, EPICRANEAL	27
NEEDLE, GENALU	20
NEEDLE, GERLACH BÜHNER	58
NEEDLE, HYPODERMIC	16-23
NEEDLE, HYPODERMIC, DISPOSABLE	20-22
NEEDLE, HYPOJET®	20
NEEDLE, MONOJECT	20
NEEDLE, OLIVE-TIP	23
NEEDLE, PLEXIGLAS CONTAINER	25
NEEDLE, POST-MORTEM	43
NEEDLE, REUSABLE, HYPODERMIC	18-19
NEEDLE, RUMEN	23
NEEDLE, SERPENTINE, SUTURE	43
NEEDLE, SPECIFIC	23
NEEDLE, SUTURE	43
NEEDLE, SUTUREC	43
NEEDLE, SUTUREC EXTRA FINE EF	43
NEEDLE, SUTUREC EXTRA FINE EF2/EF3	43
NEEDLE, SYRINGE, PROJECTOR	103,105
NEEDLE, TATOOING MACHINE	85
NEOCOL®, E-COLLAR	73
NITRILE, EXAMINATION GLOVE, VETRILE	124
NOBLE, MAYO SCISSORS	47
NON-ABSORBABLE, SUTURE	40
NOZZLE, DELVO	18
NOZZLE, DERMASTEEL	19
NOZZLE, DRENCHING GUN	138
NOZZLE, DRENCHING, HYPODERMIC SYRINGE	17,138
NOZZLE, FEEDING	137
NOZZLE, FORCE-FEEDING	137
NUT, SET OF 3, AUTOMATIC SYRINGE	13

O	
OIL, SILICONE, SILIGLISS	17,100
OINTMENT, HOOF, CICABOM	156
OLIVE-TIP NEEDLE	23
OLSEN HEGAR, NEEDLE HOLDER	50
OPEN END, URINARY CATHETER UROLENE®	34
OPERATION, DISPOSABLE SURGICAL DRAPES DRAPVET	54
OPHTHALMIC SCISSORS	48
ORALPLEX, DRENCHING SYRINGE	136
ORTHOPEDICS	59-70
OSTEOSYNTHESIS, ACCESSORIES	67-68
OSTÉOSYNTHESIS, NAILING	61-63
OVARIECTOMY HOOK	53

P	
PAD, ABSORBENT, DRYSOFT®	78
PAD, EXAMINATION, HOSPITALIZATION	76-77
PEAN, ROCHESTER FORCEPS	52
PEN HOLDER PENMARK®	142
PENMARK®, MARKER PEN	142
PENMARK®, PEN HOLDER	142
PENROSE, DRAIN, LATEX TUBE	55
PERCUSSION CAPS HOLDER	99
PERCUSSION CAPS, POWDER, PROJECTOR	99
PERFUVET® DUO, INFUSION SET	29
PERFUVET® MICRO, INFUSION SET	30
PERFUVET® PLUG, INFUSION SET	29
PERFUVET® SOFT, INFUSION SET, CALVES	30
PERFUVET® TWIST, EXTENSION, INFUSION SET	31
PILL APPLICATOR	87
PIN DRIVER	67
PIN, CHUCKS	68
PIN, SURGICAL, SMOOTH	61

PIN, SURGICAL, THREADED	62	READY TO USE, DISINFECTION GÉNIA CLEAN	128	SCISSORS, THINNING WITH SCREW, GROOMING	159
PINCH, ANTI-, INFUSION SET, K-STAR®	33	RED DOT VIEWFINDER, PROJECTOR	97	SCISSORS, THINNING, TISSERAND, GROOMING	158
PINS, OSTEOSYNTHESIS	61-62	REDUCER BARREL	99	SCISSORS, TISSERAND, GROOMING	158
PINS, SAFETY	58	REDUCER, SYRINGE	8,11,138	SCISSORS, UNIVERSAL	49
PISTOLMAN, DRENCHING GUN	135	REHABILITATION	69-70	SCISSORS, VARIOUS	49
PISTOLMATIC, DRENCHING GUN	135	REIMER'S, EMASCULATOR	144	SCISSORS, WIRE CUTTING	67
PISTOLMATIC, HYPODERMIC DRENCHING GUN	135	REINFORCED CAPTURE TONG, CAT	111	SCREW, CANCELLOUS	64
PISTOLMATIC, POUR-ON DRENCHING GUN	135	REINFORCED CAPTURE TONG, REPTILE	111	SCREW, CORTICAL	64
PLASTI-DETECT®, DETECTABLE NEEDLE	22	REINFORCED POLE	109	SCREW, SELF-TAPPING	64
PLATE, DYNAMIC COMPRESSION	66	REMOVE TICKS, TIKER®	86	SCULPTING, GROOMING TISSERAND SCISSORS	158
PLATE, OSTEOSYNTHESIS	65-66	REMOVER, IODINE, READY TO USE, GÉNIA CLEAN	128	SEALS, PROJECTOR	100
PLATES, CUTTABLE	65	REMOVER, STAPLE	56	SEED FLAKE COLLECTION INSEMINATION	145
PLATES, SCREWS	65-66	REPRODUCTION	144-148	SELF-TAPPING, CORTICAL SCREW	64
PLEXIGLAS SYRINGE	8-9	REPTILES CAPTURE SET	119	SEMI-AUTOMATIC, SYRINGE	12
PLEXIGLAS, NEEDLE HOLDER	25	REPTILES, CAPTURE	117-119	SENIOR, YLG TATOING MACHINE	85
PLUG, 11 MM SYRINGE CANNULA, PROJECTOR	103	REPTILES, RESTRAINING POLE	118	SENSIGAN®, EXPLORATION GLOVE	122
PLUG, CHAMBER, PROJECTOR	99	RESTRAINT, CAT KENNEL	114	SERPENTINE, SUTURE NEEDLE	43
PLUNGER PUSHER, GAS REMOVER, PROJECTOR	103	RESTRAINT, LARGE ANIMAL	140-141	SERRATED, MAYO SCISSORS	47
PLUNGER PUSHER, PROJECTOR	100	RESTRAINT, REPTILE	117-119	SET, 3 NUTS, INJECTMASTER®	13
PLUNGER, SYRINGE, PROJECTOR	104	RESTRAINT, SMALL ANIMAL	108-120	SET, ANIPLAST® DRESSING	82
PNEUMATIC PROJECTOR	92	RETRACTOR, GELPI	53,68	SET, BARREL, DRENCHING GUN	138
POCKET CO2 GAS CHARGER, 45 DELTA SPECIAL	98	RETRACTOR, HOHMANN	68	SET, CLEANING, PROJECTOR	100
POLE LASCAP	110	REUSABLE, HYPODERMIC NEEDLE	18-19	SET, FLUIDOTHERAPY	33, 139
POLE, CAPTURE, CONTENTION	108-110	REVOLROUX, SYRINGE	12	SET, PENMARK®	142
POLE, DISTINJECT	108	RINGLAND, HOOF	154	SET, REPTILES, CAPTURE, ABS CASE	96,119
POLE, REINFORCED	109	ROCHESTER PEAN FORCEPS	52	SET, SHARPENING	156
POLE, ROTATABLE HEAD	108	ROD, EXTERNAL FIXATION	63	SET, VALVE ASSEMBLY SET, DRENCHING GUN	138
POLE, TELESCOPIC	109	ROLL, SPLINT	81	SH PLUS, DEHORNING GEL	147
POLYAMID, SUTURE	40	ROTATABLE HEAD POLE	108	SHARP CONTAINER	25
POLYBOOT, DISPOSABLE PROTECTION	126	ROUX, LONG SYRINGE	12	SHARPENING SET	156
POLYESTER, SUTURE	40	RUMEN NEEDLE	23	SHARPENING STEEL	156
POLYMEX, SYRINGE	11	RUMEN TROCAR	150	SIGHT, OPTIC, PROJECTOR	97
POSITIONER AND EJECTOR, CARTRIDGE	99			SILICONE GREASE	17, 100
POST-MORTEM, SUTURE NEEDLE	43	S		SILICONE, SILIGLISS OIL	17, 100
POUND KENNEL	114	SAFETY PINS	58	SILIGLISS, SILICONE OIL	17, 100
POUR-ON, DRENCHING GUN	134-135	SAFETY, DISPOJECT® INSULIN SYRINGE	15	SILK, SUTURE	40
POWDER, CLEANSING, BIONET	130	SAGE KNIFE BEVELLED BLADE	155	SINGLE USE, DETECTABLE NEEDLE	22
POWDER, CLEANSING, GÉNIA CLEAN	128	SAMPLING	34-36	SKY KENNEL, TRANSPORT	116
POWDER, PERCUSSION CAP, PROJECTOR	99	SAND, EMASCULATOR	144	SLITTER TEAT	146
POWDER, PROJECTOR	96	SAW WIRE	147	SMALL ANIMAL, IDENTIFICATION	85
PRACTICE, 11 MM SYRINGE CANNULA, PROJECTOR	103	SAW WIRE, HANDLE	147	SMOCKY®, E-COLLAR	74
PRACTICE, 13 MM SYRINGE CANNULA, PROJECTOR	105	SCALE, COLOSTRUM, DENSIMETER	148	SMOOTH, SURGICAL PIN	61
PRECISION GRADUATED REAR SIGHT, PROJECTOR	97	SCALP VEIN SET	27	SOFTY, SYRINGE, PROJECTOR	102
PRESSURE CHAMBER, 45 DELTA SPECIAL	98	SCALPEL, BLADES, HANDLE	44	SPARE PARTS, SYRINGES	16
PREVENTION, PROLAPSE, CAESAREAN	58	SCHOOP, MOUTH GAGS	149	SPECULUM, KILLIAN	53
PROGAN®, EXPLORATION GLOVE	122	SCISSORS, BANDAGES	49	SPECULUM, LARGE ANIMAL	53,148
PROJECTOR, ABS CASE	96	SCISSORS, BROPHY	46	SPECULUM, VAGINAL	53-148
PROJECTOR, BARREL	99	SCISSORS, CROWN	67	SPEEDY, SYRINGE, PROJECTOR	106
PROJECTOR, GAS	94-95	SCISSORS, ENUCLEATION	48	SPENCER SCISSORS	48
PROJECTOR, GAS, 35N, 11/13 MM SYRINGES	94	SCISSORS, FOMON	48	SPIKELETS, HARTMANN FORCEPS	53
PROJECTOR, GAS, 50N, 11/13 MM SYRINGES	94	SCISSORS, FUR AND MANE	49	SPLING, FLAT	81
PROJECTOR, GAS, 70, 11/13 MM SYRINGES	95	SCISSORS, GROOMING	158-159	SPLINT	81
PROJECTOR, GAS, 72, 11/13 MM SYRINGES	95	SCISSORS, HARRINGTON, MAYO	47	SPLINT ROLL	81
PROJECTOR, HYPODERMIC	91-101	SCISSORS, IRIDECTOMY	48	SPONGI, ANIPLAST® DRESSING	83
PROJECTOR, PNEUMATIC	92	SCISSORS, LASSERE	49	SPOOL, SUTURE	38-39
PROJECTOR, PNEUMATIC, 45 DELTA SPECIAL, 11 MM SYRINGE	92	SCISSORS, LINGERE	49	SPRAY, ADOPTION	146
PROJECTOR, PNEUMATIC, 45 DELTA STANDARD, 11 MM SYRINGE	92	SCISSORS, LISTER	49	SPRAY, DETERGENT, DISINFECTANT, GÉNIA CLEAN	129
PROJECTOR, POWDER	96	SCISSORS, MARKING	49	SPRAY, FOAMING, DISINFECTANT, GÉNIA CLEAN	129
PROJECTOR, POWDER 30N, 13 MM SYRINGE	96	SCISSORS, MAYO	47	SPRAY, IDENTIFICATION	142
PROJECTOR, POWDER 60N, 13 MM SYRINGE	96	SCISSORS, MAYO HARRINGTON	47	SPRING, INJECTMASTER® ACCESSORIES	13
PROJECTOR, SEAL	100	SCISSORS, MAYO NOBLE	47	STABILISER PVC, SYRINGE, PROJECTOR	102
PROLAND BEVELLED BLADE, FARRIER RANGE	155	SCISSORS, MAYO SERRATED	47	STABILISER, 11 MM SYRINGE, PROJECTOR	102
PROLAPSE, PREVENTION, CAESAREAN	58	SCISSORS, MAYO STILLE	47	STABILISER, 13 MM SYRINGE, PROJECTOR	104
PROTECT, DISPOSABLE PROTECTION COVERALL	125	SCISSORS, MEDICAL	46	STABILISER, FEATHERED, PROJECTOR	104
PROTECTION	121-126	SCISSORS, METZENBAUM	46	STABILISER, WOOL, 11 MM SYRINGE, PROJECTOR	102
PROTECTION, EQUIPMENT, HOSPITALIZATION	76-78	SCISSORS, NECROPSY	55	STABILISER, WOOL, 13 MM SYRINGE, PROJECTOR	104
PROTECTIVE GLOVES	120	SCISSORS, NOBLE, MAYO	47	STABILISER, YELLOW PLASTIC, SYRINGE, PROJECTOR	104
PULLER CALF	147	SCISSORS, OPHTHALMIC	48	STAIN REMOVER, IODINE, BETANETT	131
PUMP, EKOGEL, EXPLOGEL	123-124	SCISSORS, SCULPTING, TISSERAND, GROOMING	158	STAINLESS STEEL, SURGICAL WIRE	67
PUMP, NASOFLEX	151	SCISSORS, SERRATED, MAYO	47	STAINLESS STEEL, WIRE CUTTING SCISSORS	67
PUSHER, PLUNGER, PROJECTOR	100	SCISSORS, SPENCER	48	STANDARD DELVO, NOZZLE	18
PVC ROD, SYRINGE, PROJECTOR	104	SCISSORS, STAINLESS STEEL WIRE	67	STANDARD, CORTICAL SCREW	64
PVC, SYRINGE STABILISER, PROJECTOR	102	SCISSORS, STAINLESS STEEL, GÉNIA, GROOMING	159	STANDARD, DISPOJECT® INSULIN SYRINGE	15
		SCISSORS, STANDARD	48	STANDARD, DISSECTION FORCEPS	51
		SCISSORS, STANDARD, TISSERAND, GROOMING	158	STANDARD, GROOMING TISSERAND SCISSORS	158
		SCISSORS, STEVENS	48	STANLAND BEVELLED BLADE, FARRIER RANGE	155
		SCISSORS, STILLE, MAYO	47	STAPLE REMOVER	56
		SCISSORS, STRABISMUS	48	STAPLER, SKIN, STAPVET	56
		SCISSORS, SURGERY	46-48	STAPVET, SKIN STAPLER	56

R

RACK, SUTURE	38-41
RANGEFINDER, LASER, PROJECTOR	97
RASPS, TOOTH	149

STEVENS SCISSORS	48	SYRINGE, METALPLEX®	10	VALVE ASSEMBLY GÉNIAMATIC	16
STICK, AUTOMATIC INJECTION	107	SYRINGE, MINI-JECT, PROJECTOR	102	VALVE ASSEMBLY SET, DRENCHING GUN	138
STICK, INJECTION	17	SYRINGE, ORALPLEX, DRENCHING	136	VALVE, INJECTMASTER® ACCESSORIES	13
STILLE, MAYO SCISSORS	47	SYRINGE, PLEXIGLAS	8-9	VARI-KENNEL, TRANSPORT	116
STOCK MARKER, MARKING SPRAY	142	SYRINGE, POLYMEX	11	VARIOUS SCISSORS	49
STOCKINETTE, STRETCH COTTON STOCKING	80	SYRINGE, PROJECTOR	101-106	VARIOUS, SURGERY	53-56
STOCKING, STRECH COTTON STOCKINETTE	80	SYRINGE, REVOLROUX	12	VELFAST®, E-COLLAR	75
STOMACH, TUBE	151	SYRINGE, SEMI-AUTOMATIC, AUTOMATIC	12-13	VELVET, MILKING PROTECTION GOWN	125
STOMAFLEX, NASOESOPHAGEAL TUBE	151	SYRINGE, SOFTY, PROJECTOR	102	VENOFLUX, SCALP VEIN SET	27
STOP COCK	33	SYRINGE, SPARE PARTS	16	VETERINARY DELVO, NOZZLE	18
STORAGE, INSTRUMENTS BOX, INSTRUBOX	55	SYRINGE, SPEEDY, PROJECTOR	106	VETERINARY RANGE, HOOF KNIFE	155
STRABISMUS SCISSORS	48	SYRINGE, SYRMAN, DRENCHING	136	VETLAND BEVELLED BLADE, FARRIER RANGE	155
STRAP BAND, COHESIVE BANDAGE	79	SYRINGE, TUBMATIC®	12	VETRILE, NITRILE EXAMINATION GLOVE	124
STRETCH COTTON STOCKING, STOCKINETTE	80	SYRMAN, DRENCHING SYRINGE	136	VIEWFINDER, OPTICAL, PROJECTOR	97
STRETCHER, TRANSPORT, ANIMAL	116	SYRMAN, HYPODERMIC SYRINGE	11	VILLETTE®, ELECTRIC POD	140
SURFACES, HYGIENE, CLEANING	129,131			VINK, COW LIFT	141
SURGERY	37-58	T		VULVAR, SAFETY PINS	58
SURGERY, GLOVES	124	TABLET CRUSHING CUPS	87		
SURGI, ANIPLAST® DRESSING	83	TAPE, ZOOMETRIC MEASURING	148	W	
SURGICAL BRUSH	55	TATOOING MACHINE, NEEDLE	85	WAKEFIELD, FOLDING METAL KENNEL	115
SURGICAL BUTTON	68	TATOOING MACHINE, TATOO INK	85	WASHER, DRENCHING	139
SURGICAL DRAPES, SINGLE USE, DRAPVET	54	TATOOING MACHINE, YLG JUNIOR	85	WASHER, HYPODERMIC SYRINGE	16
SURGICAL DRAPES, TOWEL CLIP	51	TATOOING MACHINE, YLG SENIOR	85	WASTLE, CONTAINER	25
SURGICAL PIN	61-62	TATOOMARK	143	WEIGHT FOR CANNULAS, SYRINGE, PROJECTOR	102
SURGICAL STEEL WIRE	67	TEAT CATHETER	146	WIPES, CIDALKAN, CLEANING	131
SURGIFAR RAZOR BLADE, HOOF KNIFE	154	TEAT SLITTER, DANISH	146	WIRE, STAINLESS STEEL, CUTTING SCISSORS	67
SURGITEK, LATEX SURGERY GLOVE	124	TELESCOPIC POLE	109	WIRE, STAINLESS STEEL, SURGICAL	67
SUTURE NON-ABSORBABLE	40	TELESCOPIC SIGHT 4 X 32	97	WOLF TOOTH, HORSE DENTAL FORCEPS	149
SUTURE RACK	40	TELFA NA, DRESSING	84	WOOD, CRYLE FORCEPS	52
SUTURE, ABSORBABLE	38-39	THERMOMETER	88,148	WOODEN STOCK, 50N	98
SUTURE, MATERIAL	38-41	THINNING, GROOMING TISSERAND SCISSORS	158	WOOL STABILISER, 11 MM SYRINGE, PROJECTOR	102
SUTURE, SPENCER SCISSORS	48	THREADED, SURGICAL PIN	62	WOOL STABILISER, 13 MM SYRINGE, PROJECTOR	104
SUTURE, SUTURE NEEDLE	43	TICK, TIKER®	86		
SUTUREC, SUTURE NEEDLE	43	TISSERAND, GROOMING SCISSORS	158	Y	
SWANN MORTON, SCALPEL BLADES	44	TOM CAT, CAT CATHETER	35	YELLOW PLASTIC STABILISER, SYRINGE, PROJECTOR	104
SYNTHETIC, SUTURE	38-40	TONG, CAPTURE	111,117	YLG, TATOOING MACHINE	85
SYRINGE 2 PIECES, DISPOJECT®	14	TONG, CAT, CAPTURE	111		
SYRINGE 3 PIECES, DISPOJECT®	14	TONG, REINFORCED, REPTILE CAPTURE	117	Z	
SYRINGE DOSIGÉNIA	8	TOOGLE SUTURES, GRYMER STERNER DISPLACED ABOMASUM	57	ZOOMETRIC, TAPE	148
SYRINGE GÉNIAPLEX	8	TOOTH RASPS	149		
SYRINGE GÉNIAPLEX 300 ML, HYPODERMIC	8	TOURNIQUETS	25		
SYRINGE, 11 MM, PROJECTOR	102	TOWEL CLIP, SURGICAL DRAPES FORCEPS	51		
SYRINGE, 13 MM, PROJECTOR	104	TRANSCOL, E-COLLAR	73		
SYRINGE, ACCESSORIES	17	TRANSFER, DOUBLE NEEDLE	33		
SYRINGE, AGRIPLAST	137	TRANSPORT, KENNEL	116		
SYRINGE, ALUMINIUM, PROJECTOR	104	TRANSPORT, STRETCHER	116		
SYRINGE, AUTOMATIC	10-13	TRAP	112-113		
SYRINGE, BIRD	9,12-13	TRAP, CAT	112		
SYRINGE, CONTAINER	17	TRAP, DOG	113		
SYRINGE, CURSOR	8-11	TROCAR	150		
SYRINGE, DISPOJECT®	14-15	TROCAR, BLEEDING	150		
SYRINGE, DISPOJECT® INSULIN	15	TROCAR, DISPLACED ABOMASUM	57		
SYRINGE, DISPOSABLE, 13 MM, PROJECTOR	106	TROCAR, RUMEN	150		
SYRINGE, DISPOSABLE, HYPODERMIC	14-15	TROCAR, SCREW	150		
SYRINGE, DISTANCE	9,10-12,107	TUBE, LATEX, PENROSE DRAIN	55		
SYRINGE, DOSIPLX	10	TUBE, NASOESOPHAGEAL	151		
SYRINGE, DRENCHING GUN	136-137	TUBE, STOMACH	151		
SYRINGE, DRENCHING NOZZLE	17	TUBING WITH CAP, DRENCHING	138		
SYRINGE, DRUGMATIC	136	TUBING, 4/7 MM	9,12-13		
SYRINGE, EASY, PROJECTOR	102	TUBING, GÉNIAMATIC SYRINGE	9		
SYRINGE, ELPLEX®	11	TUBING, URINARY CATHETER	36		
SYRINGE, EXTENDED	9-10	TUBMATIC®, SYRINGE	12		
SYRINGE, EXTENSION	17	TULLO, ANIPLAST® DRESSING	83		
SYRINGE, EXTENSION STICK	107				
SYRINGE, FEEDING	137	U			
SYRINGE, FLAMATIC®	12	UMBILICAL, CLAMP	145		
SYRINGE, FLIP, PROJECTOR	106	UNIVERSAL SCISSORS	49		
SYRINGE, GÉNIAMATIC	9	UOLITHIASIS, CATHETER	36		
SYRINGE, GÉNIAPLEX 300 ML, DRENCHING	136	URINARY, CATHETER	34-35		
SYRINGE, HUB	16	UROLENE® CAT, URINARY CATHETER	34		
SYRINGE, HYPODERMIC	8-15	UROLENE® DOG, URINARY CATHETER	34		
SYRINGE, HYPODERMIC, ADAPTER	16				
SYRINGE, HYPODERMIC, HUB	16	V			
SYRINGE, HYPODERMIC, SYRMAN	11	VACUUMAT®, IMMOBILIZATION MATTRESS	78		
SYRINGE, HYPODERMIC, WASHER	16	VAGINAL TAPE, BÜHNER	58		
SYRINGE, INJECTMASTER®	13	VAGINAL, BÜHNER TAPE	58		
SYRINGE, LONG GÉNIAPLEX	9	VAGINAL, KILLIAN SPECULUM	53		
SYRINGE, LONG ROUX	12	VAGINOSCOPE	148		
SYRINGE, MANUAL	8,10-11,14-15				

■ BY REFERENCE

1

100002	8	102024	10	106023	17	109308	16	147283	20	147685	43
100003	8	102030	10	106024	17	109310	16	147284	20	147690	43
100004	8	102031	10	106025	17	109312	16	147286	20	147691	43
100006	8	102032	10	106030	16	109314	16	147290	20	147692	43
100007	8	102033	10	106032	16	109332	32	147298	20	147694	20
100008	8	102034	10	106033	16	129280	142	147360	20	147696	20
100010	8	102036	10	106034	16	140481	32	147361	20	147700	20
100012	8	102037	10	106040	23	140482	16	147362	20	147702	20
100014	8	102210	10	106041	23	140483	32	147363	20	147704	20
100016	8	102211	10	106043	16	140500	32	147364	20	147706	20
100018	8	102212	10	106046	16	140501	32	147365	20	147708	20
100020	8	102213	10	106048	16-17	140502	32	147366	20	147710	20
100022	8	102214	10	106050	16	140504	9,12-13	147367	20	147750	21
100024	8	102220	10	106051	16	140512	32	147368	20	147752	21
100026	8	102221	10	106080	13	140514	32	147369	20	147754	21
100028	8	102222	10	106155	13	140515	32	147371	20	147756	21
100032	8	102223	10	106196	12,136	140520	33	147372	20	147757	21
100034	8	102224	10	106400	55	140521	33	147373	20	147758	21
100036	8	102600	10	107031	137	140524	33	147374	20	147760	21
100038	8	102602	10	107135	15	140533	32	147376	20	147762	21
100040	8	102603	10	107136	15	140535	33	147392	20	147764	21
100046	8	102605	10	107140	14	140536	33	147399	18	147766	21
100048	8	103002	11	107142	14	147003	18	147400	18	147768	21
100050	8	103003	11	107144	14	147010	18	147403	18	147770	21
100410	9	103004	11	107146	14	147011	18	147404	18	147772	21
100412	9	103005	11	107148	14	147013	18	147406	18	147774	21
100414	9	103006	11	107150	14	147015	18	147409	18	147776	21
100416	9	103010	11	107152	14	147016	18	147411	18	147778	21
100418	9	103011	11	107154	14,137	147019	18	147412	18	147780	21
100430	8	103012	11	107162	14	147022	18	147415	18	147886	19
100432	8	103013	11	107164	14	147025	18	147418	18	147890	19
100434	8	103014	11	107166	14	147028	18	147421	18	147891	19
100436	8	103504	11	107168	14	147031	18	147423	18	147894	19
100437	9	103505	11	107262	12	147034	18	147424	18	147903	19
100438	8	103506	11	107270	12	147037	18	147427	18	147906	19
100446	9	104000	11	107509	137	147040	18	147430	18	147910	19
100448	9	104002	11	107510	137	147043	18	147433	18	147911	19
100449	9	104003	11	107511	137	147046	18	147435	18	147913	19
100450	9	104004	11	107800	12	147048	18	147436	18	147914	19
100451	9	104005	11	107803	12	147049	18	147437	18	147917	19
100453	9	104800	11	107805	12	147052	18	147438	18	147920	19
100455	9	104801	11	107810	12	147053	18	147439	18	147921	19
100457	9	104804	11	107861	12	147055	18	147440	18	147922	19
100465	9	104850	8	107862	12	147058	18	147442	18	147923	19
100466	9	105000	12	109243	16	147061	18	147443	18	147924	19
100467	9	105002	12	109247	16	147064	18	147445	18	147925	19
100468	9	105010	12	109253	16	147067	18	147446	18	147926	19
100469	9	105012	12	109254	16,139	147070	18	147448	18	147931	19
100470	9	105020	12	109256	16,139	147073	18	147451	18	147933	19
100472	9	105022	12	109257	16	147076	18	147454	18	147934	19
100474	9	105025	12	109258	16	147078	18	147456	18	147935	19
100530	9	105027	12	109260	16	147080	18	147458	18	147936	19
100531	9	105080	12	109262	16,139	147082	18	147460	18	147940	19
100532	9	105082	12	109264	16,139	147085	18	147468	18	147941	19
100533	9	105085	12	109265	16,139	147086	137	147470	18	147942	19
100534	9	105087	12	109266	16,139	147090	23	147472	18	147943	19
102020	10	106002	17	109267	16	147091	32	147473	18	147944	19
102021	10	106005	25	109268	16	147268	20	147476	18	147945	19
102022	10	106007	17	109269	16,139	147275	20	147485	20	147946	19
102023	10	106008	16-17	109270	16,136,139	147276	20	147650	43	147951	19
		106010	17	109300	16-17	147277	20	147655	43	147953	19
		106012	17	109302	16	147278	20	147660	43	147954	19
		106020	100	109304	16	147280	20	147665	43	147955	19
		106021	17	109306	16	147282	20	147670	43	147956	19

147959	19	157372	27	180065	135	186326	13	192048	97	192212	104
147960	19	157393	30	180070	135	186327	13	192050	97	192214	104
147962	19	157395	29	180072	135	186328	13	192051	97	192216	106
147963	19	157397	29	180075	135	186329	13	192052	97	192218	106
147964	19	157398	30	180078	135	186330	13	192053	97	192220	106
147965	19	157399	28	180079	135	186331	13	192054	97	192222	102
147966	19	157400	28	180080	135	186790	13	192056	98	192240	103
147970	19	157404	28	180085	135	187003	139	192057	98	192242	103
147971	19	157405	28	180087	135	187006	139	192062	97	192243	103
147972	19	157406	28	180090	135	187007	139	192064	97	192244	103
147973	19	157407	28	180095	135	187009	139	192066	98	192246	103
147974	19	157450	31	180100	135	187010	33,139	192068	98	192248	103
147975	19	157451	31	180110	135	187011	33,139	192070	100	192250	103
147976	19	157590	145	180115	135	187030	23	192078	96	192252	103
147977	19	157696	43	180117	135	187032	11,16	192080	96,119	192254	103
148218	22	157698	43	180141	138	187036	17	192100	104	192256	103
148220	22	157700	43	180300	135	187038	138	192102	104	192257	103
148285	22	157701	43	180302	135	187040	138	192104	104	192258	103
148287	22	157702	43	180305	135	187042	138	192106	104	192260	102
148290	22	157703	43	180306	135	187044	138	192108	104	192262	102
148292	22	157704	43	180308	135	187046	138	192110	104	192264	102
148295	22	157708	43	180310	135	189500	139	192112	104	192266	102
148300	22	157710	43	180314	135	189501	139	192114	104	192268	102
148303	22	157711	43	180320	135	189502	139	192120	105	192270	102
148305	22	157712	43	180324	135	189503	139	192122	105	192272	102
148308	22	157713	43	180326	135	189505	139	192124	105	192274	102
148310	22	157720	43	180330	136	189506	139	192126	105	192276	102
148312	22	157721	43	180336	136	189508	139	192128	105	192280	103
148314	22	157722	43	186010	138	189509	139	192130	105	192290	104
148500	25	157723	43	186012	138	189511	139	192132	105	192292	104
148502	25	157724	43	186014	138	189512	139	192134	105	192294	104
148503	25	157725	43	186016	138	189513	139	192136	105	192296	99
157100	27	157726	43	186017	138	189514	139	192138	105	192298	99
157102	27	157727	43	186018	138	189624	138	192140	105	192300	99
157104	27	157728	43	186020	138	189625	8,11,138	192142	105	192302	99
157106	27	157740	43	186022	138	189645	138	192144	105	192304	99
157108	27	157741	43	186024	138	189646	138	192146	105	192306	99
157160	27	157742	43	186044	135,138	189647	138	192148	105	192320	100
157162	27	157743	43	186046	138	189674	138	192150	105	192324	99
157164	27	157744	43	186048	138	189676	138	192152	105	192326	99
157166	27	157745	43	186050	138	189690	138	192154	105	192328	104
157168	27	157746	43	186052	138	190000	134	192156	105	192332	100
157190	26	157760	43	186054	138	190002	134	192158	105	192336	99
157192	26	157761	43	186056	138	190004	134	192160	105	192337	100
157194	26	157764	43	186060	138	190006	134	192162	105	192338	103
157196	26	157766	43	186062	138	190008	134	192164	105	192340	103
157198	26	180002	136	186308	13	190010	134	192166	105	192342	100,107
157200	26	180004	136	186309	13	190012	134	192168	105	192344	98
157202	26	180018	136	186310	13	190015	134	192180	104	192345	98
157204	26	180020	136	186311	13	191052	33	192182	104	192346	98
157208	26	180022	136	186312	13	191054	33	192184	105	192347	98
157209	26	180026	136	186313	13	191061	86	192185	103	192348	98
157210	26	180028	136	186314	13	192000	95	192186	105	192350	99
157212	26	180030	136	186315	13	192004	95	192188	105	192351	99
157214	26	180032	136	186316	13	192008	94	192189	105	192352	99
157216	26	180049	136	186317	13	192012	96	192190	105	192353	99
157268	26	180050	136	186318	13	192016	96	192192	104	192356	98
157270	26	180052	136	186319	13	192020	94	192194	104	192357	99
157271	26	180055	136	186320	13	192030	91	192200	104	192358	99
157272	26	180056	136	186321	13	192031	91	192202	104	192359	99
157274	26	180057	136	186322	13	192032	92	192204	104	192361	99
157319	28	180058	136	186323	13	192034	92	192206	104	192370	107
157320	33	180059	136	186324	13	192036	91	192208	104	192372	107
157330	33	180060	135	186325	13	192037	91	192210	104	192374	107

192376	107	192884	100	220210	156	222006	151	227282	69	260012	63
192378	107	192886	99	220213	156	222020	151	227284	69	260013	63
192380	107	192888	99	220214	156	223000	148	227286	69	260019	63
192400	108	192890	99	220215	156	223001	148	227296	17,139	260020	63
192402	108	192895	99	220220	156	223002	148	227300	148	260022	63
192404	108	192896	99	220226	156	223004	148	227302	148	260023	63
192406	108	192990	97	220291	150	223005	148	227304	148	260024	63
192408	108			220300	150	223007	148	227340	140	260026	63
192409	109			220305	150	223008	148	227342	140	260027	63
192422	109			220310	150	223010	148	227412	142	260028	63
192424	109			220315	150	223011	148	227414	142	260030	63
192440	111			220330	150	223012	148	227416	142	260032	63
192441	117			220335	150	223013	148	227480	143	260034	63
192443	111			220340	150	223100	147	227482	143	260046	63
192444	117			220360	53	227005	151	227484	143	260047	63
192445	117			220400	57,150	227010	151	227500	146	260048	63
192447	117			220405	150	227013	151	227510	142	260049	63
192448	117			220410	150	227014	151	227512	142	260160	63
192462	118			220415	150	227015	151	227514	142	260162	63
192466	118			220450	150	227016	151	227520	142	260164	63
192467	119			220455	150	227020	151	227522	142	260168	63
192468	118			220460	150	227021	87	227524	142	260170	63
192471	111			220470	150	227022	87	227628	142	260200	67
192472	111			220472	150	227023	146	227630	142	260201	67
192480	111			220474	150	227024	146	227632	142	260202	67
192490	119			220476	150	227028	141	227634	142	260203	67
192491	119			220500	145	227029	141	227636	142	260204	67
192493	119			220600	150	227030	141	227638	142	260205	67
192494	119			220602	150	227032	149	227640	142	260206	67
192495	119			220800	58	227033	149	227660	123	260207	67
192496	119			220805	58	227037	145	227662	123	260208	67
192497	119			220810	58	227038	145	227664	123	260209	67
192504	111			220840	147	227039	141	227666	123-124	260570	70
192506	111			220850	58	227040	141	227682	124	260571	70
192550	112			220852	58	227041	141	227684	124	260574	70
192552	112			220890	58	227042	141	227800	150	260575	70
192554	112			220892	58	227043	141	227812	153	260580	70
192556	112			220894	58	227050	154	227815	153	260581	70
192558	113			220900	85	227051	154	227817	153	261002	67
192560	113			220902	143	227052	145	227820	153	261004	67
192610	114			220904	85	227061	146	227840	147	261012	68
192612	114			220906	85	227066	146	227842	147	261014	68
192614	114			220908	85	227071	146	227844	147	261017	68
192616	114			221000	140	227076	58	227846	156	261021	68
192620	116			221002	140	227077	58	227847	156	261022	68
192622	115			221003	140	227081	148	227860	56	263500	64
192624	115			221350	110	227082	148	227862	56	263501	64
192626	115			221351	110	227086	87	227900	58	263502	64
192628	115			221352	110	227087	58	227901	58	263504	64
192630	115			221354	110	227100	156	227902	58	263506	64
192640	116			221355	110	227102	156	227903	58	263508	64
192642	116			221356	110	227103	156	227970	88	263510	64
192644	116			221357	110	227104	156	227972	88,148	263512	64
192646	116			221430	108	227108	85	227978	88,148	263514	64
192648	116			221432	108	227110	85	257810	153	263568	64
192650	116			221434	109	227111	85	260003	63	263570	64
192656	115			221500	85	227222	156	260004	63	263572	64
192658	115			221640	140	227230	87	260005	63	263574	64
192750	120			221642	140	227250	69	260006	63	263576	64
192752	120			221644	140	227252	69	260007	63	263578	64
192754	120			221710	140	227254	69	260008	63	263580	64
192756	120			222000	151	227256	69	260009	63	263582	64
192880	99			222002	151	227258	69	260010	63	263584	64
192882	98			222004	151	227280	69	260011	63	263588	64

2

215000	152
215030	152-153
215040	152
215060	152-153
215070	152
215080	152
215090	152
215100	152
215120	152
215130	152
215140	152
215150	152
215160	152
215180	153
215192	153
215195	153
220002	155
220004	155
220006	155
220008	155
220010	155
220020	155
220022	155
220024	155
220026	155
220028	155
220030	155
220032	155
220050	155
220052	155
220054	155
220100	154
220102	154
220107	154
220108	154
220110	154
220112	154
220120	154
220122	154
220134	154
220136	154
220140	154
220142	154
220148	154
220149	154
220150	155
220156	154
220158	154
220164	155
220166	155
220168	155
220199	156
220200	156
220202	156


263590	64	263796	64	265648	64	266036	66	26A3020	61	26B7030	61
263592	64	263798	64	265650	64	266038	66	26A3025	61	26B8030	61
263594	64	263804	64	265652	64	266040	66	26A3030	61	26E1012	62
263636	64	263806	64	265654	64	266042	66	26A3520	61	26E1020	62
263638	64	263808	64	265656	64	266044	66	26A3530	61	26E1025	62
263640	64	263810	64	265658	64	266046	66	26A4020	61	26E1430	62
263642	64	263812	64	265660	64	266048	66	26A4025	61	26E1520	62
263644	64	263814	64	265662	64	266050	66	26A4030	61	26E1525	62
263646	64	263816	64	265664	64	266052	66	26A5025	61	26E1530	62
263648	64	263818	64	265666	64	266054	66	26A5030	61	26E1630	62
263650	64	263820	64	265668	64	266056	66	26A6030	61	26E1820	62
263652	64	263822	64	265670	64	266058	66	26A8030	61	26E1830	62
263654	64	263824	64	265672	64	266060	66	26B0812	61	26E2025	62
263656	64	263828	64	265674	64	266062	66	26B0830	61	26E2030	62
263658	64	263836	64	265676	64	266064	66	26B1010	61	26E2230	62
263660	64	263838	64	265678	64	266066	66	26B1012	61	26E2520	62
263662	64	264444	64	265706	64	266068	66	26B1020	61	26E2525	62
263664	64	264446	64	265708	64	266070	66	26B1025	61	26E2530	62
263666	64	264448	64	265710	64	266072	66	26B1030	61	26E3020	62
263668	64	264450	64	265712	64	266074	66	26B1212	61	26E3025	62
263670	64	264462	64	265714	64	266076	66	26B1220	61	26E3030	62
263672	64	264464	64	265716	64	266150	65	26B1230	61	26E3520	62
263674	64	264466	64	265718	64	266152	65	26B1415	61	26E3525	62
263676	64	264468	64	265720	64	266154	65	26B1420	61	26E3530	62
263678	64	264470	64	265722	64	266156	65	26B1430	61	26E4020	62
263706	64	264472	64	265724	64	266158	65	26B1512	61	26E4025	62
263708	64	264474	64	265726	64	266160	65	26B1515	61	26E4030	62
263710	64	264476	64	265728	64	266170	65	26B1520	61	26E4525	62
263712	64	264478	64	265730	64	266172	65	26B1525	61	26E5030	62
263714	64	264480	64	265732	64	26A1010	61	26B1530	61	26E6030	62
263716	64	264482	64	265734	64	26A1012	61	26B1620	61	26F1020	62
263718	64	264484	64	265736	64	26A1015	61	26B1630	61	26F1220	62
263720	64	264486	64	265738	64	26A1020	61	26B1812	61	26F1420	62
263722	64	264488	64	265740	64	26A1030	61	26B1820	61	26F1520	62
263724	64	264490	64	265742	64	26A1210	61	26B1830	61	26F1620	62
263726	64	265500	64	265744	64	26A1212	61	26B2012	61	26F1820	62
263728	64	265501	64	265746	64	26A1215	61	26B2015	61	26F2020	62
263730	64	265502	64	265748	64	26A1220	61	26B2020	61	26F2520	62
263732	64	265503	64	265750	64	26A1230	61	26B2025	61	26F2525	62
263734	64	265506	64	265752	64	26A1415	61	26B2030	61	26F3025	62
263736	64	265508	64	265754	64	26A1420	61	26B2212	61	26F3525	62
263738	64	265510	64	265756	64	26A1425	61	26B2220	61	26F4025	62
263740	64	265512	64	265758	64	26A1430	61	26B2230	61	26F4030	62
263742	64	265514	64	265760	64	26A1510	61	26B2512	61	26F5030	62
263744	64	265568	64	265762	64	26A1512	61	26B2515	61	26F6030	62
263746	64	265570	64	265764	64	26A1515	61	26B2520	61	26G0815	61
263748	64	265572	64	265766	64	26A1520	61	26B2525	61	26G1015	61
263750	64	265574	64	266002	66	26A1530	61	26B2530	61	26G1215	61
263752	64	265576	64	266004	66	26A1612	61	26B3012	61	26G1515	61
263754	64	265578	64	266006	66	26A1620	61	26B3015	61	26G1815	61
263756	64	265580	64	266008	66	26A1630	61	26B3020	61	26G2015	61
263758	64	265582	64	266010	66	26A1812	61	26B3025	61	26G3015	61
263760	64	265584	64	266012	66	26A1820	61	26B3030	61	26K1010	61
263762	64	265586	64	266014	66	26A2010	61	26B3520	61	26K1012	61
263764	64	265588	64	266016	66	26A2012	61	26B3525	61	26K1015	61
263766	64	265590	64	266018	66	26A2015	61	26B3530	61	26K1020	61
263780	64	265592	64	266020	66	26A2020	61	26B4020	61	26K1030	61
263782	64	265594	64	266022	66	26A2025	61	26B4025	61	26K1210	61
263784	64	265636	64	266024	66	26A2030	61	26B4030	61	26K1212	61
263786	64	265638	64	266026	66	26A2512	61	26B5025	61	26K1215	61
263788	64	265640	64	266028	66	26A2520	61	26B5030	61	26K1220	61
263790	64	265642	64	266030	66	26A2530	61	26B6025	61	26K1230	61
263792	64	265644	64	266032	66	26A3012	61	26B6030	61	26K1415	61
263794	64	265646	64	266034	66	26A3015	61	26B7025	61	26K1420	61

26K1425	61	26M2220	61	306004	74	306904	34	307240	79	307826	81
26K1430	61	26M2230	61	306006	74	306908	34	307241	79	307828	81
26K1510	61	26M2512	61	306008	74	306920	34	307242	79	307830	81
26K1512	61	26M2515	61	306010	74	306922	34	307243	79	307832	81
26K1515	61	26M2520	61	306012	74	306924	34	307250	80	307834	81
26K1520	61	26M2525	61	306013	74	306926	34	307252	80	307860	25
26K1530	61	26M2530	61	306014	74	306928	34	307254	80	307865	25
26K1612	61	26M3012	61	306016	74	306940	34	307256	80	307880	125
26K1620	61	26M3015	61	306100	72	306942	34	307280	80	307882	125
26K1630	61	26M3020	61	306102	72	307020	80	307282	80	307884	125
26K1812	61	26M3025	61	306104	72	307022	80	307290	80	307886	125
26K1820	61	26M3030	61	306106	72	307024	80	307292	80	307890	125
26K2010	61	26M3520	61	306108	72	307026	80	307294	80	307892	125
26K2012	61	26M3525	61	306110	72	307028	80	307296	80	307893	125
26K2015	61	26M3530	61	306112	72	307030	80	307320	36	307900	149
26K2020	61	26M4020	61	306116	72	307072	84	307322	36	307901	149
26K2025	61	26M4025	61	306117	72,77	307074	84	307324	36	307902	149
26K2030	61	26M4030	61	306200	72	307076	84	307326	36	307903	149
26K2512	61	26M5025	61	306202	72	307078	84	307328	36	307904	149
26K2520	61	26M5030	61	306204	72	307080	84	307330	36	307905	149
26K2530	61	26M6025	61	306206	72	307082	84	307350	55	307907	149
26K3012	61	26M6030	61	306208	72	307083	84	307352	55	307908	149
26K3015	61	26M7025	61	306210	72	307087	84	307354	55	307920	49
26K3020	61	26M7030	61	306212	72	307102	36	307400	55	307922	55
26K3025	61	26M8030	61	306216	72	307104	36	307401	55	307943	44
26K3030	61	26T1012	62	306300	72	307110	35	307410	55	307944	44
26K3520	61	26T1020	62	306302	72	307112	35	307610	122	307949	44
26K3530	61	26T1025	62	306304	72	307120	35	307611	122	307950	44
26K4020	61	26T1430	62	306306	72	307122	35	307612	122	307952	44
26K4025	61	26T1520	62	306308	72	307124	35	307613	122	307956	44
26K4030	61	26T1525	62	306310	72	307126	35	307620	123	307958	55
26K5025	61	26T1530	62	306312	72	307130	36	307623	123	307959	55
26K5030	61	26T1630	62	306314	72	307132	36	307626	122	307963	44
26K6030	61	26T1820	62	306315	72	307133	36	307627	122	307965	44
26K8030	61	26T1830	62	306316	72	307134	36	307629	122	307970	44
26M0812	61	26T2025	62	306400	74	307135	137	307640	126	307975	53
26M0830	61	26T2030	62	306402	74	307136	137	307650	122	307976	53
26M1010	61	26T2230	62	306404	74	307137	137	307652	123	307978	144
26M1012	61	26T2520	62	306406	74	307138	137	307656	125	307980	53
26M1020	61	26T2525	62	306408	74	307139	137	307658	125	307983	144
26M1025	61	26T2530	62	306410	74	307140	35	307660	125	307984	146
26M1030	61	26T3020	62	306412	74	307142	35	307685	126	307985	58
26M1212	61	26T3025	62	306413	74	307150	35	307700	124	307986	144
26M1220	61	26T3030	62	306414	74	307152	35	307702	124	307987	144
26M1230	61	26T3520	62	306416	74	307154	35	307704	124	307988	144
26M1415	61	26T3525	62	306420	72	307156	35	307706	124	307990	144
26M1420	61	26T3530	62	306422	72	307200	79	307708	124	307994	144
26M1430	61	26T4020	62	306424	72	307201	79	307760	124	307995	144
26M1512	61	26T4025	62	306426	72	307202	79	307761	124	307996	144
26M1515	61	26T4030	62	306428	72	307203	79	307762	124	307997	144
26M1520	61	26T4525	62	306430	72	307206	79	307763	124	307999	144
26M1525	61	26T5030	62	306432	72	307207	79	307769	124	308001	144
26M1530	61	26T6030	62	306438	72	307208	79	307770	124	308002	144
26M1620	61	277600	143	306450	75	307209	79	307771	124	317102	35
26M1630	61	277602	143	306452	75	307212	79	307772	124	317104	35
26M1812	61	277604	143	306454	75	307213	79	307800	81	317106	35
26M1820	61	277606	143	306456	75	307214	79	307801	81	317136	137
26M1830	61	277608	143	306458	75	307215	79	307805	81	317178	54
26M2012	61			306460	75	307216	79	307806	81	317180	54
26M2015	61	3		306462	75	307220	79	307810	81	317182	54
26M2020	61	300015	36	306468	75	307222	79	307811	81	317184	54
26M2025	61	306000	74	306898	34	307230	79	307820	81	317205	55
26M2030	61	306002	74	306900	34	307232	79	307822	81	317210	130
26M2212	61			306902	34	307234	79	307824	81	317230	130


317232	130	327212	76	340813	39	342030	39	600410	47	607010	50
317234	130	327213	76	340814	39	342032	39	600411	47	607014	50
317236	131	327302	78	340815	39	343014	38	600452	46	607016	50
317240	131	327304	78	340816	39	343015	38	600457	46	607018	50
317242	131	327306	78	340817	39	343016	38	600458	46	607020	50
317247	130	33C0810	62	340818	39	343018	38	600459	46	607022	50
317248	130	33C1012	62	340820	39	343020	38	600460	46	607024	50
317250	130	33C1212	62	340822	39	347015	57	600490	46	607028	50
317252	130	33C1512	62	340824	39			600493	46	607030	50
317256	131	33C1815	62	340826	39			600494	46	607032	52
317260	130	33C2015	62	340827	39			600495	46	630000	68
317400	128	33C2515	62	340828	39	5		600502	46	630010	53,68
317402	128	33C3020	62	340829	39	500094	158	600505	46	650001	51
317404	128	33C3520	62	340830	39	500095	158	600506	46	650012	51
317406	128	33C4020	62	340831	39	500097	158	600512	46	650031	51
317408	129	33P0810	62	340832	39	500126	158	600515	46	650320	51
317410	129	33P1012	62	340833	39	500165	158	600530	46	650322	51
317412	128	33P1212	62	340834	39	500166	158	600741	46	650330	51
317414	129	33P1512	62	340836	39	500261/1	158	600743	46	650332	51
317420	129	33P1812	62	340838	39	500262/1	158	600777	48	650335	51
317422	129	33P2012	62	340839	39	500276/1	158	600810	48	650460	51
317440	129	33P2512	62	340840	39	500291/1	158	600812	48	650495	51
317442	129	33P3015	62	340890	39	500292/1	158	600827	48	650498	51
31C0810	62	33P3515	62	340891	39	500296/1	158	600886	48	650580	51
31C1012	62	33P4015	62	340892	39	500297/1	158	600887	48	650882	51
31C1212	62	340000	57	340893	39	500301/1	158	600910	48	657000	52
31C1512	62	340007	57	340900	38	500306/1	158	600911	48	657004	52
31C1815	62	340010	57	340901	38	500380/1	158	600928	48	657006	52
31C2015	62	340019	57	340902	38	500381/1	158	600929	48	657008	52
31C2515	62	340020	68	340903	38	500382/1	158	600935	48	657012	52
31C3020	62	340030	68	340904	38	500383/1	158	601165	67	657014	52
31C3520	62	340040	40	340905	38	505271/1	159	601170	67	657016	52
31C4020	62	340080	40	340906	38	505277/1	159	601239	49	657018	52
31P0810	62	340500	40	340907	38	505302/1	159	601255	48	657020	52
31P1012	62	340502	40	340908	38	505307/1	159	601256	48	657022	52
31P1212	62	340504	40	340909	38	512520	55	601258	48	657024	52
31P1512	62	340506	40	340910	38	599110	159	601259	48	657030	52
31P1812	62	340508	40	340911	38			601260	48	657032	52
31P2012	62	340510	40	340912	38			601313	49	657034	52
31P2512	62	340512	40	340913	38			601410	46	657036	52
31P3015	62	340514	40	340914	38			601412	46	657040	145
31P3515	62	340552	40	340916	38			601413	46	657041	145
31P4015	62	340554	40	340918	38			601414	46	657052	52
327000	83	340556	40	340919	38			601420	47		
327002	83	340558	40	340922	38			601422	47		
327006	83	340560	40	340990	38			601423	47		
327008	83	340562	40	340991	38			601424	47		
327014	83	340564	40	342000	39			601431	47		
327016	83	340566	40	342001	39			601453	47		
327020	83	340568	40	342002	39			601454	47		
327022	83	340570	40	342003	39			601456	47		
327030	83	340604	40	342004	39			601458	47		
327032	83	340606	40	342006	39			601470	49		
327040	82	340608	40	342008	39			601475	159		
327042	82	340612	40	342009	39			601476	159		
327050	78	340652	40	342010	39			601485	49		
327052	78	340654	40	342012	39			601486	49		
327054	78	340656	40	342014	39			601490	49		
327056	78	340658	40	342016	39			601491	49		
327200	77	340660	40	342018	39			607000	50		
327201	77	340662	40	342020	39			607002	50		
327203	77	340664	40	342022	39			607003	50		
327205	77	340810	39	342024	39			607006	50		
327211	76	340811	39	342026	39			607008	50		
		340812	39	342028	39						

www.genia.fr

the veterinarian's preference... on the web !



*Find the catalog,
our new products and our news
on social networks and our website.*





Génia

Parc d'Activités Le Pont Béranger
12 rue Jean-François Champollion
44680 St. Hilaire de Chaléons - France

Tél : +33 (0)2 40 03 24 17 - Fax : +33 (0)2 40 03 14 71

genia@genia.fr

www.genia.fr

génia



MIX
Paper from
responsible sources
FSC® C020353